

# Test Cases: Car Rental Section (New York)

Application Under Test: <https://www.booking.com/cars/index.html>

Author: Dmytro Radchenko

Module: Car Rentals - Location: New York

**Scope:** Search, filtering, sorting, vehicle selection, booking flow, payment, validation, edge cases, security, performance, and usability for the car rental search and booking flow on Booking.com targeting New York pick-up locations.

## Test Case ID: TC01

**Title:** Search car rental in New York with valid pick-up location and dates

**Priority:** High

**Objective:** Verify a user can perform a successful car rental search using a valid New York pick-up location and valid future dates.

### Preconditions:

- User is on <https://www.booking.com/cars/index.html>
- Browser cookies and cache cleared
- Stable internet connection

### Test Data:

- Pick-up location: New York (JFK Airport)
- Pick-up date: today + 7 days, 10:00
- Drop-off date: today + 10 days, 10:00
- Driver age: 30

### Steps, Expected Results:

| No | Step                                                                                                 | Expected Result                                                                                                          |
|----|------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| 1  | Open <a href="https://www.booking.com/cars/index.html">https://www.booking.com/cars/index.html</a> . | Car rental landing page loads with search form visible.                                                                  |
| 2  | Enter 'New York' in the pick-up location field.                                                      | Auto-suggest dropdown shows New York-related locations (JFK, LGA, Manhattan, etc.).                                      |
| 3  | Select 'New York John F. Kennedy International Airport'.                                             | Selected location populates the input.                                                                                   |
| 4  | Set pick-up date and time to today + 7 days at 10:00.                                                | Date and time fields display the selected values.                                                                        |
| 5  | Set drop-off date and time to today + 10 days at 10:00.                                              | Date and time fields display the selected values.                                                                        |
| 6  | Confirm driver age is 30 (default 30-65).                                                            | Driver age field set correctly.                                                                                          |
| 7  | Click the 'Search' button.                                                                           | Search results page loads showing available cars in New York for the chosen dates with prices, vendors and vehicle info. |

## Test Case ID: TC02

**Title:** Search with empty pick-up location field

**Priority:** High

**Objective:** Verify the system displays a validation error when pick-up location is empty.

### Preconditions:

- User is on the car rental landing page

### Test Data:

- Pick-up location: (empty)
- Pick-up date: today + 5 days
- Drop-off date: today + 7 days

### Steps, Expected Results:

| No | Step                                  | Expected Result                                                                                  |
|----|---------------------------------------|--------------------------------------------------------------------------------------------------|
| 1  | Leave pick-up location empty.         | Pick-up location field remains empty.                                                            |
| 2  | Set valid pick-up and drop-off dates. | Dates are accepted.                                                                              |
| 3  | Click the 'Search' button.            | Validation message appears (e.g., 'Please enter a pick-up location') and search is not executed. |

## Test Case ID: TC03

**Title:** Search with drop-off date earlier than pick-up date

**Priority:** High

**Objective:** Verify the system prevents searching when drop-off date is before pick-up date.

### Preconditions:

- User is on the car rental landing page

### Test Data:

- Pick-up location: New York

- Pick-up date: today + 10 days
- Drop-off date: today + 5 days

**Steps, Expected Results:**

| No | Step                                        | Expected Result                                                                                            |
|----|---------------------------------------------|------------------------------------------------------------------------------------------------------------|
| 1  | Select 'New York' as pick-up location.      | Location populated.                                                                                        |
| 2  | Set pick-up date to today + 10 days.        | Pick-up date applied.                                                                                      |
| 3  | Try to set drop-off date to today + 5 days. | System either prevents selecting an earlier date in the calendar or shows a validation error after submit. |
| 4  | Click 'Search'.                             | Error message displayed; no search results are shown.                                                      |

**Test Case ID: TC04**

**Title:** Search with past pick-up date

**Priority:** High

**Objective:** Verify the system does not allow selecting a past pick-up date.

**Preconditions:**

- User is on the car rental landing page

**Test Data:**

- Pick-up location: New York
- Pick-up date: yesterday

**Steps, Expected Results:**

| No | Step                                             | Expected Result                                                    |
|----|--------------------------------------------------|--------------------------------------------------------------------|
| 1  | Open the pick-up date calendar.                  | Calendar opens with past dates disabled.                           |
| 2  | Attempt to select yesterday as the pick-up date. | Past date is not selectable; current and future dates are enabled. |
| 3  | Verify default behavior.                         | Today or next available time slot is suggested by default.         |

**Test Case ID: TC05**

**Title:** Return car to a different location in New York

**Priority:** High

**Objective:** Verify a one-way rental can be set up with different pick-up and drop-off locations.

**Preconditions:**

- User is on the car rental landing page

**Test Data:**

- Pick-up: JFK Airport
- Drop-off: LaGuardia Airport
- Dates: today + 7 days to today + 10 days

**Steps, Expected Results:**

| No | Step                                                  | Expected Result                                                                          |
|----|-------------------------------------------------------|------------------------------------------------------------------------------------------|
| 1  | Enable 'Return car to a different location' checkbox. | Drop-off location field becomes visible and editable.                                    |
| 2  | Enter 'JFK Airport' in pick-up location.              | JFK Airport auto-suggestion is shown and selectable.                                     |
| 3  | Enter 'LaGuardia' in drop-off location.               | LaGuardia auto-suggestion appears and is selectable.                                     |
| 4  | Set valid future dates.                               | Dates are accepted.                                                                      |
| 5  | Click 'Search'.                                       | Results page loads with one-way rentals listed; one-way fees (if any) are shown clearly. |

**Test Case ID: TC06**

**Title:** Filter results by car category (Economy)

**Priority:** Medium

**Objective:** Verify filtering search results by car category returns only matching cars.

**Preconditions:**

- Search performed successfully for New York

**Test Data:**

- Filter: Car category = Economy

**Steps, Expected Results:**

| No | Step                                         | Expected Result                               |
|----|----------------------------------------------|-----------------------------------------------|
| 1  | Perform a valid search for New York rentals. | Results page is displayed.                    |
| 2  | Locate the 'Car category' filter section.    | Filter panel is visible on the left side.     |
| 3  | Select 'Economy' checkbox.                   | Filter applies; loading indicator may appear. |

| No | Step                         | Expected Result                                |
|----|------------------------------|------------------------------------------------|
| 4  | Wait for results to refresh. | Only Economy-class cars are listed.            |
| 5  | Verify each result card.     | Each result displays 'Economy' category label. |

#### Test Case ID: TC07

**Title:** Filter results by transmission type (Automatic)

**Priority:** Medium

**Objective:** Verify users can filter cars by transmission type.

**Preconditions:**

- Search performed for New York rentals

**Test Data:**

- Filter: Transmission = Automatic

**Steps, Expected Results:**

| No | Step                                    | Expected Result                                      |
|----|-----------------------------------------|------------------------------------------------------|
| 1  | Open the 'Transmission' filter section. | Section expands showing options.                     |
| 2  | Select 'Automatic'.                     | Filter applies.                                      |
| 3  | Wait for results to refresh.            | Only cars with Automatic transmission are displayed. |
| 4  | Inspect each result.                    | Each result card shows 'Automatic' specification.    |

#### Test Case ID: TC08

**Title:** Filter results by supplier (e.g., Hertz)

**Priority:** Medium

**Objective:** Verify users can filter cars by a specific rental supplier.

**Preconditions:**

- Search performed for New York rentals

**Test Data:**

- Filter: Supplier = Hertz

**Steps, Expected Results:**

| No | Step                                    | Expected Result                      |
|----|-----------------------------------------|--------------------------------------|
| 1  | Open the 'Supplier' filter section.     | Section expands.                     |
| 2  | Select 'Hertz'.                         | Filter applies.                      |
| 3  | Wait for results to refresh.            | Only Hertz cars appear in results.   |
| 4  | Verify supplier logo/name on each card. | All cards display Hertz as supplier. |

#### Test Case ID: TC09

**Title:** Sort results by price (lowest first)

**Priority:** Medium

**Objective:** Verify sorting results by price from lowest to highest works correctly.

**Preconditions:**

- Search performed for New York rentals

**Test Data:**

- Sort: Price (lowest first)

**Steps, Expected Results:**

| No | Step                                      | Expected Result                                                     |
|----|-------------------------------------------|---------------------------------------------------------------------|
| 1  | Locate the sort dropdown on results page. | Sort dropdown is visible at the top of results.                     |
| 2  | Select 'Price (lowest first)'.            | Results refresh.                                                    |
| 3  | Inspect the order of prices.              | Cars are sorted from cheapest to most expensive, ascending.         |
| 4  | Verify by checking first 5 results.       | Each subsequent price is greater than or equal to the previous one. |

#### Test Case ID: TC10

**Title:** Sort results by recommended

**Priority:** Low

**Objective:** Verify the default 'Recommended' sort option is available.

**Preconditions:**

- Search performed for New York rentals

**Test Data:**

- Sort: Recommended

**Steps, Expected Results:**

| No | Step                            | Expected Result                                               |
|----|---------------------------------|---------------------------------------------------------------|
| 1  | Open the sort dropdown.         | Dropdown shows multiple sort options including 'Recommended'. |
| 2  | Select 'Recommended'.           | Results refresh and display the recommended order.            |
| 3  | Verify default selection state. | Recommended is marked as the selected option.                 |

**Test Case ID: TC11**

**Title:** Verify map view of pick-up locations

**Priority:** Medium

**Objective:** Verify that the map view shows correct pick-up locations in New York.

**Preconditions:**

- Search performed for New York rentals

**Test Data:**

- Pick-up: New York (city center)

**Steps, Expected Results:**

| No | Step                                            | Expected Result                                                    |
|----|-------------------------------------------------|--------------------------------------------------------------------|
| 1  | Open the 'Show on map' feature on results page. | Map view is displayed.                                             |
| 2  | Verify location pins.                           | Pins appear in correct New York geographic positions.              |
| 3  | Click on a pin.                                 | Pin shows supplier name, address and number of vehicles available. |
| 4  | Zoom in and out of the map.                     | Map zooms smoothly without UI distortion.                          |

**Test Case ID: TC12**

**Title:** Select a car and view its details page

**Priority:** High

**Objective:** Verify the car details page displays all required information.

**Preconditions:**

- Search results displayed for New York

**Test Data:**

- Any available car (e.g., Toyota Corolla)

**Steps, Expected Results:**

| No | Step                                       | Expected Result                                                                                                                           |
|----|--------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| 1  | Click 'View deal' button on a result card. | Car details page opens.                                                                                                                   |
| 2  | Inspect the page content.                  | Page shows car model, category, transmission, seats, doors, luggage, mileage policy, fuel policy, supplier, pick-up details, total price. |
| 3  | Verify price breakdown.                    | Base price, taxes and fees are clearly displayed.                                                                                         |
| 4  | Verify included/excluded items.            | Insurance and additional services details are listed.                                                                                     |

**Test Case ID: TC13**

**Title:** Search using driver age outside 30-65 range

**Priority:** Medium

**Objective:** Verify additional young/senior driver fees are reflected when driver age is outside the default range.

**Preconditions:**

- User is on the car rental landing page

**Test Data:**

- Pick-up: New York
- Driver age: 21
- Dates: valid future range

**Steps, Expected Results:**

| No | Step                        | Expected Result                                                                           |
|----|-----------------------------|-------------------------------------------------------------------------------------------|
| 1  | Open 'Driver's age' option. | Age input field appears.                                                                  |
| 2  | Enter age 21.               | Age is accepted.                                                                          |
| 3  | Perform the search.         | Results show prices including young driver surcharge or warning about possible extra fee. |
| 4  | Verify fee detail.          | Young driver fee is shown on the price breakdown of each car.                             |

**Test Case ID: TC14****Title:** Currency change on results page**Priority:** Medium**Objective:** Verify that changing currency updates all displayed prices.**Preconditions:**

- Search performed for New York rentals

**Test Data:**

- Currency: USD -> EUR

**Steps, Expected Results:**

| No | Step                           | Expected Result                                          |
|----|--------------------------------|----------------------------------------------------------|
| 1  | Open the currency selector.    | Currency menu opens.                                     |
| 2  | Select 'EUR'.                  | Page reloads or refreshes.                               |
| 3  | Verify prices on result cards. | All prices are displayed in EUR with correct symbol (€). |
| 4  | Reload the page.               | Selected currency preference persists.                   |

**Test Case ID: TC15****Title:** Language change on car rental page**Priority:** Medium**Objective:** Verify language switcher updates all text on the page.**Preconditions:**

- User is on the car rental landing page

**Test Data:**

- Language: English -> Spanish

**Steps, Expected Results:**

| No | Step                                   | Expected Result                                                 |
|----|----------------------------------------|-----------------------------------------------------------------|
| 1  | Click language selector in header.     | Language menu opens.                                            |
| 2  | Select 'Español'.                      | Page reloads in Spanish.                                        |
| 3  | Verify search form labels and buttons. | All labels, buttons, and placeholders are translated correctly. |
| 4  | Switch back to English.                | Interface returns to English with no broken text.               |

**Test Case ID: TC16****Title:** Auto-suggestion for partial location input**Priority:** Medium**Objective:** Verify the auto-suggestion dropdown works with a partial input string.**Preconditions:**

- User is on the car rental landing page

**Test Data:**

- Pick-up location: 'New Y'

**Steps, Expected Results:**

| No | Step                               | Expected Result                                                                     |
|----|------------------------------------|-------------------------------------------------------------------------------------|
| 1  | Click the pick-up location field.  | Field is focused.                                                                   |
| 2  | Type 'New Y'.                      | Auto-suggest list appears with New York-related results (city, airports, stations). |
| 3  | Move down and up using arrow keys. | Suggestions are highlighted accordingly.                                            |
| 4  | Press Enter on a suggestion.       | Selected suggestion populates the field.                                            |

**Test Case ID: TC17****Title:** Search with invalid characters in location field**Priority:** Medium**Objective:** Verify input validation for unsupported characters in location field.**Preconditions:**

- User is on the car rental landing page

**Test Data:**

- Pick-up location: '@@@@###\$\$\$'

**Steps, Expected Results:**

| No | Step                                          | Expected Result                                                   |
|----|-----------------------------------------------|-------------------------------------------------------------------|
| 1  | Enter '@@@###\$\$\$' in the pick-up location. | Auto-suggest shows no matches or 'No locations found' message.    |
| 2  | Click 'Search'.                               | Validation prevents search or returns 'No results found' message. |
| 3  | Verify no system error.                       | No 500/JS error occurs.                                           |

#### Test Case ID: TC18

**Title:** Verify total price calculation accuracy

**Priority:** High

**Objective:** Verify the total rental price is calculated correctly based on selected car and rental duration.

**Preconditions:**

- Search performed and details page opened

**Test Data:**

- Daily rate: \$40, Duration: 3 days, Taxes/fees: \$20

**Steps, Expected Results:**

| No | Step                                                      | Expected Result                                                  |
|----|-----------------------------------------------------------|------------------------------------------------------------------|
| 1  | Open a car details page.                                  | Daily rate, number of days, total price are displayed.           |
| 2  | Calculate manually: $(40 * 3) + 20 = 140$ .               | Expected total = \$140.                                          |
| 3  | Compare with displayed total.                             | Displayed total matches manual calculation.                      |
| 4  | Change rental duration to 5 days via search modification. | Total updates accordingly to $(40 * 5) +$ applicable taxes/fees. |

#### Test Case ID: TC19

**Title:** Add extras during booking (Child seat, GPS)

**Priority:** Medium

**Objective:** Verify users can add optional extras and they are reflected in the price.

**Preconditions:**

- User has selected a car and is in the booking flow

**Test Data:**

- Extra: 1 Child seat (\$10/day), 1 GPS (\$5/day), 3 days

**Steps, Expected Results:**

| No | Step                                | Expected Result                                        |
|----|-------------------------------------|--------------------------------------------------------|
| 1  | Proceed to the booking review page. | Page shows extras section.                             |
| 2  | Add 1 Child Seat.                   | Extra added and total increases by $3 * \$10 = \$30$ . |
| 3  | Add 1 GPS device.                   | Extra added and total increases by $3 * \$5 = \$15$ .  |
| 4  | Verify final total.                 | Total reflects added extras and original price.        |

#### Test Case ID: TC20

**Title:** Complete booking with valid driver and payment information

**Priority:** High

**Objective:** Verify a booking can be completed end-to-end with valid data.

**Preconditions:**

- User has selected a car for New York
- User is on the booking page

**Test Data:**

- Driver: John Smith, +1-2125550100, johnsmith@example.com, valid Visa test card, billing US address

**Steps, Expected Results:**

| No | Step                                                    | Expected Result                                                                      |
|----|---------------------------------------------------------|--------------------------------------------------------------------------------------|
| 1  | Enter driver first name and last name.                  | Fields accept text without errors.                                                   |
| 2  | Enter valid phone number and email.                     | Fields validate and accept input.                                                    |
| 3  | Enter flight number (optional).                         | Field is optional and accepts alphanumeric values.                                   |
| 4  | Enter valid Visa test card with correct CVV and expiry. | Card details are accepted.                                                           |
| 5  | Click 'Book now' / 'Complete booking'.                  | Booking confirmation page is displayed with confirmation number and booking summary. |
| 6  | Check confirmation email.                               | Booking confirmation email is received with full details.                            |

#### Test Case ID: TC21

**Title:** Booking with invalid credit card details

**Priority:** High

**Objective:** Verify the system blocks the booking when an invalid card number is provided.

**Preconditions:**

- User is on the booking payment page

**Test Data:**

- Card number: 1234 5678 9012 3456 (invalid), valid future expiry, CVV 123

**Steps, Expected Results:**

| No | Step                                  | Expected Result                                                               |
|----|---------------------------------------|-------------------------------------------------------------------------------|
| 1  | Enter card number '1234567890123456'. | Field formats input; client-side validation may flag invalid format.          |
| 2  | Enter expiry and CVV.                 | Fields accepted.                                                              |
| 3  | Click 'Confirm booking'.              | Error message displayed: 'Invalid card details' and booking is not processed. |
| 4  | Verify no charge attempt.             | No confirmation is sent and the user remains on the payment page.             |

**Test Case ID: TC22**

**Title:** Booking with expired credit card

**Priority:** High

**Objective:** Verify validation prevents booking when an expired card is used.

**Preconditions:**

- User is on the booking payment page

**Test Data:**

- Card: valid number, expiry 01/2020, CVV 123

**Steps, Expected Results:**

| No | Step                                        | Expected Result                                 |
|----|---------------------------------------------|-------------------------------------------------|
| 1  | Enter the card details with expiry 01/2020. | Expiry field accepts input.                     |
| 2  | Click 'Confirm booking'.                    | Error message: 'Card has expired' is displayed. |
| 3  | Verify the booking state.                   | Booking is not created.                         |

**Test Case ID: TC23**

**Title:** Verify email format validation on driver email field

**Priority:** Medium

**Objective:** Verify the email field rejects invalid formats.

**Preconditions:**

- User is on the booking page

**Test Data:**

- Email: 'test@@test', 'test.com', 'test@test.com'

**Steps, Expected Results:**

| No | Step                   | Expected Result                                         |
|----|------------------------|---------------------------------------------------------|
| 1  | Enter 'test@@test'.    | Field shows invalid email error or won't allow proceed. |
| 2  | Enter 'test.com'.      | Validation error is displayed.                          |
| 3  | Enter 'test@test.com'. | Email accepted as valid format.                         |

**Test Case ID: TC24**

**Title:** Verify phone number validation for US numbers

**Priority:** Medium

**Objective:** Verify phone field validates US format and accepts international codes.

**Preconditions:**

- User is on the booking page

**Test Data:**

- Phone numbers: '12345', '+1-2125550100', 'abc123'

**Steps, Expected Results:**

| No | Step                   | Expected Result                       |
|----|------------------------|---------------------------------------|
| 1  | Enter '12345'.         | Validation error: phone is too short. |
| 2  | Enter 'abc123'.        | Validation error: invalid characters. |
| 3  | Enter '+1-2125550100'. | Number is accepted as valid US phone. |

**Test Case ID: TC25**

**Title:** Verify pick-up time selection in 30-minute increments

**Priority:** Low

**Objective:** Verify pick-up and drop-off time dropdowns work as expected.

**Preconditions:**

- User is on the car rental landing page

**Test Data:**

- Pick-up time: 09:30, Drop-off time: 18:00

**Steps, Expected Results:**

| No | Step                                            | Expected Result                                        |
|----|-------------------------------------------------|--------------------------------------------------------|
| 1  | Open pick-up time dropdown.                     | Times are shown in 30-minute increments (00:00-23:30). |
| 2  | Select '09:30'.                                 | Selected time is displayed in the field.               |
| 3  | Open drop-off time dropdown and select '18:00'. | Selected time is displayed in the field.               |

**Test Case ID: TC26**

**Title:** Verify the booking flow on mobile resolution

**Priority:** Medium

**Objective:** Verify the car rental flow is responsive and usable on mobile resolution.

**Preconditions:**

- Browser DevTools open with mobile device emulation (e.g., iPhone 14)

**Test Data:**

- Viewport: 390 x 844

**Steps, Expected Results:**

| No | Step                                 | Expected Result                                             |
|----|--------------------------------------|-------------------------------------------------------------|
| 1  | Switch to mobile resolution.         | Layout adapts to mobile viewport without horizontal scroll. |
| 2  | Perform a search for New York.       | Mobile search form is usable; fields are tappable.          |
| 3  | View results.                        | Cards are stacked vertically and readable.                  |
| 4  | Open filters.                        | Filters open as a modal/drawer on mobile.                   |
| 5  | Open details and proceed to booking. | Flow works smoothly without UI overlap.                     |

**Test Case ID: TC27**

**Title:** Verify session timeout/cart expiry during booking

**Priority:** Medium

**Objective:** Verify behavior when the user idles on the booking page past the rate hold period.

**Preconditions:**

- User is on the booking page with car selected

**Test Data:**

- Idle time: > 30 minutes

**Steps, Expected Results:**

| No | Step                                     | Expected Result                                                                                                |
|----|------------------------------------------|----------------------------------------------------------------------------------------------------------------|
| 1  | Select a car and reach the booking page. | Booking page loaded.                                                                                           |
| 2  | Leave the page idle for 30+ minutes.     | Session/rate hold expires.                                                                                     |
| 3  | Attempt to complete the booking.         | System informs that price/availability changed and prompts to refresh search; no booking made with stale data. |

**Test Case ID: TC28**

**Title:** Verify SQL injection attempt in pick-up location field (security)

**Priority:** High

**Objective:** Verify the system safely handles SQL/script injection attempts.

**Preconditions:**

- User is on the car rental landing page

**Test Data:**

- Pick-up location: "" OR 1=1 -- " and "alert(1)"

**Steps, Expected Results:**

| No | Step                                   | Expected Result                                                                                           |
|----|----------------------------------------|-----------------------------------------------------------------------------------------------------------|
| 1  | Enter "" OR 1=1 -- " in pick-up field. | Input is treated as a string; no database error and no results returned, or 'No location found' is shown. |
| 2  | Enter "alert(1)".                      | Input is escaped; no alert appears; no script executed.                                                   |



| No | Step             | Expected Result                                         |
|----|------------------|---------------------------------------------------------|
| 3  | Submit the form. | System remains stable; logs do not expose stack traces. |

#### Test Case ID: TC29

**Title:** Verify performance of search results loading time

**Priority:** Medium

**Objective:** Verify that car rental search results in New York load within acceptable time.

**Preconditions:**

- User on landing page with stable connection (10+ Mbps)

**Test Data:**

- Pick-up: New York JFK, valid future dates

**Steps, Expected Results:**

| No | Step                                     | Expected Result                                |
|----|------------------------------------------|------------------------------------------------|
| 1  | Open browser DevTools Network tab.       | Network tab is active and recording.           |
| 2  | Perform a valid search for New York.     | Request is sent and recorded.                  |
| 3  | Measure time until first results render. | First results render within <= 5 seconds.      |
| 4  | Measure full results load.               | All results fully loaded within <= 10 seconds. |
| 5  | Confirm no failed requests.              | No 4xx/5xx in network panel.                   |

#### Test Case ID: TC30

**Title:** Cancel an existing car rental booking

**Priority:** High

**Objective:** Verify a confirmed booking can be cancelled and the user is notified.

**Preconditions:**

- User has a confirmed car rental booking in New York
- User is logged in to Booking.com account

**Test Data:**

- Booking confirmation number from a previously completed test

**Steps, Expected Results:**

| No | Step                                     | Expected Result                                                        |
|----|------------------------------------------|------------------------------------------------------------------------|
| 1  | Log in to the user account.              | User is authenticated and lands on dashboard.                          |
| 2  | Navigate to 'Bookings' -> 'Car rentals'. | List of bookings is displayed.                                         |
| 3  | Open the New York booking.               | Booking details page is shown with 'Cancel booking' option.            |
| 4  | Click 'Cancel booking'.                  | Confirmation modal appears with cancellation policy and possible fees. |
| 5  | Confirm the cancellation.                | Booking status changes to 'Cancelled', confirmation message is shown.  |
| 6  | Check email inbox.                       | Cancellation email is received with refund info if applicable.         |

*Test cases are generated with detailed coverage. Let me know if you need further refinement or additional edge cases.*