

Booking.com — Car Rental (New York)

15 Test Cases + Quality Review

Application Under Test: <https://www.booking.com/cars/index.html>

Section: Car Rentals — Pick-up location: New York

Author: Dmytro Radchenko

Date: 2026-05-14

1. Test Cases

TC_CAR_NY_01

Test Case ID	TC_CAR_NY_01
Title	Search car rentals in New York with valid future pick-up and drop-off dates
Format	Classic
Type	Functional
Priority	High
Requirement / Story	US-CAR-001
Preconditions	User has internet access and the Booking.com car rental page is loaded.
Test Steps	1. Navigate to https://www.booking.com/cars/index.html. 2. Click the 'Pick-up location' field. 3. Enter 'New York' and select 'New York, NY, USA' from the suggestions. 4. Set Pick-up date to today + 7 days, time 10:00. 5. Set Drop-off date to today + 10 days, time 10:00. 6. Click the 'Search' button.
Expected Result	Search results page opens at /cars/search. Result list shows cars with pick-up location 'New York'. Selected pick-up and drop-off dates and times are reflected in the results header.

TC_CAR_NY_02

Test Case ID	TC_CAR_NY_02
Title	Search with different pick-up and drop-off locations (New York → Boston)
Format	Classic
Type	Functional
Priority	High
Requirement / Story	US-CAR-002
Preconditions	Car rental page is loaded.
Test Steps	1. Tick the checkbox 'Drop car off at a different location'. 2. Enter 'New York' in the pick-up location field and select 'New York, NY, USA'. 3. Enter 'Boston' in the drop-off location field and select 'Boston, MA, USA'. 4. Select valid future pick-up and drop-off dates and times. 5. Click 'Search'.
Expected Result	Results page displays only cars available for one-way rental from New York to Boston. Pick-up shows 'New York' and drop-off shows 'Boston' in the search summary.

TC_CAR_NY_03

Test Case ID	TC_CAR_NY_03
Title	Validation error when pick-up date is in the past
Format	Classic
Type	Negative
Priority	High
Requirement / Story	US-CAR-003
Preconditions	Car rental page is loaded.
Test Steps	1. Enter 'New York' as the pick-up location. 2. Open the calendar and try to select a date earlier than today as pick-up. 3. Observe calendar behavior.
Expected Result	Past dates are visually disabled in the calendar and cannot be selected. If a past date is forced via URL parameters, the page resets to today's date or shows an inline validation message.

TC_CAR_NY_04

Test Case ID	TC_CAR_NY_04
Title	Validation error when drop-off date is earlier than pick-up date
Format	Classic
Type	Negative
Priority	High
Requirement / Story	US-CAR-004
Preconditions	Car rental page is loaded.
Test Steps	1. Enter 'New York' as the pick-up location. 2. Set Pick-up date to today + 10 days. 3. Set Drop-off date to today + 5 days. 4. Click 'Search'.
Expected Result	User is prevented from selecting an earlier drop-off date, or an inline validation message is shown. No search request is sent until the date conflict is resolved.

TC_CAR_NY_05

Test Case ID	TC_CAR_NY_05
Title	Search with empty pick-up location field
Format	Classic
Type	Negative
Priority	Medium
Requirement / Story	US-CAR-005
Preconditions	Car rental page is loaded.
Test Steps	1. Leave the 'Pick-up location' field empty. 2. Select valid future pick-up and drop-off dates. 3. Click 'Search'.
Expected Result	The 'Pick-up location' field is highlighted in red. An inline error message such as 'Please enter a pick-up location' is shown. Search is not executed.

TC_CAR_NY_06

Test Case ID	TC_CAR_NY_06
Title	Autocomplete suggests New York airports when typing 'New York'
Format	Classic
Type	Functional
Priority	Medium
Requirement / Story	US-CAR-006
Preconditions	Car rental page is loaded.
Test Steps	1. Click the 'Pick-up location' field. 2. Type 'New York' character by character.
Expected Result	Suggestion dropdown appears within 1 second of typing. Suggestions include 'New York, NY, USA' city and major airports such as 'John F. Kennedy International Airport (JFK)', 'LaGuardia Airport (LGA)' and 'Newark Liberty International Airport (EWR)'.

TC_CAR_NY_07

Test Case ID	TC_CAR_NY_07
Title	Filter New York car rental results by car category 'SUV'
Format	Classic
Type	Functional
Priority	Medium
Requirement / Story	US-CAR-007
Preconditions	Search results for New York are displayed.
Test Steps	1. In the 'Car category' filter on the left panel, select 'SUV'. 2. Wait for results to refresh.
Expected Result	Result list refreshes and only displays SUV vehicles. The active filter chip 'SUV' is visible above the results. Total result count is updated accordingly.

TC_CAR_NY_08

Test Case ID	TC_CAR_NY_08
Title	Sort New York car rental results by 'Price (lowest first)'
Format	Classic
Type	Functional
Priority	Medium
Requirement / Story	US-CAR-008
Preconditions	Search results for New York contain at least 2 cars.
Test Steps	1. Open the 'Sort by' dropdown. 2. Select 'Price (lowest first)'.
Expected Result	Results reload sorted by total price in ascending order. The first result has a price less than or equal to the second result.

TC_CAR_NY_09

Test Case ID	TC_CAR_NY_09
Title	Currency change updates rental prices on New York results page
Format	Classic
Type	Functional
Priority	Medium
Requirement / Story	US-CAR-009
Preconditions	Search results for New York are displayed.
Test Steps	1. Open the currency selector in the page header. 2. Select 'EUR – Euro'.
Expected Result	All prices on the results page are recalculated and displayed in EUR with the € symbol. The selected currency is persisted on the car details page.

TC_CAR_NY_10

Test Case ID	TC_CAR_NY_10
Title	Open car details page from New York results list
Format	Classic
Type	Functional
Priority	High
Requirement / Story	US-CAR-010
Preconditions	Search results for New York contain at least one car.
Test Steps	1. Click the 'View deal' (or equivalent) button on the first car in the list.
Expected Result	Car details page opens in the same tab. Page shows car model, supplier, included features (mileage, fuel policy, insurance), pick-up/drop-off info, and total price. 'Book' / 'Continue' button is enabled.

TC_CAR_NY_11

Test Case ID	TC_CAR_NY_11
Title	Apply a price range filter on New York car rentals
Format	BDD / Gherkin
Type	Functional
Priority	Medium
Requirement / Story	US-CAR-011
Preconditions	User is on the New York car rental results page.
Test Steps	Given the user is on the search results page for 'New York' And the price range slider is available in the filters When the user sets the price range to USD 50–100 per day Then only cars priced between USD 50 and USD 100 per day are displayed And the filter chip 'USD 50–100' is shown above the results
Expected Result	Only cars within the selected USD 50–100 per day price range are visible. Result counter reflects the filtered total.

TC_CAR_NY_12

Test Case ID	TC_CAR_NY_12
Title	Total price recalculates when rental duration is extended on results page
Format	Classic
Type	Functional
Priority	High
Requirement / Story	US-CAR-012
Preconditions	Search results for New York are displayed for a 3-day rental.
Test Steps	1. Note the total price of the first car (P1). 2. Edit the search and extend the drop-off date by 2 days (total 5 days). 3. Click 'Search' to refresh the results.
Expected Result	Total price of the same car (P2) increases proportionally to the extra rental days. Price breakdown on the details page shows the new number of rental days.

TC_CAR_NY_13

Test Case ID	TC_CAR_NY_13
Title	Search New York car rental from a mobile viewport (responsive layout)
Format	Classic
Type	UI / Responsive
Priority	Medium
Requirement / Story	US-CAR-013
Preconditions	Browser is set to a mobile viewport (e.g., 390 x 844 px).
Test Steps	1. Open https://www.booking.com/cars/index.html. 2. Verify the search form layout. 3. Enter 'New York' as the pick-up location and valid future dates. 4. Tap 'Search'.
Expected Result	Search form fields stack vertically without horizontal scroll. All controls (location, dates, times, search button) are tappable and fully visible. Search executes and results are displayed in a mobile-optimized layout.

TC_CAR_NY_14

Test Case ID	TC_CAR_NY_14
Title	Driver's age filter affects available New York car rental offers
Format	Classic
Type	Functional
Priority	Medium
Requirement / Story	US-CAR-014
Preconditions	Search results for New York are displayed.
Test Steps	1. Open the 'Driver's age' option in the search form. 2. Untick 'Driver's age is between 25 – 70' and set age to 21. 3. Click 'Search'.
Expected Result	Results page refreshes with offers available for a 21-year-old driver. Young driver fee, if applicable, is displayed in the price breakdown for affected cars.

TC_CAR_NY_15

Test Case ID	TC_CAR_NY_15
Title	No results message shown when no cars are available for the selected New York criteria
Format	Classic
Type	Negative
Priority	Low
Requirement / Story	US-CAR-015
Preconditions	Car rental page is loaded.
Test Steps	1. Enter 'New York' as the pick-up location. 2. Set pick-up and drop-off date/time to the same day with a 30-minute interval. 3. Click 'Search'. 4. Apply restrictive filters (e.g., supplier = a small local supplier, category = 'Luxury').
Expected Result	If no cars match the selected criteria, a clear empty-state message is displayed (e.g., 'No cars match your search'). Suggestions to broaden the search are offered (e.g., remove filters, change dates).

2. Test Case Quality Review

Each test case is reviewed against the quality checklist: title clarity, description / preconditions, steps, expected results, and overall consistency. Findings are presented inside a single fenced Markdown block as required by the project template.

TC_CAR_NY_01

```
```markdown
Assessment Summary: Good as is.

Section-by-Section Review:
- Summary/Title: Specific, action-oriented, mentions location and the happy path.
- Description/Preconditions: Clear; linked to US-CAR-001.
- Steps: Numbered, imperative, complete; uses concrete data (T+7 / T+10, 10:00).
- Expected Results: Observable, verifiable (URL path, results list, header).
- Consistency: Aligned with Booking UX terminology ('Pick-up location', 'Search').

Suggested Improvements: None required.
```
```

TC_CAR_NY_02

```
```markdown
Assessment Summary: Good as is (minor polish optional).

Section-by-Section Review:
- Title: Clear and goal-driven (one-way rental NY -> Boston).
- Steps: Logical, mentions the dedicated 'different drop-off' checkbox.
- Expected Results: Observable; checks both data points (pick-up + drop-off).
- Consistency: UX terms preserved.

Suggested Improvements:
- Optionally add a concrete pick-up/drop-off date+time to remove ambiguity.
```
```

TC_CAR_NY_03

```markdown

Assessment Summary: Needs Improvement.

Section-by-Section Review:

- Title: Clear.
- Steps: Step 3 ('Observe calendar behavior') is non-imperative and not verifiable.
- Expected Results: Mixes two scenarios (UI disable + URL bypass) without a clear trigger.
- Consistency: OK.

Suggested Improvements:

- Split into two test cases: (a) UI calendar disables past dates;
- (b) Past date supplied via URL is rejected with validation message.
- Replace 'Observe calendar behavior' with imperative checks (e.g., 'Verify that yesterday's date is greyed out and not selectable').

```

TC_CAR_NY_04

```markdown

Assessment Summary: Good as is.

Section-by-Section Review:

- Title: Specific.
- Steps: Numbered, imperative, with concrete dates.
- Expected Results: Verifiable; covers both UI prevention and request suppression.
- Consistency: OK.

Suggested Improvements: None required.

```

TC_CAR_NY_05

```markdown

Assessment Summary: Good as is.

Section-by-Section Review:

- Title: Clear negative-path scenario.
- Steps: Concrete.
- Expected Results: Three verifiable assertions (field state, error text, no submission).
- Consistency: OK.

Suggested Improvements:

- Use the exact UI error string once confirmed in the product to avoid drift.

```

TC_CAR_NY_06

```markdown

Assessment Summary: Needs Improvement.

Section-by-Section Review:

- Title: Good.
- Steps: Acceptable; '1 second' threshold is reasonable but should be a documented NFR.
- Expected Results: Lists specific airports - risk of brittleness if naming changes.
- Consistency: OK.

Suggested Improvements:

- Convert response-time requirement into a clearly tagged NFR (e.g., 'within 1 s under nominal network conditions').
- Assert that at least one airport suggestion contains 'JFK', 'LGA' or 'EWR' rather than exact strings.

```

TC_CAR_NY_07

```markdown

Assessment Summary: Good as is.

Section-by-Section Review:

- Title: Specific.
- Steps: Concise and complete.
- Expected Results: Verifiable; covers result list, filter chip, and counter.
- Consistency: OK.

Suggested Improvements: None required.

```

TC_CAR_NY_08

```markdown

Assessment Summary: Good as is.

Section-by-Section Review:

- Title: Clear.
- Steps: Imperative, complete.
- Expected Results: Verifiable invariant (first <= second). Strong.
- Consistency: OK.

Suggested Improvements:

- Optionally extend with a 'Price (highest first)' counter-check for symmetry.

```

TC_CAR_NY_09

```
```markdown
```

Assessment Summary: Good as is.

Section-by-Section Review:

- Title: Specific.
- Steps: Imperative.
- Expected Results: Two observable checks (results page + details page).
- Consistency: OK.

Suggested Improvements:

- Add a check that currency selection persists after page reload.

```
```
```

TC_CAR_NY_10

```
```markdown
```

Assessment Summary: Good as is.

Section-by-Section Review:

- Title: Specific.
- Steps: Atomic.
- Expected Results: Comprehensive (URL/tab, content blocks, CTA state).
- Consistency: OK.

Suggested Improvements:

- Replace '(or equivalent)' with the exact current CTA label after verification.

```
```
```

TC_CAR_NY_11

```
```markdown
```

Assessment Summary: Good as is.

Section-by-Section Review:

- Format: BDD/Gherkin - Given/When/Then are well-structured.
- Scenarios: Single behavior covered, no mixed concerns.
- Then steps: Observable.
- Consistency: OK.

Suggested Improvements:

- Optionally use a Scenario Outline with Examples to cover multiple price ranges (e.g., 25-50, 50-100, 100-200) for broader coverage.

```
```
```

TC_CAR_NY_12

```markdown

Assessment Summary: Good as is.

Section-by-Section Review:

- Title: Specific and outcome-driven.
- Steps: Quantitative (P1 vs P2 comparison).
- Expected Results: Verifiable; touches price and breakdown.
- Consistency: OK.

Suggested Improvements:

- Make the proportionality check explicit (e.g., 'P2 >= P1 + 2 \* daily\_rate').

```

TC_CAR_NY_13

```markdown

Assessment Summary: Good as is.

Section-by-Section Review:

- Title: Specific.
- Preconditions: Defines viewport - required for reproducibility.
- Steps: Complete.
- Expected Results: Three observable checks (layout, tappability, search execution).
- Consistency: OK.

Suggested Improvements:

- Add a second viewport (e.g., 360x640) to cover small Android devices.

```

TC_CAR_NY_14

```markdown

Assessment Summary: Needs Improvement.

Section-by-Section Review:

- Title: Specific.
- Steps: Step 2 wording ('Tick ... off and set age to 21') is ambiguous.
- Expected Results: Good but 'if applicable' is vague.
- Consistency: OK.

Suggested Improvements:

- Rephrase step 2 to: "Untick 'Driver's age is between 25 - 70' and set age to 21".
- Tighten expected result: 'Young driver fee is shown in the price breakdown for suppliers that charge it; for suppliers that do not, only the base price is shown.'

```

TC_CAR_NY_15

```markdown

Assessment Summary: Needs Improvement.

Section-by-Section Review:

- Title: Specific.
- Preconditions: OK.
- Steps: Step 4 uses an unnamed supplier - non-reproducible.
- Expected Results: Verifiable but the empty-state copy is illustrative.
- Consistency: OK.

Suggested Improvements:

- Replace 'a small local supplier' with a deterministic combination (e.g., 'Supplier = X and Category = Luxury and time window = 30 min').
- Capture the exact empty-state copy from the product once stabilized.

Perfected Test Case Example (Classic):

| Field           | Value                                                                                                                                                                                                               |
|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ID              | TC_CAR_NY_15                                                                                                                                                                                                        |
| Title           | No-results state is shown when filters yield zero NY cars                                                                                                                                                           |
| Priority        | Low                                                                                                                                                                                                                 |
| Preconditions   | Booking car rental page is loaded; user not logged in.                                                                                                                                                              |
| Steps           | 1. Enter 'New York' as pick-up location.<br>2. Set pick-up and drop-off to today + 7 days, 10:00 / 10:30.<br>3. Click 'Search'.<br>4. Apply filters: Category='Luxury', Supplier='Alamo',<br>Transmission='Manual'. |
| Expected Result | An empty-state message 'No cars match your search' is shown.<br>A 'Reset filters' action is offered and, when clicked,<br>returns the unfiltered result list.                                                       |

### 3. Overall Summary

| #  | Test Case ID | Verdict                   |
|----|--------------|---------------------------|
| 1  | TC_CAR_NY_01 | Good as is                |
| 2  | TC_CAR_NY_02 | Good as is (minor polish) |
| 3  | TC_CAR_NY_03 | Needs Improvement         |
| 4  | TC_CAR_NY_04 | Good as is                |
| 5  | TC_CAR_NY_05 | Good as is                |
| 6  | TC_CAR_NY_06 | Needs Improvement         |
| 7  | TC_CAR_NY_07 | Good as is                |
| 8  | TC_CAR_NY_08 | Good as is                |
| 9  | TC_CAR_NY_09 | Good as is                |
| 10 | TC_CAR_NY_10 | Good as is                |
| 11 | TC_CAR_NY_11 | Good as is                |
| 12 | TC_CAR_NY_12 | Good as is                |
| 13 | TC_CAR_NY_13 | Good as is                |
| 14 | TC_CAR_NY_14 | Needs Improvement         |
| 15 | TC_CAR_NY_15 | Needs Improvement         |

**Overall:** 11 of 15 test cases are good as is; 4 require targeted improvements (ambiguous steps, brittle assertions, or multiple behaviors per test). Apply the suggested edits to reach a fully review-passing test set.