

Индивидуальный проект. Этап 1

Размещение на Github Pages заготовки для персонального сайта

Савкин Д. В.

18 сентября 2026

Российский университет дружбы народов, Москва, Россия

Информация

- Савкин Дмитрий Вадимович
- РУДН, группа НПИбд-02-25
- Тема: индивидуальный проект — Этап 1



Цель работы

Разместить на GitHub Pages заготовку персонального академического сайта.


Задание

- Установить необходимое программное обеспечение
- Скачать шаблон темы сайта
- Разместить его на хостинге git
- Установить параметр для URL сайта
- Разместить заготовку сайта на GitHub Pages

Выполнение проекта


Установка программного обеспечения

Устанавливаю Ruby, Bundler и зависимости темы через `dnf install`.



Создание репозитория

Создаю репозиторий `Dmitry169.github.io` на основе шаблона `academicpages` командой `gh repo create`.




```
gh repo create Dmitry169.github.io --template academicpages.github.io --public --clone && cd Dmitry169.github.io

dvsavkin@1032252366rudn:~$ sudo dnf install -y ruby-devel dcc make redhat
jekyll bundler --no-document
[sudo] пароль для dvsavkin:
Обновление и загрузка репозитория:
Репозитории загружены.
Не удалось разрешить транзакцию:
Нет соответствия для аргумента: dcc
Пакет "make-1:4.4.1-12.fc44.x86_64" уже установлен.
Пакет "git-2.55.0-1.fc44.x86_64" уже установлен.
Пакет "gh-2.97.0-2.fc44.x86_64" уже установлен.
Можно попробовать добавить в командную строку:
--skip-unavailable, чтобы пропускать недоступные пакеты
dvsavkin@1032252366rudn:~$ gh repo create Dmitry169.github.io --template academicpages.github.io --publ
--clone && cd Dmitry169.github.io
```

Установка зависимостей темы


Клонирую шаблон и устанавливаю зависимости Jekyll через `bundle install`.

A terminal window with a dark background and green text. The prompt is `dvsavkin@1032252366rudn:~$`. The first command is `git clone https://github.com/Dmitry169/Dmitry169.github.io`. The output shows the cloning process, including enumerating and counting objects, and the total size of the repository. The second command is `bundle install && bun|`. In the background, a person is visible in a dimly lit room with blue lighting.

```
dvsavkin@1032252366rudn:~$ git clone https://github.com/Dmitry169/Dmitry169.github.io
Клонирование в «Dmitry169.github.io»...
remote: Enumerating objects: 375, done.
remote: Counting objects: 100% (1/1), done.
remote: Total 375 (delta 0), reused 0 (delta 0), pack-reused 374 (from 2)
Получение объектов: 100% (375/375), 3.02 MiB | 558.00 KiB/s, готово.
Определение изменений: 100% (14/14), готово.
dvsavkin@1032252366rudn:~/Dmitry169.github.io$ bundle install && bun|
```

Настройка URL и сборка

Настраиваю url/baseurl в _config.yml и собираю сайт через bundle exec jekyll build.

A terminal window with a dark background and light-colored text. The window title is "~/Dmitry169.github.io". The output shows Jekyll build warnings about file conflicts, completion time, and configuration updates. The user's commands are highlighted in green. In the background, a person is visible in a dimly lit room with blue lighting.


```
Run in verbose mode to see all warnings.
Conflict: The following destination is shared by multiple files.
The written file may end up with unexpected contents.
/home/dvsavkin/Dmitry169.github.io/_site/posts/2012/01-01-future-post.md
- /home/dvsavkin/Dmitry169.github.io/_posts/2015-08-01-future-post.md
- /home/dvsavkin/Dmitry169.github.io/_posts/2199-01-01-future-post.md

Conflict: The following destination is shared by multiple files.
The written file may end up with unexpected contents.
/home/dvsavkin/Dmitry169.github.io/_site/publication/2024-02-17-paper-title-number-4
tml
- /home/dvsavkin/Dmitry169.github.io/_publications/2024-02-17-paper-title-number-4
- /home/dvsavkin/Dmitry169.github.io/_publications/2025-06-08-paper-title-number-5

done in 4.16 seconds.
Auto-regeneration: disabled. Use --watch to enable.
dvsavkin@1032252366rudn:~/Dmitry169.github.io$ sed -i 's|^url:.*/url: "https://Dmitry169.github.io"|; s
aseurl:.*/baseurl: ""|'| _config.yml && grep -E '^(url|baseurl):' _config.yml
sed: невозможно прочитать _config.yml: Нет такого файла или каталога
dvsavkin@1032252366rudn:~/Dmitry169.github.io$ sed -i 's|^url:.*/url: "https://Dmitry169.github.io"|; s
aseurl:.*/baseurl: ""|'| _config.yml && grep -E '^(url|baseurl):' _config.yml
dvsavkin@1032252366rudn:~/Dmitry169.github.io$ git add -A git commit -m "feat: cjyfigure site URL, fix
```

Публикация изменений

Коммичу изменения и отправляю их на GitHub командой `git push`.




```
--[no-]paths-from-file <файл>
                        read pathspec from file
--[no-]paths-from-file nul
                        with --paths-from-file, pathspec elements are

dvsavkin@1032252366rudn:~/Dmitry169.github.io$ git add -A && git commit -m "feat: configure site URL, f
Ruby 3.4 gem compatibility" && git push
[master 30bd54e] feat: configure site URL, fix Ruby 3.4 gem compatibility
 1 file changed, 4 insertions(+), 1 deletion(-)
Username for 'https://github.com': Dmitry169
Password for 'https://Dmitry169@github.com':
dvsavkin@1032252366rudn:~/Dmitry169.github.io$ gh auth setup-git && git push
Перечисление объектов: 5, готово.
Подсчет объектов: 100% (5/5), готово.
При сжатии изменений используется до 4 потоков
Сжатие объектов: 100% (3/3), готово.
Запись объектов: 100% (3/3), 1.01 KiB | 207.00 KiB/s, готово.
Total 3 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/Dmitry169/Dmitry169.github.io
 1228694..30bd54e master -> master
dvsavkin@1032252366rudn:~/Dmitry169.github.io$ grep -E '(url|baseurl):' _co|
```

Результат

Включаю публикацию через GitHub Pages, проверяю доступность сайта командой `curl` (код 200).

A terminal window with a dark background and green text. The prompt is `dvsavkin@1032252366rudn:~/Dmitry169.github.io$`. The user runs `gh api -X POST repos/Dmitry169/Dmitry169.github.io --jq '{ "source[branch]=master" -f "source[path]=/" }`. The output shows a JSON response with a message "GitHub Pages is already enabled.", a documentation URL, and a status of "409". The user then runs `gh api repos/Dmitry169/Dmitry169.github.io/pages --jq '.rce, .status, .html_url'`. The output shows a JSON response with branch "master" and path "/". Finally, the user runs `curl -s -o /dev/null -w " : %{http_code}\n" https://Dmitry169.github.io/`, which returns `: 200`.

```
To https://github.com/Dmitry169/Dmitry169.github.io
30bd54e..e93d773 master -> master
dvsavkin@1032252366rudn:~/Dmitry169.github.io$ gh api -X POST repos/Dmitry169/Dmitry169.github.io --jq '{
  "source[branch]=master" -f "source[path]=/"
}'
{
  "message": "GitHub Pages is already enabled.",
  "documentation_url": "https://docs.github.com/rest/pages/pages#create-a-apiname-pages-site",
  "status": "409"
}
gh: GitHub Pages is already enabled. (HTTP 409)
dvsavkin@1032252366rudn:~/Dmitry169.github.io$ gh api repos/Dmitry169/Dmitry169.github.io/pages --jq '.rce, .status, .html_url'
{
  "branch": "master",
  "path": "/"
}
built
https://dmitry169.github.io/
dvsavkin@1032252366rudn:~/Dmitry169.github.io$ curl -s -o /dev/null -w " : %{http_code}\n" https://Dmitry169.github.io/
: 200
dvsavkin@1032252366rudn:~/Dmitry169.github.io$ |
```

Выводы

- Установлено необходимое программное обеспечение (Ruby, Bundler, Jekyll)
- Развёрнут шаблон темы academicpages
- Настроен параметр URL сайта
- Заготовка сайта опубликована на GitHub Pages