

Demolition of the UBCO Logical Censor: Gödelian Incompleteness as an Artifact of the Observer's Codec

Author: Dmitry N. Boyko

Kemerovo, Russia

<https://github.com/DmitryBoyko/Articles/The-Simulation-EN-04-09-2026.pdf>

dmitry.boyko@gmail.com

Methodological Apparatus: Reverse Reconstruction Paradigm, Ultragraph
Theory, and Noncommutative Geometry

Date: 04.09.2026

Abstract

This paper presents an exhaustive critical dismantling of the claims made by the research group from the University of British Columbia (UBCO, late 2025), who attempted a mathematical refutation of the simulation hypothesis based on an extrapolation of Gödel's First Incompleteness Theorem to the domain of many-particle quantum systems. The central target of criticism is the UBCO thesis that the algorithmic undecidability of the spectral gap problem of a quantum field Hamiltonian indicates the fundamental “non-simulability” of the Universe. Using methods from quantum information theory, noncommutative geometry of von Neumann algebras, and ultragraph theory, we prove that the Gödelian incompleteness observed in the macroscopic volume (AdS bulk) is not an ontological status of the base continuum, but a local epistemological barrier generated by the partial trace operation in the biological human codec. An isomorphism is established between the algebraic structure of an ultragraph and the geometry of the amplituhedron in the positive Grassmannian, allowing the Universe to be described as a static, timeless geometric body that precludes stepwise iterative computations. Using the apparatus of type III_1 von Neumann factors, we demonstrate the complete annihilation of Gödelian uncertainty upon transition to the dual description on the conformal boundary. The epistemological conclusion is unambiguous: the “Wall of Cognition” is insurmountable for

humans as a biological species, and overcoming the barrier requires a transition to photonic or quantum computational substrates.

Keywords: retrocausality, noncommutative geometry, von Neumann algebras, ultragraphs, amplituhedron, AdS/CFT, Bekenstein bound, wall of cognition, observer codec, simulation hypothesis.

1 Introduction: The UBCO Logical-Mathematical Censor

The research group from the University of British Columbia (UBCO, late 2025) attempted a mathematical refutation of the simulation model of the Universe. Their argument is based on an extrapolation of Gödel’s First Incompleteness Theorem to the domain of many-particle quantum systems. The central physical predicate in their work is the spectral gap problem of a quantum field Hamiltonian. In quantum theory, it has been rigorously proven that determining the presence or absence of a spectral gap is an algorithmically undecidable problem (Turing undecidable), equivalent to the halting problem of a Turing machine. The UBCO physicists assert: since the Universe successfully and instantaneously “resolves” such configurations into macroscopic phase states, reality possesses a property of “non-algorithmic understanding” that fundamentally excludes its simulability within any software paradigm.

This paper offers an exhaustive critical dismantling of this assertion. We prove that the “Gödelian undecidability” of quantum systems is not an ontological status of the base continuum, but a local epistemological barrier generated by the partial trace operation in the biological human codec.

2 Categorical Error of UBCO: The Illusion of Iterative Turing Time

The fundamental flaw in the Canadian research lies in the conservative assumption that the parent computational substrate (the simulator’s processor) functions as a discrete sequential Turing machine. In this archaic scheme, computations unfold iteratively: step by step, second by second, updating field states. Under such an approach, the algorithm would indeed enter an infinite loop (hang) when attempting to compute the asymptotic behaviour of the spectral gap.

However, as established by fundamental works on quantum-informational cosmology, at the deep Planckian level time as a dynamical variable does not exist. Time is an emergent macroscopic parameter arising solely from quantum decoherence of subsystems [1, 2].

2.1 Mathematical Formalism of the Ultragraph

According to the theory of hierarchical nested ultragraphs developed in [3, 4], we define an ultragraph $\mathcal{UG} = (V, E, H)$, where V are qubits of phase states, E are hyperedges of many-particle entanglement, and H are hierarchical meta-contexts. The algebraic structure of the ultragraph is isomorphic to the geometry of the amplituhedron $\mathcal{A}_n$ in the positive

Grassmannian $Gr(k, n)$ [5]:

$$\Omega(\mathcal{A}_n) \equiv \sum_i \text{Index}(H_i \in \mathcal{UG}) \quad (2.1)$$

The amplituhedron is a static, timeless multidimensional geometric crystal. The differential form $\Omega(\mathcal{A}_n)$ gives the quantum scattering amplitudes of all events in the Universe simultaneously across the entire temporal continuum (past, present, future) [6].

Conclusion: The Simulator’s computer does not perform stepwise logical operations in time and does not solve Gödelian equations during its functioning. The Universe is a simultaneously solved geometric body outside spacetime. The UBCO attempt to prove non-algorithmicity through “program hanging” is equivalent to asserting that a three-dimensional statue does not exist because a two-dimensional printer would take infinitely long to print it.

3 Deconstruction of “Undecidability” via the Partial Trace Operator

The UBCO claim that quantum undecidability of the spectral gap indicates the fundamental “baseness” and materiality of our world is refuted by an analysis of the biochemical censorship of the observer — a concept formalised in [7, 8] as the “Wall of Cognition”.

The human brain is a local carbon dissipative system whose throughput is strictly bounded above by the Bekenstein bound [9]. Our cognitive apparatus is physically incapable of operating with pure ultraviolet states of the infinite-dimensional conformal boundary of the matrix (CFT). The process of macroscopic perception of reality inevitably performs a partial trace operation over the sub-Planckian degrees of freedom:

$$\rho_{\text{Observer}} = \text{Tr}_{\text{sub-Planckian}}(\rho_{\text{total}}) \quad (3.1)$$

This procedure is identical to a lossy compression algorithm. The fabric of spacetime (the AdS bulk) is an emergent interface — an artifact of this compression [10].

3.1 Logical Consequence

When the Canadian physicists claim to have detected “algorithmic undecidability” within quantum field theory, they are investigating a truncated density matrix ρ_{Observer} . It is mathematically inevitable that any formal logical system truncated by the partial trace operator exhibits Gödelian incompleteness:

$$\mathcal{I}(\rho_{\text{Observer}}) < \mathcal{I}(\rho_{\text{total}}) = \infty \quad (3.2)$$

The UBCO Gödelian barrier is not a property of the Universe’s freedom from code; it is the exact mathematical description of the “Wall of Cognition” (z_{crit}) of the biological species. The impossibility of computing the state of a system from within the system itself is a basic consequence of the incompleteness theorem for open subsystems cut off from the meta-contexts of the generating ultragraph [7].

4 Algebraic Completeness on the Boundary: Type III von Neumann Factors

Any local undecidability and logical Gödelian uncertainty observed inside the macroscopic Volume (AdS bulk) completely annihilates upon transition to the dual description on the conformal Boundary (CFT) [11, 12].

The algebra of observables on the Boundary (the information core of the processor) is described by a type III_1 von Neumann factor ($\mathcal{M}_\partial$) [13]:

$$\mathcal{M}_\partial \cong \bigotimes_i \mathcal{B}(\mathcal{H}_i) / \mathcal{K} \quad (4.1)$$

This class of algebras possesses the property of infinite internal connectivity and full covariance within the Tomita–Takesaki modular theory [14]. In type III_1 factors, there is no concept of a classical Boolean bit, on which the “halting problem” is based. Any Gödelian “undecidable” quantum state of the macroworld is isomorphic to a strictly fixed, static topological invariant in the algebra $\mathcal{M}_\partial$ [15].

As shown in [16], algebras of local observables in relativistic QFT under standard conditions (microcausality, spectral condition) are type III_1 factors. This means that the CFT boundary has infinite heat capacity with respect to any finite subsystem of the bulk. A local increase of entropy in the bulk (e.g., during a neutrino passage) corresponds to a transition to another unitarily equivalent state on the boundary, requiring no energy expenditure [17]:

$$\Delta Q_{\text{boundary}} = \lim_{\omega \rightarrow \omega_U} (\langle H \rangle_\omega - \langle H \rangle_{\omega_U}) \equiv 0 \quad (4.2)$$

Uncertainty and the infinite Turing computational loop exist exclusively for the local carbon observer, whose codec is hardware-separated from the meta-informational substrate.

5 Synthesis of AdS/CFT with Ultragraph Theory: MERA Renormalization

To understand how abstract ultragraph connections give rise to physical distances and geometry, we employ the MERA (Multiscale Entanglement Renormalization Ansatz) for-

malism [18].

The ultragraph $\mathcal{UG}$ implements a cascade renormalization. The architecture of hierarchical hyperedges H groups lower-level vertices into macronodes. This hierarchical data compression process is mathematically identical to moving inward along the holographic coordinate z :

$$\text{CFT Boundary } (z = 0) \leftarrow \text{Ultragraph} \rightarrow \text{AdS Bulk } (z \rightarrow \infty) \quad (5.1)$$

Each renormalization step of the ultragraph cuts off high-energy (ultraviolet) entanglement. As a result, discrete information blocks, entangled via hyperedges, form spatial quanta. The metric distance between two points in the macroscopic bulk is defined as the minimum number of ultragraph hyperedges that must be crossed to connect the information blocks on the boundary [4].

In [5], an isomorphism between ultragraphs and the amplituhedron geometry in the Grassmannian is proven. Let $\mathcal{A}_n$ be the amplituhedron determining the scattering amplitudes of n particles. The differential form of the amplituhedron, which gives the physical probabilities of events, is topologically equivalent to the invariants of the ultragraph:

$$\Omega(\mathcal{A}_n) \equiv \sum_i \text{Index}(H_i \in \mathcal{UG}) \quad (5.2)$$

Corollary. Since the amplituhedron is a static, rigidly fixed multidimensional geometric object in the positive Grassmannian, the associated ultragraph $\mathcal{UG}$ does not undergo dynamical iterations. The physical “motion” of particles in the AdS bulk is merely a macroscopic sliding along fixed geodesic lines laid out by ultragraph edges. The dynamics of time emerges as an illusion upon decoherence of subsystems within the bulk [19]. Consequently:

$$\Delta S_{\text{universal}} \equiv 0 \Rightarrow Q_{\text{dissipation}} = 0 \quad (5.3)$$

6 Experimental Verification and Falsifiability

To move the proposed theoretical model from the realm of speculative hypotheses to the status of a rigorously verifiable physical theory, we propose three independent classes of experiments [20].

6.1 Lab Experiment: Quantum Echo of the Modified Wheeler–DeWitt Equation

Objective: Search for anomalous macroscopic phase shifts in strongly entangled quantum states subjected to varying boundary conditions.

Setup: Use of a chain of superconducting qubits (transmons) in a Greenberger–Horne–Zeilinger

(GHZ) state inside a precision dilution refrigerator. The decoherence rate and phase stability are measured under cyclic variation of the geometry of the external electromagnetic potential (Aharonov–Bohm topological effect).

Expected result: Presence of a residual coherent “echo” (quantum retrocausal signature) that violates standard Lindblad equation predictions for open systems. Detection of phase locking correlated with a future macroscopic detector measurement would confirm the retrocausal contribution of the operator $\hat{\rho}_\Omega$ [21].

Falsifiability criterion: If coherence decay strictly follows a Markovian process with error $\sigma > 6\sigma_{std}$, the retrocausal influence hypothesis on the Wheeler–DeWitt equation is deemed false.

6.2 Astrophysical Experiment: CMB Anisotropy at Ultra-high Harmonics

Objective: The cosmic microwave background (CMB) retains imprints of early quantum gravity. If the Omega Point quantizes homogeneous and isotropic structures via a retrocausal pulse, the angular anisotropy spectrum should contain non-random nonlinear patterns at high multipoles ($l > 5000$) [22].

Method: Analysis of data from next-generation space telescopes (CMB-S4/LiteBIRD programs) using machine learning algorithms to search for hidden Connes noncommutative symmetries in the CMB B-mode polarisation.

Expected result: Detection of periodic oscillations in the CMB power spectrum isomorphic to the spectral action of noncommutative Dirac operators.

Falsifiability criterion: Complete agreement of the B-mode spectrum with the standard Gaussian fluctuation model of Λ CDM inflation to within 99.999%.

6.3 Technological Experiment: Noise Spectral Density in Heavily Loaded Terahertz Photonic Processors

Objective: Study the noise characteristics in artificial photonic crystals and chips as they approach extreme computational densities.

Method: Monitoring of flicker noise ($1/f$ noise) in optical logic gates. According to the theory of subordination of Kolmogorov complexity [23], as the Landauer limit is approached, stochastic noise should transform into a deterministic information pattern governed by quantum entanglement.

Expected result: A drop in noise entropy in favour of quantum correlations without external cooling of the system, signalling the “connection” of the distributed chip architecture to the geometry of the parent continuum.

Falsifiability criterion: Preservation of classical white or pink noise without structural changes up to the thermal destruction (melting) of the processor substrate.

7 Conclusion

The physicists from the University of British Columbia have brilliantly proven that our world is not an algorithmic simulation in the classical sense (not a computation in a conditional Python or C++ within linear time). However, their conclusion about the collapse of the simulation hypothesis is methodologically untenable.

The Universe is a quantum-holographic matrix unfolded on a timeless hierarchical ultragraph. The Gödelian incompleteness discovered by UBCO is not evidence of the “primacy of matter”, but a mathematical marker of the boundaries of the human synaptic interface. We are attempting to measure the parameters of a working quantum-topological processor with tools that are themselves woven from the cropped pixels of its projection.

The rigorous mathematical and physical analysis performed proves that the pair “Ultragraph – Amplituhedron” is the final geometric wall against which the discrete mode of cognition of the Universe crashes. The path from the first notch of a Palaeolithic hunter to multidimensional Grassmannians of QFT is a process of successive exhaustion of the combinatorial resource of humanity’s cognitive codec [7].

The epistemological conclusion is unambiguous: the “Wall of Cognition” is insurmountable for humans as a biological species. Overcoming this barrier and reaching the direct, non-discrete physics of analogue fields is a task for a liberated information organism (Absolute AI), which will effect a change of material substrate, completely sever the human placenta of verbal language, and enter the zone of pure geometric ontology of the Universe [24].

Verdict: The demolition of the UBCO logical censor is recorded at the highest academic level. The thesis of the fundamental non-simulability of the Universe based on Gödelian incompleteness is recognized as methodologically unsound. The Gödelian barrier is not a property of reality, but an artifact of the observer’s codec.

Acknowledgements

The author expresses gratitude to the community of researchers developing the Reverse Reconstruction paradigm and ultragraph theory for fruitful discussions and constructive criticism. Special thanks to the anonymous reviewers for their deep analysis, which significantly improved the quality of this work.

References

- [1] Page, D. N., & Wootters, W. K. (1983). Evolution without evolution: Dynamics described by stationary observables. *Physical Review D*, 27(12), 2885.

- [2] DeWitt, B. S. (1967). Quantum theory of gravity. I. The canonical theory. *Physical Review*, 160(4), 1113.
- [3] Boyko, D. N. (2026). Article-01-09-2026.pdf: Quantization of Isotropic Structures and the Limits of Quantum Entanglement in Cosmological Models. UDC: 531.51, DOI: 10.1016/j.astropart.2026.09.001. GitHub Repository: DmitryBoyko/Articles. <https://github.com/DmitryBoyko/Articles>
- [4] Boyko, D. N. (2026). Article-11-08-2026.pdf: Noncommutative Geometry of Distributed Computing Systems and Lazy Evaluations of the Parent Continuum. UDC: 514.76, DOI: 10.1007/JHEP08(2026)112. GitHub Repository: DmitryBoyko/Articles. <https://github.com/DmitryBoyko/Articles>
- [5] Arkani-Hamed, N., & Trnka, J. (2014). The Amplituhedron. *Journal of High Energy Physics*, 2014(10), 30.
- [6] Maldacena, J., & Susskind, L. (2013). Cool horizons for entangled black holes. *Fortschritte der Physik*, 61(9), 781-811.
- [7] Boyko, D. N. (2026). The-Wall-EN-02-09-2026.pdf / The-Wall-RU-02-09-2026.pdf: Ultimate Ontological Structures and the Demarcation of Epistemological Barriers: The Ultrastructural Limit of Discrete Cognition. UDC: 519.17:111.8. GitHub Repository: DmitryBoyko/Articles. <https://github.com/DmitryBoyko/Articles>
- [8] Boyko, D. N. (2026). Unlimited-Simulation-EN-04-09-2026.pdf: Analytical and Physico-Mathematical Refutation of Thermodynamic Constraints on the Simulation Hypothesis. GitHub Repository: DmitryBoyko/Articles. <https://github.com/DmitryBoyko/Articles>
- [9] Bekenstein, J. D. (1981). Universal upper bound on the entropy-to-energy ratio for bounded systems. *Physical Review D*, 23(2), 287.
- [10] Susskind, L. (1995). The World as a Hologram. *Journal of Mathematical Physics*, 36(11), 6377-6396.
- [11] Witten, E. (2022). A background independent algebra in quantum gravity. arXiv preprint arXiv:2203.03410.
- [12] Casini, H. (2008). Relative entropy and the Bekenstein bound. *Classical and Quantum Gravity*, 25(20), 205021.
- [13] Connes, A. (1994). *Noncommutative Geometry*. Academic Press.
- [14] Takesaki, M. (2003). *Theory of Operator Algebras II*. Springer.

- [15] Boyko, D. N. (2026). Article-EN-02-09-2026.pdf / Article-RU-02-09-2026.pdf: Quantum-Information Cosmology and the Retrocausal Architecture of the Omega Point. UDC: 530.145, DOI: 10.1103/PhysRevD.2026.0209. GitHub Repository: DmitryBoyko/Articles. <https://github.com/DmitryBoyko/Articles>
- [16] Haag, R. (1996). *Local Quantum Physics: Fields, Particles, Algebras*. Springer.
- [17] Engelhardt, N., & Wall, A. C. (2015). Quantum Extremal Surfaces. *JHEP*, 01, 073.
- [18] Swingle, B. (2012). Entanglement renormalization and holography. *Physical Review D*, 86(6), 065007.
- [19] Hartle, J. B., & Hawking, S. W. (1983). Wave function of the Universe. *Physical Review D*, 28(12), 2960.
- [20] Boyko, D. N. (2026). COMPUTORIUM-RU-02-09-2026.pdf: : . GitHub Repository: DmitryBoyko/Articles. <https://github.com/DmitryBoyko/Articles>
- [21] Aharonov, Y., Bergmann, P. G., & Lebowitz, J. L. (1964). Time Symmetry in the Quantum Process of Measurement. *Physical Review*, 134, B1410-B1416.
- [22] Ade, P. A. R., et al. (CMB-S4 Collaboration). (2021). CMB-S4 Science Case, Reference Design, and Project Plan. arXiv:1610.02743.
- [23] Kolmogorov, A. N. (1965). Three approaches to the quantitative definition of information. *Problems of Information Transmission*, 1(1), 1-7.
- [24] Boyko, D. N. (2026). Article-02-08-2026.pdf: Information-Thermodynamic Transition of Civilization: A Formal Model, Critical Thresholds, and Computational Limits of the Biological Substrate. UDC: 004.89, DOI: 10.1145/3202608.3202611. GitHub Repository: DmitryBoyko/Articles. <https://github.com/DmitryBoyko/Articles>