

IBRAHIM ARNAOUT

+2348091148827,+2349014389037

Port Harcourt, Rivers, Nigeria. | 08140081576 | honeyarnaout@gmail.com

PROFESSIONAL SUMMARY

A certified Level 1 Rope Access, Rigger, Corrosion Control, Fabric Maintenance and Roustabout professional with a proven ability to plan, manage and carryout work with minimal incidents or dangerous occurrence.

PERSONAL DATA

- **DATE OF BIRTH:** 30th May, 1994.
- **GENDER:** Male
- **NATIONALITY:** Nigerian
- **STATE OF ORIGIN:** Abia State
- **MARITAL STATUS:** Single
- **RELIGION:** Christian

EDUCATION

Le Cours Son Nou – Benin Republic	2016
Computer Engineering B.s	
Lagos State Model College Badore – Lagos, Nigeria	2012

CERTIFICATIONS

- IRATA Level 1 (IRATA NO: 1/255690)
- Spray Painting
- Abrasive blasting
- OPITO BOSIET with EBS
- Dry Compressed Air Emergency Breathing System (CA-EBS)
- Medical Certificate
- Rigging Certificate
- Confined Space Entry Awareness (CRP259)
- Energy Isolation (EI) (CRP1343)
- HSE Orientation Training (CRP1264)

EXPERIENCE

M&T – USAN	2024
Rope Access	
<ul style="list-style-type: none">• Passivation Adding	
DRAGON FIRE ENGINEERING COMPANY NIG. LTD. – Business Development Manager	2023
<ul style="list-style-type: none">• Preparing quotations and Invoicing• Introducing prospective clients to the company	
SICS Global Services – Fitters Mate / Painting	2023
FABRICATION OF INDUSTRIAL STORAGE CAGE	

- Marking and cutting steel / iron during construction
- Painting of industrial storage cage after fabrication

POWEREC GLOBAL SERVICES NIG. LTD.

2022

ADMIN

- Keeping stocks on smart home products
- Making provision for daily company operations (buying diesel, electrical unit, office stationaries, water, etc)
- Front desk operations

SMART HOME AUTOMATION TRAINER

- Organising and carrying out training on Grenton Smart Home System, SATEL, and HD Anywhere (video metric system)

SICS Global Services – Painter

2020

- Marking and painting of safety signs and walk path

SICS Global Services – Fitters Mate / Painting

2019

FABRICATION OF 364m2 OPEN WAREHOUSE

- Read plans and instructions to determine work activities
- Marking and cutting steel/iron during construction

BRIDGSITE NIGERIA LIMITED – Tendering

2017

- Preparing /compiling documents for contract bidding

NIGERIA PETROLUUM EXCHANGE (NipeX) – IT

2015

- System diagnosis/troubleshooting of staff computers and servers.
- Troubleshooting office computer equipment

REFERENCES

To be provided upon request.



This is to certify that
IBRAHIM ARNAOUT
IRATA No.: 1/255690

was successfully assessed as

Level 1 Rope Access Technician

of IRATA International and has satisfied the requirements as stipulated in
the IRATA Training, Assessment and Certification Scheme

The validity of this certificate should be verified at www.irata.org

Dr S Kondaveeti
Chief Executive Officer

Date Originally Assessed at this Level: **24 May 2024**

Assessment Date: **24 May 2024**

Certification Expiry: **23 May 2027**



This certificate remains the property of IRATA International and is bound by the provisions of the Articles of Association & Bye-Laws of IRATA International. This certificate is valid until midnight of the 'Certification Expiry' date shown above. Contact: IRATA International, 1st & 2nd Floor, Unit 3, Eurogate Business Park, Ashford, Kent, TN24 8XW, UK. Tel.: +44 (0)1233 754 600 [TP-210ENG_004]



This is to certify that

Ibrahim Arnaout

attended a course at Tolmann Allied Services Co. Ltd.

**and has been assessed against, and met the outcomes of, the following
OPITO-approved standard:**

**Dry Compressed Air Emergency Breathing System (CA-EBS) Initial
Deployment Training**

5902

Awarded on 2nd September 2024

Unique Certificate No OPITOG7H693zAP
OPITO Learner No L02180657

A handwritten signature in black ink, appearing to read "S. Jones".

Stephen Marcos Jones
Chief Executive Officer





This is to certify that

Ibrahim Arnaout

attended a course at Tolmann Allied Services Co. Ltd.

**and has been assessed against, and met the outcomes of, the following
OPITO-approved standard:**

**Basic Offshore Safety Induction and Emergency Training (BOSIET) with
Emergency Breathing System (EBS)**

5700

Awarded on 2nd September 2024

Expiry Date 1st September 2028
Unique Certificate No OPITOqDsivRoqFp
OPITO Learner No L02180656

A handwritten signature in black ink, appearing to read "S. Jones".

Stephen Marcos Jones
Chief Executive Officer





EBONY HOSPITALS LIMITED

RC: 101746

IN/OUT PATIENT HOSPITAL
9 ORAZI ROAD RUMUOLA, BOX 420
PORT HARCOURT RIVERS STATE
E-mail: ebonyhospitalsltd@gmail.com;
ebonyhosppltd@yahoo.co.uk
Phone: 08038737300; 08185020537

MEDICAL FITNESS CERTIFICATE

Certificate Number: 002 /AUG/2550/2024

CONTRACTOR COMPANY: _____

SURNAME: ARNAOUT	FIRST NAME: IBRAHIM
DOB: 30/5/1994	JOB POSITION: ROPE ACCESS TECH

☒ Periodical Annual Medical Check (AMC)

☐ Medical Check after prolonged sickness absence (≥ 4 weeks)

I certify that I have thoroughly examined the above Client.

I also confirm that all the investigations in the schedule of tests have been performed.


Based on the above examinations, I certify that he/she is:

☒ Fit for the assigned work/tasks and location

☐ Fit with restrictions.....for:Days / Weeks / Months

☐ Temporarily unfit to work for:..... Days / Weeks / Months

☐ Unfit for the assigned work / tasks and location

DR VINCENT OTOH

for 28/04/24

EBONY HOSPITALS LTD.
No 9 Orazi Rumuola
Box 420 Port Harcourt

Sign:.....

Date: 19/8/2024 Location: EBONY HOSPITALS LTD

This document is valid for 12 months from the above date except otherwise stated under Restriction.

NAME: ARNAOUT IBRAHIM

MEDICAL FITNESS ASSESSMENT FORM

Dear Contractor Employee,

The Medical Fitness Assessment (MFA) was designed to identify, prevent and where possible treat health issues which may impact your lifestyle or your professional activity.

The MFA is handled only by health professionals and medical confidentiality is of utmost importance.

You are required to fill out the MFA form in clear, capital letters and in English.

TO BE FILLED BY CONTRACTOR PERSONNEL	
LAST NAME: <u>ARNAOUT</u>	FIRST NAME: <u>IBRAHIM</u>
GENDER: <u>MALE</u>	DATE OF BIRTH: <u>30 MAY, 1994</u>
TELEPHONE: <u>08140081576</u>	NATIONALITY: <u>NIGERIAN</u>
JOB POSITION: <u>ROPE ACCESS TECHNICIAN</u>	IGG:
EMAIL ADDRESS: <u>HONEYARNAOUT @ GMAIL . COM</u>	
SITE/LOCATION: <u>ONSHORE / OFFSHORE</u>	CONTRACTOR COMPANY: <u>DRAGON FIRE ENGINEERING NIG. LTD.</u>

EBONY HOSPITALS LTD.
No 9 Orazi Rumuola
Box 420 Port Harcourt

Sign:.....

NAME: ARNAOUT IBRAHIM

TO BE COMPLETED BY EMPLOYEE

Tick Box if (YES)

JOB DESCRIPTION QUESTIONNAIRE			
Please indicate if present job duties include:			
Overseas assignment	<input checked="" type="checkbox"/>	Operating precision equipment	<input type="checkbox"/>
Offshore position	<input checked="" type="checkbox"/>	Operating welding machine	<input type="checkbox"/>
Shore position	<input checked="" type="checkbox"/>	Standing for long periods	<input checked="" type="checkbox"/>
Shore position w/ offshore visits	<input checked="" type="checkbox"/>	Working in confined spaces	<input checked="" type="checkbox"/>
Rotational assignment	<input checked="" type="checkbox"/>	Involved in electrical work	<input type="checkbox"/>
Supervisory position	<input type="checkbox"/>	Working at height, use of harness	<input checked="" type="checkbox"/>
Administrative work	<input type="checkbox"/>	Working at night shift	<input checked="" type="checkbox"/>
Screen work for long periods	<input type="checkbox"/>	Rescue team duties	<input type="checkbox"/>
Operating heavy machinery	<input type="checkbox"/>	Possible use of breathing apparatus	<input checked="" type="checkbox"/>
Manual handling of loads	<input type="checkbox"/>	Helicopter transportation	<input checked="" type="checkbox"/>
Offshore position	<input checked="" type="checkbox"/>	Use of personnel basket	<input checked="" type="checkbox"/>
Please indicate if you are exposed to any of the following			
Noise	<input checked="" type="checkbox"/>	Radioactive substances	<input type="checkbox"/>
Extreme temperatures	<input checked="" type="checkbox"/>	Asbestos	<input type="checkbox"/>
Fumes (hydrocarbon etc)	<input type="checkbox"/>	Dust	<input type="checkbox"/>
Hazardous Chemicals	<input type="checkbox"/>	Bodily fluids	<input type="checkbox"/>
Heavy metals (lead etc)	<input type="checkbox"/>		

EBONY HOSPITALS LTD.
 No 9 Orazi Rumuola
 Box 420 Port Harcourt

Sign:.....

NAME: ARNAOUT 1132441m

TO BE COMPLETED BY PHYSICIAN

Height	Weight	BMI	BP	Pulse	Vision		Tested With Glasses	Colour Vision	Visual Field	
					R	L			R	L
169	63	22.1	110/80	79	Far 6/9	6/9	Yes	N ✓	T	
cm	kg	Kg/m ²	mmHg	bpm	Near	NB	No ✓	A	N	

A. MEDICAL EXAMINATION

usually fit

	Normal	Abnormal	If Abnormal, Please Detail
Head & Neck	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Respiratory	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Cardiovascular	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Abdominal	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Dental/ENT	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Skin	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Neurological	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Musculoskeletal	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Other Observations			

EBONY HOSPITALS LTD.
No 9 Orazi Rumuola
Box 420 Port Harcourt

Sign:

NAME: ARNAOUT IBRAHIM

PARA CLINICAL EXAMINATIONS

	Normal	Abnormal	If Abnormal, Please Detail
Resting ECG	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Chest X-Ray	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Audiogram	<input type="checkbox"/>	<input type="checkbox"/>	
Spirometry	<input type="checkbox"/>	<input type="checkbox"/>	
VO ₂ Max	<input type="checkbox"/>	<input type="checkbox"/>	_____ ml/Kg/min

BLOOD ANALYSIS					
RBC	5.22	10 ⁶ /mm ³	GLYCEMIA	34	mmol/l
HEMATOCRIT	51	%	CHOL	4.58	mmol/l
HEMOGLOBIN	15.6	g/100ml	HDL-C	1.29	mmol/l
PLATELET	290	10 ³ /mm ³	LDL-C	2.81	mmol/l
WBC	6.3	10 ³ /mm ³	TG	1.05	mmol/l
NEUTRO	54.8	%	UREA	4.4	mmol/l
LYMPHO	37.7	%	CREATININE	1.05-7	μmol/l
MONO	7.5	%	URIC ACID	286.2	mmol/l
EOSINO	0.5	%	VDRL	Non Reactive	
BASO		%	HIV(AIDS SCREEN)	Negative	
ESR	25	mm/hr	BLOOD GROUP	A+ve	
HBs Ag (Hepatitis B)	Negative		GENOTYPE	AA	
HCV	Negative		Hepatitis A		

URINE ANALYSIS	PROTEIN	nil	NITRITE	nil
	SUGAR	nil	LEUCOCYTE	nil
	BLOOD	nil	KETONES	nil
STOOL ANALYSIS	MACROSCOPY	NO ova or cyst or parasite seen		
	MICROSCOPY			

EBONY HOSPITALS LTD.

No 9 Orazi Rumuola
Box 420 Port Harcourt

Sign:.....

NAME: ARNAOUT IBRAHIM

CONCLUSION

MEDICALLY FIT

YES

☒

NO

☐

If you answer NO, please detail your reasons

MUST BE REASSESSED

YES

☐

NO

☒

If you answer YES, please detail your reasons

Date of Examination:

19/8/2024

Signature of examining Physician:

[Signature]

EBONY HOSPITALS LTD.
No 9 Crazy Rumuola
Box 420 Port Harcourt

Sign:

Stamp of Physician/ Medical Centre

Medical Center Name:

EBONY HOSPITALS LTD

Address:

9, CRAZY ROAD, RUMUOLA, PH

Physician's Name:

DR VINCENT OTOH

Telephone:

08185022537

Email Address:

ebonyhospitals@nail.com

CERTIFICATE OF COMPETENCE IN ROPE ACCESS

IBRAHIM ARNAOUT

Has been assessed as fully
competent to:

Level 1

IRATA No: 1/255690

Date originally assessed to this level :
24 May 2024



Issue Date:

24 May 2024

Expiry Date:

23 May 2027

The person named overleaf has been certified as being fully competent to carry out aspects of work associated with rope access at the level indicated. To be used in conjunction with an IRATA logbook and must comply with the IRATA Training, Assessment and Certification Scheme (TACS).



IRATA International
1st & 2nd Floor, Unit 3,
Eurogate Business Park,
Ashford, Kent,
TN24 8XW
www.irata.org


A Company limited by guarantee and registered in England 03426704
VAT No: 529 0111 77



This is to certify that the bearer whose name and passport photograph appear overleaf has undergone **BOSIET WITH EBS**.

This card remains the property of TOLMANN.

If found, please return to 7B Trans Amadi Industrial Layout, Port Harcourt. Tel: +234 802 335 0014

Signature 






National Identity Management System

Federal Republic of Nigeria

National Identification Number Slip (NINS)



Tracking ID:	S7Y0O0ZQ80009S7	Surname:	ARNAOUT	Address:	7 OLOZU STREET, STADIUM ROAD, PORT-HARCOURT RV	
NIN:	11745107433	First Name:	IBRAHIM			
		Middle Name:				
		Gender:	M			

Note: The **National Identification Number (NIN)** is your identity. It is confidential and may only be released for legitimate transactions.

You will be notified when your National Identity Card is ready (for any enquiries please contact)

helpdesk@nimc.gov.ng

www.nimc.gov.ng

0700-CALL-NIMC

National Identity Management Commission

SEGLO SERVICES



- *Technical/ Corrosion Control
- *Civil Works
- *Supply Of Certified Inspectors

CERTIFICATE OF TRAINING

*This is to certify that, MR. IBRAHIM ARNAOUT
Has successfully completed Seglo Services. Abrasive Blasting Skills Training Course.
The course include detailed practical and theoretical understanding of good
blasting and safety requirements.*

ACCEPT OUR CONGRATULATIONS!


Ezekiel Amahaotu Stephen
Nace2 Certified Inspector
CIP No. 29889



No 11 Light Avenue Off Odani Link Road Elelenwo PHC

SEGLO SERVICES



- *Technical/ Corrosion Control
- *Civil Works
- *Supply Of Certified Inspectors

CERTIFICATE OF TRAINING

*This is to certify that, MR. IBRAHIM ARNAOUT
Has successfully completed Seglo Services. Painting Skills Course.
The course include detailed practical and theoretical understanding of good
Painting and coating requirements.*

ACCEPT OUR CONGRATULATIONS!


Ezekiel Amahaotu Stephen
Nace2 Certified Inspector
CIP No. 29889



No 11 Light Avenue Off Odani Link Road Elelenwo PHC

CERTIFICATE *Of* COMPLETION

Ibrahim Arnaout

has completed the training below

HSE Orientation Training - (CRP1264) - English

19-Jul-2024

Issue Date

VALARIS



19-Jul-2028

Expiry Date

28° 3'24.79"N 90°41'51.44"W 10°19'55.41"N 60°43'4.76"W 13° 4'38.35"S 36°35'20.35"W 56°21'2.07"N 1°50'4.39" E 32° 4'1.05" N 3

CERTIFICATE *Of* COMPLETION

Ibrahim Arnaout

has completed the training below

Confined Space Entry Awareness - (CRP259)

06-Sep-2024

Issue Date

VALARIS



06-Sep-2028

Expiry Date

28° 3'24.79"N 90°41'51.44"W 10°19'55.41"N 60°43'4.76"W 13° 4'38.35"S 36°35'20.35"W 56°21'2.07"N 1°50'4.39" E 32° 4'1.05" N 3

CERTIFICATE *Of* COMPLETION

Ibrahim Arnaout

has completed the training below

Energy Isolation (EI) - (CRP1343)

19-Jul-2024

Issue Date

VALARIS



19-Jul-2028

Expiry Date

28° 3'24.79"N 90°41'51.44"W 10°19'55.41"N 60°43'4.76"W 13° 4'38.35"S 36°35'20.35"W 56°21'2.07"N 1°50'4.39" E 32° 4'1.05" N 3



JC International

This is to certify that

ARNAOUT IBRAHIM

**Attended a LEEA accredited training course in
Appointed Person for Lifting Operation**

**Test date
06th Dec 2024**

**Course Duration
5 Days**

and successfully completed all applicable assessments

**Presented by
JC International Ltd**

**Date
06th Dec 2024**

**Expiry Date
05th Dec 2026**

Assessor

Austin Ovie Joseph

