Столбец 1	Столбец 2	Столбец 3	Тт Столбец 4
Test Case ID	Test Scenario	Test Steps	Expected Result
TC-001	Successful retrieval with default parameters	Set up a GET request to https://api.stat.net/calls/list. Add header Auth-key with a valid API key. Do not specify any query parameters (use defaults). Send the request.	API returns call logs in JSON format with default fields for the last 24 hours.
TC-002	Retrieve using a regular expression filter	1. Set up a GET request. 2. Add header Auth-key. 3. Encode regex ^\+38097 to Base64 (e.g., XlwrMzgwOTc=). 4. Add query parameter filters=caller~XlwrMzgwOTc=. 5. Specify from and to dates. 6. Send the request.	API returns call logs where caller matches the regex for the date range.
TC-003	Retrieve with specific fields	Set up a GET request. Add header Auth-key. Add query parameter fields=calldate,caller,dst,duration. Specify valid from and to dates. Send the request.	API returns call logs including specified fields for the date range.
TC-004	Retrieve using a simple filter	Set up a GET request. Add header Auth-key. Add query parameter filters=duration>60. Specify valid from and to dates. Send the request.	API returns call logs where duration is greater than 60 seconds.
TC-005	Retrieve using ascending order	Set up a GET request. Add header Auth-key. Add query parameter order=asc. Specify valid from and to dates. Send the request.	API returns call logs sorted in ascending order.
TC-006	Retrieve with merging option	Set up a GET request. Add header Auth-key. Add query parameter merge=1. Specify valid from and to dates. Send the request.	API returns call logs merged every 24 hours.
TC-007	Invalid API key	Set up a GET request. Add header Auth-key with an invalid API key. Send the request.	API returns an error indicating authentication failure (e.g., "Invalid API key").
TC-008	Missing Auth-key header	Set up a GET request. Do not add the Auth-key header. Send the request.	API returns an error indicating that the API key is missing.
TC-009	Invalid date format	Set up a GET request. Add header Auth-key. Add query parameter from=2023/11/01 (incorrect format). Send the request.	API returns an error indicating invalid date format.
TC-010	Retrieve with unsupported field	Set up a GET request. Add header Auth-key. Add query parameter fields=calldate,invalid_field. Send the request.	API returns an error indicating that invalid_field is not a supported field.
TC-011	SQL Injection in from parameter	Set up a GET request to https://api.stat.net/calls/list. Add header Auth-key with a valid API key. Set from parameter to "2023-11-01' OR '1'='1". Send the request.	API should return an error indicating invalid date format.