

DC Motor

Overview



This experiment controls the rotation and stop of the DC motor.

Specification

Rated Voltage: DC 6V

Speed: 5000 RPM

Pin definition


Null

Hardware required


Material diagram	Material name	Number
	DC Motor	1
	2N2222	1
	IN4148	1
	220/330Ω resistor	1
	10KΩ resistor	1
	USB Cable	1
	UNO R3	1
	Breadboard	1
	Jumper wires	Several

Connection

Schematic



Connection diagram



Note:
Pay attention to the direction of the diode(IN4148).




Sample code

Note: sample code under the **Sample code** folder

```
int motor = 8;           // motor turn-on trigger signal - active high;
void setup (void)
{
    pinMode (motor, OUTPUT); // define port attribute for the output;
}
void loop (void)
{
    digitalWrite (motor, HIGH); //
    delay (1000);
    digitalWrite (motor, LOW); //switch;
    delay (1000);
}
```

Example picture



Language reference

Null

Application effect

You'll see the motor stop and turn.

* About Smraza:

* We are a leading manufacturer of electronic components for Arduino and Raspberry Pi.

* Official website: <http://www.smraza.com/>

* We have a professional engineering team dedicated to providing tutorials and support to help you get started.

* If you have any technical questions, please feel free to contact our support staff via email at support@smraza.com

* We truly hope you enjoy the product, for more great products please visit our

Amazon US store: <http://www.amazon.com/shops/smraza>

Amazon CA store: <https://www.amazon.ca/shops/AMIHZKLK542FQ>

Amazon UK store: <http://www.amazon.co.uk/shops/AVEAJYX3AHG8Q>

Amazon DE store: <http://www.amazon.de/shops/AVEAJYX3AHG8Q>

Amazon FR store: <http://www.amazon.fr/shops/AVEAJYX3AHG8Q>

Amazon IT store: <http://www.amazon.it/shops/AVEAJYX3AHG8Q>

Amazon ES store: <https://www.amazon.es/shops/AVEAJYX3AHG8Q>
