

หน้า main menu

```
=====
MEDROUTE MAIN MENU (Routing & Emergency UI)
=====
1. Register Patient & Route Case
2. Display Live System Dashboard
3. Display All Loaded Doctors
4. [Button E] Emergency Override: Insert urgent case to Priority Queue
5. Process Next Top Override Case
6. [Button C] Critical Stop: Pause current case to Stack
7. Resume Paused Case from Stack
8. [Button M] Activate MCI Mode (Mass Casualty Incident)
9. Deactivate MCI Mode
10. Display Patient Event History
0. Exit Program
=====
```

T01

ทดสอบอะไร ลงทะเบียนปกติ — ระบบ assign หมอได้

วิธีทำ เมนู 1 → ชื่อ + symptom + urgency ●

```
=====
Select option (0-10): 1
```

```
--- Register New Patient ---
```

```
Patient Name: Manee
```

```
Initial Symptom (e.g. chest pain, general fever, broken bone): chest pain
```

```
Urgency Level (1=Normal, 2=Urgent, 3=Critical): 3
```

```
[INFO] Patient registered: P002 | Manee | dept: Cardiology | difficulty: 3
```

```
[OK] P002 is now at Weight
```

```
[INFO] P002 entered station: S02
```

```
Searching for optimal doctor via Graph BFS Routing...
```

```
[SUCCESS] Assigned patient Manee to Dr.Anong (A3) in department internal | Cases  
: 1/4
```

T02

ทดสอบอะไร คนแดง ● ได้หมอ level สูง (A3-A4), คนเขียว ● ได้ A1-A2

วิธีทำ เมนู 1 ลงทะเบียน ● → ลงทะเบียน ● → เทียบ level หมอที่ได้

```

=====
Select option (0-10): 10

--- Search Patient History ---
Enter Patient ID (e.g. P001): P002
=====
History for: Manee (P002)
Symptom    : chest pain
Department: Cardiology
Difficulty: 3 | Urgency: 3
-----
[14:13] 1. Registered | symptom: chest pain
[14:13] 2. Entered station: S02
[14:13] 3. Assigned to Dr.Anong (A3, internal)
=====

```

T03

ทดสอบอะไร Button E แทรกคิว (Priority Queue ทำงาน)

วิธีทำ ลงทะเบียนหลายคน → เมนู 4 ใส่ ID คนแดง → เมนู 5 process

```

10. Display Patient Event History
0. Exit Program
=====
Select option (0-10): 1

--- Register New Patient ---
Patient Name: Somchai
Initial Symptom (e.g. chest pain, general fever, broken bone): general fever
Urgency Level (1=Normal, 2=Urgent, 3=Critical): 1
[INFO] Patient registered: P001 | Somchai | dept: Internal Medicine | difficulty
: 1
[OK] P001 is now at Blood Pressure
[INFO] P001 entered station: S01

Searching for optimal doctor via Graph BFS Routing...
[SUCCESS] Assigned patient Somchai to Dr.Manee (A1) in department internal | Cas
es: 1/2
=====

```

10. Display Patient Event History
0. Exit Program

=====

Select option (0-10): 1

--- Register New Patient ---

Patient Name: Manee

Initial Symptom (e.g. chest pain, general fever, broken bone): broken bone

Urgency Level (1=Normal, 2=Urgent, 3=Critical): 2

[INFO] Patient registered: P002 | Manee | dept: Orthopedics | difficulty: 2

[OK] P002 is now at Weight

[INFO] P002 entered station: S02

Searching for optimal doctor via Graph BFS Routing...

[SUCCESS] Assigned patient Manee to Dr.Somying (A2) in department surgery | Case
s: 1/3

=====

MEDROUTE MAIN MENU (Routing & Emergency UI)

0. Exit Program

=====

Select option (0-10): 1

--- Register New Patient ---

Patient Name: Aomsin

Initial Symptom (e.g. chest pain, general fever, broken bone): cardiac arrest

Urgency Level (1=Normal, 2=Urgent, 3=Critical): 3

[INFO] Patient registered: P003 | Aomsin | dept: Emergency | difficulty: 4

[OK] P003 is now at Height

[INFO] P003 entered station: S03

Searching for optimal doctor via Graph BFS Routing...

[SUCCESS] Assigned patient Aomsin to Dr.Surachai (A4) in department emergency |
Cases: 1/5

=====

MEDROUTE MAIN MENU (Routing & Emergency UI)

=====

0. Exit Program

=====

Select option (0-10): 4

--- Button E: Emergency Override ---

Enter Patient ID to override (e.g. P001): P001

[EMERGENCY] Patient Somchai (P001) added to Override Priority Queue (Urgency: 1)

.

=====

Select option (0-10): 4

--- Button E: Emergency Override ---

Enter Patient ID to override (e.g. P001): P002

[EMERGENCY] Patient Manee (P002) added to Override Priority Queue (Urgency: 2).

=====

MEDROUTE MAIN MENU (Routing & Emergency UI)

```

10. Display Patient Event history,
0. Exit Program
=====
Select option (0-10): 4

--- Button E: Emergency Override ---
Enter Patient ID to override (e.g. P001): P003
[EMERGENCY] Patient Aomsin (P003) added to Override Priority Queue (Urgency: 3).
=====

```

```

=====
MEDROUTE LIVE HOSPITAL DASHBOARD
=====
System Status      : [ NORMAL OPERATION ]
Pending Overrides (E) : 3 case(s)
Paused Cases (C)    : 0 case(s)
-----
Station Dashboard
-----
S01 Blood Pressure   [ BUSY: P001 ] Queue: 0
S02 Weight           [ BUSY: P002 ] Queue: 0
S03 Height           [ BUSY: P003 ] Queue: 0
S04 Temperature      [ FREE ] Queue: 0
S05 History Intake    [ FREE ] Queue: 0
-----
Total patients in system: 3
-----
Total Doctors Loaded : 20
=====

```

```

0. Exit Program
=====
Select option (0-10): 5

>>> Processing Override Patient: Aomsin (P003) <<<
[OK] Override case successfully assigned to Dr.Surachai
=====

```

```

0. Exit Program
=====
Select option (0-10): 5

>>> Processing Override Patient: Manee (P002) <<<
[OK] Override case successfully assigned to Dr.Somying
=====
MEDROUTE MAIN MENU (Routine & Emergency UI)
=====

```

```

0. Exit Program
=====
Select option (0-10): 5

>>> Processing Override Patient: Somchai (P001) <<<
[OK] Override case successfully assigned to Dr.Manee
=====
MEDROUTE MAIN MENU (Routine & Emergency UI)
=====

```

```

7. Deactivate Not Home
10. Display Patient Event History
0. Exit Program
=====
Select option (0-10): 5
[INFO] No pending override cases in priority queue.

=====
MEDROUTE MAIN MENU (Routing & Emergency UI)

```

T04

ทดสอบอะไร Button C หยุดเคส (Stack push/pop ทำงาน)
 วิธีทำ เมนู 6 ใส่ ID → เมนู 2 ดู paused +1 → เมนู 7 resume

```

10. Display Patient Event History
0. Exit Program
=====
Select option (0-10): 1

--- Register New Patient ---
Patient Name: Somchai
Initial Symptom (e.g. chest pain, general fever, broken bone): general fever
Urgency Level (1=Normal, 2=Urgent, 3=Critical): 1
[INFO] Patient registered: P001 | Somchai | dept: Internal Medicine | difficulty
: 1
[OK] P001 is now at Blood Pressure
[INFO] P001 entered station: S01

Searching for optimal doctor via Graph BFS Routing...
[SUCCESS] Assigned patient Somchai to Dr.Manee (A1) in department internal | Cas
es: 1/2

0. Exit Program
=====
Select option (0-10): 1

--- Register New Patient ---
Patient Name: Manee
Initial Symptom (e.g. chest pain, general fever, broken bone): chest pain
Urgency Level (1=Normal, 2=Urgent, 3=Critical): 3
[INFO] Patient registered: P002 | Manee | dept: Cardiology | difficulty: 3
[OK] P002 is now at Weight
[INFO] P002 entered station: S02

Searching for optimal doctor via Graph BFS Routing...
[SUCCESS] Assigned patient Manee to Dr.Anong (A3) in department internal | Cases
: 1/4

=====
MEDROUTE MAIN MENU (Routing & Emergency UI)

```

```

=====
                        MEDROUTE LIVE HOSPITAL DASHBOARD
=====
System Status           : [ NORMAL OPERATION ]
Pending Overrides (E)   : 0 case(s)
Paused Cases (C)        : 0 case(s)
-----

Station Dashboard
-----
S01 Blood Pressure      [ BUSY: P001 ] Queue: 0
S02 Weight              [ BUSY: P002 ] Queue: 0
S03 Height              [ FREE ] Queue: 0
S04 Temperature         [ FREE ] Queue: 0
S05 History Intake       [ FREE ] Queue: 0
-----
Total patients in system: 2
-----
Total Doctors Loaded    : 20
=====

9. Exit Program
=====
Select option (0-10): 6

--- Button C: Critical Stop ---
Enter Patient ID to pause onto Stack: P001
[CRITICAL STOP] Paused current case: Somchai (P001). Saved state to Stack.

10. Display Patients Event history
0. Exit Program
=====
Select option (0-10): 6

--- Button C: Critical Stop ---
Enter Patient ID to pause onto Stack: P002
[CRITICAL STOP] Paused current case: Manee (P002). Saved state to Stack.
=====

```

```

=====
3. Exit Program
=====
Select option (0-10): 2

=====
MEDROUTE LIVE HOSPITAL DASHBOARD
=====
System Status      : [ NORMAL OPERATION ]
Pending Overrides (E) : 0 case(s)
Paused Cases (C)    : 2 case(s)
-----

Station Dashboard
-----
S01 Blood Pressure   [ BUSY: P001 ] Queue: 0
S02 Weight           [ BUSY: P002 ] Queue: 0
S03 Height           [ FREE ] Queue: 0
S04 Temperature      [ FREE ] Queue: 0
S05 History Intake    [ FREE ] Queue: 0
-----
Total patients in system: 2
-----
Total Doctors Loaded : 20
=====

```

```

=====
3. Exit Program
=====
Select option (0-10): 7

>>> Resuming Paused Patient from Stack: Manee (P002) <<<
[OK] Resumed case successfully assigned to Dr.Anong

```

```

=====
3. Exit Program
=====
Select option (0-10): 7

>>> Resuming Paused Patient from Stack: Somchai (P001) <<<
[OK] Resumed case successfully assigned to Dr.Manee

```

```

=====
3. Exit Program
=====
Select option (0-10): 7
[INFO] No paused patients in Critical Stop stack.

=====
MEDROUTE MAIN MENU (Routing & Emergency UI)
=====

```

```
10. Display Patient Event History
0. Exit Program
=====
Select option (0-10): 10

--- Search Patient History ---
Enter Patient ID (e.g. P001): P001
=====
History for: Somchai (P001)
Symptom    : general fever
Department: Internal Medicine
Difficulty: 1 | Urgency: 1
-----
[22:24] 1. Registered | symptom: general fever
[22:24] 2. Entered station: S01
[22:24] 3. Assigned to Dr.Manee (A1, internal)
[22:25] 4. Paused due to Critical Stop (Button C)
[22:25] 5. Resumed processing from Critical Stop stack
[22:25] 6. Assigned to Dr.Manee (A1, internal)
=====
```

T05

ทดสอบอะไร Button M เข้า MCI Mode (flag เปลี่ยน)
วิธีทำ เมนู 8 → เมนู 2 ดู status เปลี่ยน → เมนู 9 ออก

```
10. Display Patient Event History
0. Exit Program
=====
Select option (0-10): 8

=====
[MCI MODE ACTIVATED] Mass Casualty Incident protocol initiated!
Previous state successfully preserved onto MCI Stack.
=====

=====

0. Exit Program
=====
Select option (0-10): 2

=====
MEDROUTE LIVE HOSPITAL DASHBOARD
=====
System Status      : [ WARNING: MCI MODE ACTIVE ]
Pending Overrides (E) : 1 case(s)
Paused Cases (C)    : 1 case(s)
-----
```

```

8. [Button M] Activate MCI Mode (Mass Casualty Incident)
9. Deactivate MCI Mode
10. Display Patient Event History
0. Exit Program
=====
Select option (0-10): 9
=====
[MCI MODE DEACTIVATED] Restored previous system routing state.
=====

```

```

=====
MEDROUTE LIVE HOSPITAL DASHBOARD
=====
System Status      : [ NORMAL OPERATION ]
Pending Overrides (E) : 1 case(s)
Paused Cases (C)    : 1 case(s)
-----
Station Dashboard
-----
S01 Blood Pressure   [ BUSY: P001 ] Queue: 0
S02 Weight           [ BUSY: P002 ] Queue: 0
S03 Height           [ BUSY: P003 ] Queue: 0
S04 Temperature      [ BUSY: P004 ] Queue: 0
S05 History Intake    [ FREE ] Queue: 0
-----
Total patients in system: 4
-----
Total Doctors Loaded : 20
=====

```

T06

ทดสอบอะไร แผนกเต็ม → BFS หา backup ได้

วิธีทำ ลงทะเบียนคนไข้ symptom เดียวจนหมอแผนกนั้นเต็ม → คนถัดไปต้องไปแผนกข้างเคียง

```

10. Display Patient Event History
0. Exit Program
=====
Select option (0-10): 1

--- Register New Patient ---
Patient Name: eieieiei
Initial Symptom (e.g. chest pain, general fever, broken bone): general fever
Urgency Level (1=Normal, 2=Urgent, 3=Critical): 1
[INFO] Patient registered: P029 | eieieiei | dept: Internal Medicine | difficulty: 1
[OK] P029 queued at Height (position 7)
[INFO] P029 entered station: S03

Searching for optimal doctor via Graph BFS Routing...
[WARN] Department 'internal' full. Triggering BFS Cascading Failure search...
[SUCCESS] Cascading BFS found backup doctor in department: emergency
[SUCCESS] Assigned patient eieieiei to Dr.Surachai (A4) in department emergency
| Cases: 5/5

=====
MEDROUTE MAIN MENU (Routing & Emergency UI)
=====

```

T07

ทดสอบอะไร ทุกแผนกเต็ม → ระบบไม่ crash (Graceful Degradation)

วิธีทำ ลงทะเบียนเรื่อย ๆ จนเต็มทุกแผนก → ต้องขึ้น **System Overload** ไม่ใช่ error

เขียนกำกับบอกลาจารย์ด้วยว่า คือเราใช้วิธี แก่ threshold ใน src/doctor.cpp → สร้างไฟล์ input เพื่อให้เห็น output ออกมาเฉยๆนะ ไม่ได้พิมพ์จริง แล้วตอนสุดท้ายคือมันจะออกมาเยอะมาก ไล่ทีละคนตามไฟล์ ก็เลยใช้ pipe operator กรองเฉพาะบรรทัดที่มี keyword คือ จะเอาแค่แบบ ERROR, Overload, SUCCESS ไร้นะ

```

Thank you for using MedRoute System. Goodbye!

[ndee_dn@MacBook-Pro-khxng-dnee-dn MedRoute-main % ./src/medroute < test_t07.txt ]
| grep -E "ERROR|Overload|SUCCESS"
Select option (0-10): [ERROR] Invalid option. Please choose between 0-10.
Select option (0-10): [ERROR] Invalid option. Please choose between 0-10.
Select option (0-10): [ERROR] Invalid option. Please choose between 0-10.
[SUCCESS] Assigned patient Patient1 to Dr.Manee (A1) in department internal | Cases: 1/1
[SUCCESS] Assigned patient Patient2 to Dr.Suda (A2) in department internal | Cases: 1/1
[SUCCESS] Assigned patient Patient3 to Dr.Anong (A3) in department internal | Cases: 1/1
[SUCCESS] Assigned patient Patient4 to Dr.Rattana (A4) in department internal | Cases: 1/1
[SUCCESS] Cascading BFS found backup doctor in department: emergency
[SUCCESS] Assigned patient Patient5 to Dr.Wilai (A1) in department emergency | Cases: 1/1
[SUCCESS] Cascading BFS found backup doctor in department: emergency
[SUCCESS] Assigned patient Patient6 to Dr.Pim (A2) in department emergency | Cases: 1/1
[SUCCESS] Cascading BFS found backup doctor in department: emergency
[SUCCESS] Assigned patient Patient7 to Dr.Anan (A3) in department emergency | Cases: 1/1

```

```
MedRoute-main — -zsh — 80x24
[SUCCESS] Assigned patient Patient7 to Dr.Anan (A3) in department emergency | Cases: 1/1
[SUCCESS] Cascading BFS found backup doctor in department: emergency
[SUCCESS] Assigned patient Patient8 to Dr.Surachai (A4) in department emergency | Cases: 1/1
[SUCCESS] Cascading BFS found backup doctor in department: pediatrics
[SUCCESS] Assigned patient Patient9 to Dr.Kanya (A1) in department pediatrics | Cases: 1/1
[SUCCESS] Cascading BFS found backup doctor in department: pediatrics
[SUCCESS] Assigned patient Patient10 to Dr.Prasert (A2) in department pediatrics | Cases: 1/1
[SUCCESS] Cascading BFS found backup doctor in department: pediatrics
[SUCCESS] Assigned patient Patient11 to Dr.Niran (A3) in department pediatrics | Cases: 1/1
[SUCCESS] Cascading BFS found backup doctor in department: pediatrics
[SUCCESS] Assigned patient Patient12 to Dr.Wanna (A4) in department pediatrics | Cases: 1/1
[SUCCESS] Cascading BFS found backup doctor in department: surgery
[SUCCESS] Assigned patient Patient13 to Dr.Somchai (A1) in department surgery | Cases: 1/1
[SUCCESS] Cascading BFS found backup doctor in department: surgery
[SUCCESS] Assigned patient Patient14 to Dr.Somying (A2) in department surgery | Cases: 1/1
[SUCCESS] Cascading BFS found backup doctor in department: surgery
```

```
MedRoute-main — -zsh — 80x24
[SUCCESS] Assigned patient Patient11 to Dr.Niran (A3) in department pediatrics | Cases: 1/1
[SUCCESS] Cascading BFS found backup doctor in department: pediatrics
[SUCCESS] Assigned patient Patient12 to Dr.Wanna (A4) in department pediatrics | Cases: 1/1
[SUCCESS] Cascading BFS found backup doctor in department: surgery
[SUCCESS] Assigned patient Patient13 to Dr.Somchai (A1) in department surgery | Cases: 1/1
[SUCCESS] Cascading BFS found backup doctor in department: surgery
[SUCCESS] Assigned patient Patient14 to Dr.Somying (A2) in department surgery | Cases: 1/1
[SUCCESS] Cascading BFS found backup doctor in department: surgery
[SUCCESS] Assigned patient Patient15 to Dr.Wichai (A3) in department surgery | Cases: 1/1
[SUCCESS] Cascading BFS found backup doctor in department: surgery
[SUCCESS] Assigned patient Patient16 to Dr.Napha (A4) in department surgery | Cases: 1/1
[ERROR] System Overload! No available doctors in primary or backup departments.
[ERROR] System Overload! No available doctors in primary or backup departments.
[ERROR] System Overload! No available doctors in primary or backup departments.
[ERROR] System Overload! No available doctors in primary or backup departments.
[ERROR] System Overload! No available doctors in primary or backup departments.
[ERROR] System Overload! No available doctors in primary or backup departments.
dnee_dn@MacBook-Pro-khxng-dnee-dn MedRoute-main %
```

T08

ทดสอบอะไร Symptom ไม่รู้จัก → ไม่ crash + ให้พยาบาลเลือกแผนเอง

วิธีทำ เมนู 1 → ใส่ symptom มั่ว ๆ (เช่น xyz) → ต้องขึ้นเมนูให้เลือกแผนก 1-5

```

=====
Welcome to MedRoute Hospital Management System
=====

[OK] Initialized 5 stations
[OK] Loaded 20 doctors from data/doctors.csv

=====
MEDROUTE MAIN MENU (Routing & Emergency UI)
=====
1. Register Patient & Route Case
2. Display Live System Dashboard
3. Display All Loaded Doctors
4. [Button E] Emergency Override: Insert urgent case to Priority Queue
5. Process Next Top Override Case
6. [Button C] Critical Stop: Pause current case to Stack
7. Resume Paused Case from Stack
8. [Button M] Activate MCI Mode (Mass Casualty Incident)
9. Deactivate MCI Mode
10. Display Patient Event History
0. Exit Program
=====
Select option (0-10): 1

--- Register New Patient ---
Patient Name: P'F
Initial Symptom (e.g. chest pain, general fever, broken bone): chest paaain
Urgency Level (1=Normal, 2=Urgent, 3=Critical): 1
[INFO] Patient registered: P001 | P'F | dept: unknown | difficulty: 0

[WARN] Symptom 'chest paaain' not in database!
Please choose department manually:
  1. Internal Medicine
  2. Surgery
  3. Pediatrics
  4. Emergency
  5. Obstetrics
Choice (1-5): 4
[OK] Manually set department to: Emergency
[OK] P001 is now at Blood Pressure
[INFO] P001 entered station: S01

Searching for optimal doctor via Graph BFS Routing...
[SUCCESS] Assigned patient P'F to Dr.Wilai (A1) in department emergency | Cases: 1/2

```

T09

ทดสอบอะไร หมอ A1 เต็ม threshold → ข้ามไปหมอกคนถัดไป (A2)

วิธีทำ ลงทะเบียนคนไข้ 2 คน (Dr.Manee เต็ม 2/2) → คนที่ 3 ต้องได้ Dr.Suda (A2)

```

9. Deactivate MCI Mode
10. Display Patient Event History
0. Exit Program
=====
Select option (0-10): 1

--- Register New Patient ---
Patient Name: p'f
Initial Symptom (e.g. chest pain, general fever, broken bone): general fever
Urgency Level (1=Normal, 2=Urgent, 3=Critical): 1
[INFO] Patient registered: P008 | p'f | dept: Internal Medicine | difficulty: 1
[OK] P008 queued at Temperature (position 1)
[INFO] P008 entered station: S04

Searching for optimal doctor via Graph BFS Routing...
[SUCCESS] Assigned patient p'f to Dr.Suda (A2) in department internal | Cases: 3
/3

=====
MEDROUTE MAIN MENU (Routing & Emergency UI)
=====
1. Register Patient & Route Case
2. Display Live System Dashboard

8. [Button M] Activate MCI Mode (Mass Casualty Incident)
9. Deactivate MCI Mode
10. Display Patient Event History
0. Exit Program
=====
Select option (0-10): 1

--- Register New Patient ---
Patient Name: plam
Initial Symptom (e.g. chest pain, general fever, broken bone): general fever
Urgency Level (1=Normal, 2=Urgent, 3=Critical): 1
[INFO] Patient registered: P009 | plam | dept: Internal Medicine | difficulty: 1
[OK] P009 queued at Blood Pressure (position 1)
[INFO] P009 entered station: S01

Searching for optimal doctor via Graph BFS Routing...
[SUCCESS] Assigned patient plam to Dr.Anong (A3) in department internal | Cases:
2/4

=====
MEDROUTE MAIN MENU (Routing & Emergency UI)
=====
1. Register Patient & Route Case

```

T10

ทดสอบอะไร MCI restore — pop stack คืบ state เก้าตามลำดับ

วิธีทำ เมนู 8 → เมนู 8 (ซ้อน) → เมนู 9 (ยังเป็น MCI) → เมนู 9 (กลับ Normal) → เมนู 9 (stack empty)

```

=====
MEDROUTE LIVE HOSPITAL DASHBOARD
=====
System Status      : [ NORMAL OPERATION ]
Pending Overrides (E) : 1 case(s)
Paused Cases (C)    : 1 case(s)
-----

Station Dashboard
-----
S01 Blood Pressure   [ BUSY: P001 ] Queue: 3
S02 Weight           [ BUSY: P002 ] Queue: 7
S03 Height           [ BUSY: P003 ] Queue: 7
S04 Temperature      [ BUSY: P004 ] Queue: 6
S05 History Intake    [ BUSY: P005 ] Queue: 1
-----
Total patients in system: 29
-----
Total Doctors Loaded : 20
=====
=====

```

```

=====
MEDROUTE MAIN MENU (Routing & Emergency UI)
=====
1. Register Patient & Route Case
2. Display Live System Dashboard
3. Display All Loaded Doctors
4. [Button E] Emergency Override: Insert urgent case to Priority Queue
5. Process Next Top Override Case
6. [Button C] Critical Stop: Pause current case to Stack
7. Resume Paused Case from Stack
8. [Button M] Activate MCI Mode (Mass Casualty Incident)
9. Deactivate MCI Mode
10. Display Patient Event History
0. Exit Program
=====
Select option (0-10): 8
=====
[MCI MODE ACTIVATED] Mass Casualty Incident protocol initiated!
Previous state successfully preserved onto MCI Stack.
=====

```

```

=====
=====
MEDROUTE MAIN MENU (Routing & Emergency UI)
=====
1. Register Patient & Route Case
2. Display Live System Dashboard
3. Display All Loaded Doctors
4. [Button E] Emergency Override: Insert urgent case to Priority Queue
5. Process Next Top Override Case
6. [Button C] Critical Stop: Pause current case to Stack
7. Resume Paused Case from Stack
8. [Button M] Activate MCI Mode (Mass Casualty Incident)
9. Deactivate MCI Mode
10. Display Patient Event History
0. Exit Program
=====
Select option (0-10): 8
=====
[MCI MODE ACTIVATED] Mass Casualty Incident protocol initiated!
Previous state successfully preserved onto MCI Stack.
=====

```

```

=====
=====
MEDROUTE MAIN MENU (Routing & Emergency UI)
=====
1. Register Patient & Route Case
2. Display Live System Dashboard
3. Display All Loaded Doctors
4. [Button E] Emergency Override: Insert urgent case to Priority Queue
5. Process Next Top Override Case
6. [Button C] Critical Stop: Pause current case to Stack
7. Resume Paused Case from Stack
8. [Button M] Activate MCI Mode (Mass Casualty Incident)
9. Deactivate MCI Mode
10. Display Patient Event History
0. Exit Program
=====
Select option (0-10): 9
=====
[MCI MODE DEACTIVATED] Restored previous system routing state.
=====

```

[MCI MODE DEACTIVATED] Restored previous system routing state.

MEDROUTE MAIN MENU (Routing & Emergency UI)

1. Register Patient & Route Case
2. Display Live System Dashboard
3. Display All Loaded Doctors
4. [Button E] Emergency Override: Insert urgent case to Priority Queue
5. Process Next Top Override Case
6. [Button C] Critical Stop: Pause current case to Stack
7. Resume Paused Case from Stack
8. [Button M] Activate MCI Mode (Mass Casualty Incident)
9. Deactivate MCI Mode
10. Display Patient Event History
0. Exit Program

Select option (0-10): 2

MEDROUTE LIVE HOSPITAL DASHBOARD

Select option (0-10): 2

MEDROUTE LIVE HOSPITAL DASHBOARD

System Status : [WARNING: MCI MODE ACTIVE]
Pending Overrides (E) : 1 case(s)
Paused Cases (C) : 1 case(s)

Station Dashboard

S01	Blood Pressure	[BUSY: P001]	Queue: 3
S02	Weight	[BUSY: P002]	Queue: 7
S03	Height	[BUSY: P003]	Queue: 7
S04	Temperature	[BUSY: P004]	Queue: 6
S05	History Intake	[BUSY: P005]	Queue: 1

Total patients in system: 29

Total Doctors Loaded : 20

```

=====
MEDROUTE MAIN MENU (Routing & Emergency UI)
=====
1. Register Patient & Route Case
2. Display Live System Dashboard
3. Display All Loaded Doctors
4. [Button E] Emergency Override: Insert urgent case to Priority Queue
5. Process Next Top Override Case
6. [Button C] Critical Stop: Pause current case to Stack
7. Resume Paused Case from Stack
8. [Button M] Activate MCI Mode (Mass Casualty Incident)
9. Deactivate MCI Mode
10. Display Patient Event History
0. Exit Program
=====
Select option (0-10): 9
=====
[MCI MODE DEACTIVATED] Restored previous system routing state.
=====
=====

```

```

=====
MEDROUTE MAIN MENU (Routing & Emergency UI)
=====
1. Register Patient & Route Case
2. Display Live System Dashboard
3. Display All Loaded Doctors
4. [Button E] Emergency Override: Insert urgent case to Priority Queue
5. Process Next Top Override Case
6. [Button C] Critical Stop: Pause current case to Stack
7. Resume Paused Case from Stack
8. [Button M] Activate MCI Mode (Mass Casualty Incident)
9. Deactivate MCI Mode
10. Display Patient Event History
0. Exit Program
=====
Select option (0-10): 2
=====
MEDROUTE LIVE HOSPITAL DASHBOARD
=====
System Status      : [ NORMAL OPERATION ]
Pending Overrides (E) : 1 case(s)
Paused Cases (C)    : 1 case(s)

```

=====

MEDROUTE LIVE HOSPITAL DASHBOARD

=====

System Status : [NORMAL OPERATION]
Pending Overrides (E) : 1 case(s)
Paused Cases (C) : 1 case(s)

Station Dashboard

S01	Blood Pressure	[BUSY: P001]	Queue: 3
S02	Weight	[BUSY: P002]	Queue: 7
S03	Height	[BUSY: P003]	Queue: 7
S04	Temperature	[BUSY: P004]	Queue: 6
S05	History Intake	[BUSY: P005]	Queue: 1

Total patients in system: 29

Total Doctors Loaded : 20

=====

=====

MEDROUTE MAIN MENU (Routing & Emergency UI)