Nessus

Scansione di Meta

Scan Meta
‹ Back to My Scans

Configure | Audit Trail | Launch | Report | Export

Hosts 1 | Vulnerabilities 67 | Remediations 3 | History 1

Filter | Search Hosts | 1 Host

Host	Vulnerabilities
192.168.1.139	10 / 7 / 26 / 9 / 132

Scan Details

Policy: Basic Network Scan
Status: Completed
Severity Base: CVSS v3.0
Scanner: Local Scanner
Start: Today at 7:07 AM
End: Today at 7:16 AM
Elapsed: 9 minutes

Vulnerabilities

Scan Meta
‹ Back to My Scans

Configure | Audit Trail | Launch | Report | Export

Hosts 1 | Vulnerabilities 67 | Remediations 3 | History 1

Filter | Search Vulnerabilities | 67 Vulnerabilities

Sev	CVSS	VPR	EPSS	Name	Family	Count
CRITICAL	10.0 *	7.4	0.6988	UnrealIRCd Backdoor Detection	Backdoors	1
CRITICAL	10.0 *			VNC Server 'password' Password	Gain a shell remotely	1
CRITICAL	9.8			SSL Version 2 and 3 Protocol Detection	Service detection	2
CRITICAL	9.8			Bind Shell Backdoor Detection	Backdoors	1
MIXED	...	...	...	Apache Tomcat (Multiple Issues)	Web Servers	4
CRITICAL	...	...	...	SSL (Multiple Issues)	Gain a shell remotely	3
HIGH	7.5	5.9	0.0358	Samba Badlock Vulnerability	General	1
HIGH	7.5 *	5.9	0.015	rlogin Service Detection	Service detection	1
HIGH	7.5 *	5.9	0.015	rsh Service Detection	Service detection	1
HIGH	7.5			NFS Shares World Readable	RPC	1
MIXED	...	...	...	SSL (Multiple Issues)	General	28
MIXED	...	...	...	ISC Bind (Multiple Issues)	DNS	5
MEDIUM	6.5			TLS Version 1.0 Protocol Detection	Service detection	2
MEDIUM	6.5			Unencrypted Telnet Server	Misc.	1
MEDIUM	5.9	4.4	0.9524	SSL DROWN Attack Vulnerability (Decrypting RSA with Obs...	Misc.	1
MEDIUM	5.9	4.4	0.0031	SSL Anonymous Cipher Suites Supported	Service detection	1
MIXED	...	...	...	DNS (Multiple Issues)	DNS	6
MIXED	...	...	...	SSH (Multiple Issues)	Misc.	6
MIXED	...	...	...	HTTP (Multiple Issues)	Web Servers	5
MIXED	...	...	...	SMB (Multiple Issues)	Misc.	2
MIXED	...	...	...	TLS (Multiple Issues)	Misc.	2
MIXED	...	...	...	TLS (Multiple Issues)	SMTP problems	2

Scan Details

Policy: Basic Network Scan
Status: Completed
Severity Base: CVSS v3.0
Scanner: Local Scanner
Start: Today at 7:07 AM
End: Today at 7:16 AM
Elapsed: 9 minutes

Vulnerabilities

Scansione di Win 7



Vulnerabilità Meta



UnrealIRCd Backdoor - questa vulnerabilità è critica perché permette ad una attaccante di accedere senza autorizzazione al sistema informatico ottenendo il controllo del sistema, senza dover superare normali misure di sicurezza.



VNC Server Password - questa vulnerabilità specifica che il server VNC in esecuzione sull'host remoto e debole, ed un attaccante non autorizzato potrebbe sfruttare questa debolezza per prendere il controllo del sistema.

Scan Meta / Plugin #20007

Back to Vulnerabilities

Configure | Audit Trail | Launch | Report | Export

Hosts 1 | Vulnerabilities 67 | Remediations 3 | History 1

CRITICAL **SSL Version 2 and 3 Protocol Detection**

Description

The remote service accepts connections encrypted using SSL 2.0 and/or SSL 3.0. These versions of SSL are affected by several cryptographic flaws, including:

- An insecure padding scheme with CBC ciphers.

- Insecure session renegotiation and resumption schemes.

An attacker can exploit these flaws to conduct man-in-the-middle attacks or to decrypt communications between the affected service and clients.

Although SSL/TLS has a secure means for choosing the highest supported version of the protocol (so that these versions will be used only if the client or server support nothing better), many web browsers implement this in an unsafe way that allows an attacker to downgrade a connection (such as in POODLE). Therefore, it is recommended that these protocols be disabled entirely.

NIST has determined that SSL 3.0 is no longer acceptable for secure communications. As of the date of enforcement found in PCI DSS v3.1, any version of SSL will not meet the PCI SSC's definition of 'strong cryptography'.

Solution

Consult the application's documentation to disable SSL 2.0 and 3.0.
Use TLS 1.2 (with approved cipher suites) or higher instead.

See Also

https://www.schneier.com/academic/paperfiles/paper-ssl.pdf
http://www.nessus.org/u?b06c7e95
http://www.nessus.org/u?247c4540
https://www.openssl.org/~bodo/ssl-poodle.pdf
http://www.nessus.org/u?5d15ba70
https://www.imperialviolet.org/2014/10/14/poodle.html
https://tools.ietf.org/html/rfc7507
https://tools.ietf.org/html/rfc7568

Output

```
- SSLv2 is enabled and the server supports at least one cipher.

  Low Strength Ciphers (<= 64-bit key)

    Name                        Code        KEX         Auth    Encryption          MAC
    ---------------------       ----------  ---         ----    ---------------     ---
    EXP-RC2-CBC-MD5                         RSA(512)    RSA     RC2-CBC(40)         MD5     export
    EXP-RC4-MD5                             RSA(512)    RSA     RC4(40)             MD5     export

  more...
```

To see debug logs, please visit individual host

Port	Hosts
25 / tcp / smtp	192.168.1.139

Plugin Details

Severity:	Critical
ID:	20007
Version:	1.34
Type:	remote
Family:	Service detection
Published:	October 12, 2005
Modified:	April 4, 2022

Risk Information

Risk Factor: Critical
CVSS v3.0 Base Score: 9.8
CVSS v3.0 Vector: CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H
CVSS v2.0 Base Score: 10.0
CVSS v2.0 Vector: CVSS2#AV:N/AC:L/Au:N/C:C/I:C/A:C

Vulnerability Information

In the news: true

SSL Version 2 and 3 Protocol - queste 2 versioni sono obsolete e presentano gravi vulnerabilità, un attaccante che si trova nel mezzo potrebbe intercettare e manipolare le comunicazioni tra server e client.

Scan Meta / Plugin #51988

Back to Vulnerabilities

Configure | Audit Trail | Launch | Report | Export

Hosts 1 | Vulnerabilities 67 | Remediations 3 | History 1

CRITICAL **Bind Shell Backdoor Detection**

Description

A shell is listening on the remote port without any authentication being required. An attacker may use it by connecting to the remote port and sending commands directly.

Solution

Verify if the remote host has been compromised, and reinstall the system if necessary.

Output

```
Nessus was able to execute the command "id" using the
following request :


This produced the following truncated output (limited to 10 lines) :
------------------------------ snip ------------------------------
root@metasploitable:/# uid=0(root) gid=0(root) groups=0(root)
root@metasploitable:/#

------------------------------ snip ------------------------------
```

To see debug logs, please visit individual host

Port	Hosts
1524 / tcp / wild_shell	192.168.1.139

Plugin Details

Severity:	Critical
ID:	51988
Version:	1.10
Type:	remote
Family:	Backdoors
Published:	February 15, 2011
Modified:	April 11, 2022

Risk Information

Risk Factor: Critical
CVSS v3.0 Base Score: 9.8
CVSS v3.0 Vector: CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H
CVSS v2.0 Base Score: 10.0
CVSS v2.0 Vector: CVSS2#AV:N/AC:L/Au:N/C:C/I:C/A:C

Bind Shell Backdoor - non necessita di nessuna autenticazione, un attaccante può utilizzare questa vulnerabilità per connettersi da remoto e inviare comandi, come per esempio installare malware.



Samba Badlock - con questa vulnerabilità un attaccante può eseguire un attacco man in the middle, può cosi intercettare il traffico tra client e server forzando un downgrade dell'autenticazione