

## DBMS LAB 05

**Aim :** To Implement of Data Insertion, View Creation, and Multi-Table Join Operations in SQL

Q1. Insert new player Michale Clark with player ID 300311 in the table player.

```
MySQL localhost:3306 ssl mahek01 SQL > INSERT INTO Player (PLAYERID ,FNAME , LNAME)
-> VALUES (300311,'Michale','clark');
Query OK, 1 row affected (0.0093 sec)
```

Q2. Insert new player Sam from India , Ahemdabad with player ID 406317 in the table player.

```
MySQL localhost:3306 ssl mahek01 SQL > INSERT INTO Player (PLAYERID,FNAME,COUNTRY,BPLACE)
-> VALUES(406317,'Sam','INDIA','Ahmedabad');
Query OK, 1 row affected (0.0048 sec)
```

Q3. Creating View for Batsman.

```
CREATE VIEW Batsman (PID,FName,LName,Country,MID,Score)
AS SELECT PlayerID,FName,LName,Country,MatchID,NRuns
FROM Player,Batting
WHERE PlayerID=PID;
select * from Batsman;
```

```
MySQL localhost:3306 ssl mahek01 SQL > select * from Batsman;
```

| PID   | FName     | LName       | Country   | MID  | Score |
|-------|-----------|-------------|-----------|------|-------|
| 23001 | Yuvraj    | Singh       | India     | 2755 | 0     |
| 25001 | MS        | Dhoni       | India     | 2755 | 71    |
| 91001 | Sanath    | Jayasuriya  | Sri Lanka | 2755 | 60    |
| 94002 | Chaminda  | Vaas        | Sri Lanka | 2755 | 17    |
| 92002 | Muthiah   | Murlitharan | Sri Lanka | 2755 | 1     |
| 89001 | Sachin    | Tendulkar   | India     | 2689 | 91    |
| 23001 | Yuvraj    | Singh       | India     | 2689 | 38    |
| 25001 | MS        | Dhoni       | India     | 2689 | 36    |
| 99002 | Adam      | Gilchrist   | Australia | 2689 | 2     |
| 95001 | Ricky     | Ponting     | Australia | 2689 | 1     |
| 24001 | Andrew    | Symonds     | Australia | 2689 | 42    |
| 99001 | Breet     | Lee         | Australia | 2689 | 7     |
| 27001 | Praveen   | Kumar       | India     | 2689 | 7     |
| 27001 | Praveen   | Kumar       | India     | 2755 | 2     |
| 98002 | Harbhajan | Singh       | India     | 2689 | 3     |
| 98002 | Harbhajan | Singh       | India     | 2755 | 2     |

16 rows in set (0.0021 sec)

## Q4. Creating View for Bowling.

```
CREATE VIEW Bowling2689 (PID,FName,LName,Country,NOvers,NWickets)
AS SELECT PlayerID,FName,LName,Country,NOvers,NWickets
FROM Player,Bowling
WHERE PlayerID=PID
AND MatchID=2689;
```

```
select * from Bowling2689;
```

```
MySQL localhost:3306 ssl mahek01 SQL > CREATE VIEW Bowling2689 (PID,FName,LName,Country,NOvers,NWickets)
-> AS SELECT PlayerID,FName,LName,Country,NOvers,NWickets
-> FROM Player,Bowling
-> WHERE PlayerID=PID
-> AND MatchID=2689;
Query OK, 0 rows affected (0.0043 sec)
```

```
MySQL localhost:3306 ssl mahek01 SQL > select * from Bowling2689;
```

| PID   | FName     | LName   | Country   | NOvers | NWickets |
|-------|-----------|---------|-----------|--------|----------|
| 99001 | Breet     | Lee     | Australia | 10     | 1        |
| 24001 | Andrew    | Symonds | Australia | 3      | 1        |
| 23001 | Yuvraj    | Singh   | India     | 3      | 0        |
| 98002 | Harbhajan | Singh   | India     | 10     | 1        |

```
4 rows in set (0.0013 sec)
```

## Q5. Find name of all players who have scored 60 or more runs.

```
MySQL localhost:3306 ssl mahek01 SQL > SELECT DISTINCT p.FNAME
-> FROM PLAYER p
-> JOIN Bowling b ON p.PLAYERID = b.PID
-> WHERE b.MATCHID = 2689
-> AND b.NWickets = 0;
```

| FNAME  |
|--------|
| Yuvraj |

```
1 row in set (0.0009 sec)
```

## Q6. Find the names of bowlers that have not taken any wickets in ODI match 2689.

```
MySQL localhost:3306 ssl mahek01 SQL > SELECT DISTINCT p.FNAME
-> FROM PLAYER p
-> JOIN Bowling b ON p.PLAYERID = b.PID
-> WHERE b.MATCHID = 2689
-> AND b.NWickets = 0;
```

| FNAME  |
|--------|
| Yuvraj |

```
1 row in set (0.0009 sec)
```

Q7. Define a view NPlayer for obtaining the names of the countries & number of players from each country.

```
MySQL localhost:3306 ssl mahek01 SQL > CREATE VIEW NPlayer AS  
-> SELECT COUNTRY , COUNT(*) AS NUMBERofplayer  
-> FROM Player  
-> GROUP BY COUNTRY;  
Query OK, 0 rows affected (0.0060 sec)
```

```
MySQL localhost:3306 ssl mahek01 SQL > SELECT * FROM NPlayer;  
+-----+-----+  
| COUNTRY | NUMBERofplayer |  
+-----+-----+  
| India   | 10 |  
| Australia | 5 |  
| West Indies | 1 |  
| Sri Lanka | 3 |  
| Pakistan | 2 |  
| Zimbabwe | 1 |  
| South Africa | 4 |  
| New Zealand | 2 |  
| England | 1 |  
+-----+-----+  
9 rows in set (0.0012 sec)
```