



Java programing

Q1. Check Digits

```
//check Digit

import java.util.Scanner;

class Digit
{
    public static void main(String[] args)
    {

        Scanner sc = new Scanner(System.in);

        System.out.println("Eneter a Number:-");

        char ch =sc.next().charAt(0);

        String out = (ch>='0' && ch<='9') ? (ch + "is a Digit") : (ch + " is a not Dig
it");

        System.out.println(out);

    }
}
```

Q2 . Check Alphabet

```
// check alphabet
import java.util.Scanner;

class Alphabet
{
    public static void main(String[] args)
    {

        Scanner sc= new Scanner(System.in);
```

```

        System.out.println("Enter Character :-");

        char ch = sc.next().charAt(0);

        String op= ((ch >='A' && ch<='Z')||(ch>='a' && ch<='z'))?

            (ch+" Is a Alphabet ") :

            (ch+ " Not a Alphabet ");

        System.out.println(op);

    }
}

```

Q3 . check special characters yes or no

```

import java.util.Scanner;

class SpecialChar
{
    public static void main(String[] args)
    {
        Scanner sc = new Scanner(System.in);

        System.out.println("Enter any char:");

        char ch = sc.next().charAt(0);

        String out = ( (ch >=32 && ch <=47) || (ch >=58 && ch<=64) || (ch >=123
        && ch<=126)) ?

            (ch + "yes is a Special char ") : (ch + " Not a Special char ");

        System.out.println(out);

    }
}

```

Q4. Check UpperCase or Lower case

```

import java.util.Scanner;

class UpperLower
{
    public static void main(String[] args)
    {
        Scanner sc = new Scanner(System.in);

        System.out.println("Eneter a char");

        char ch = sc.next().charAt(0);

        String out = ( ch >='A' && ch <='Z' || ch >='a' && ch<='z') ? ( (ch>='A' &
& ch <='Z')?

        ( ch + " Upper Case char):( ch + "Lower case char")):

        (ch + " Not Alphabate");

        System.out.println(out);
    }
}

```

Q5 . check Alphabet , Digit , Special char

```

import java.util.Scanner;

class AlphabetDigitS
{
    public static void main(String[] args)
    {
        Scanner sc = new Scanner(System.in);

        System.out.println("Eneter a Char ");

        char ch = sc.next().charAt(0);

        String output = (ch>='A'&& ch<='Z' || ch>='a' && ch<='z')?

        (ch + " char is Alphabate ") : ((ch>='0' && ch<='9')? (ch + "is a
Digit") :

        (ch + "This character is NOT an Alphabet and NOT a Digit"));
    }
}

```

```

        System.out.println(output);
    }
}

```

Q6. UpperCase , LowerCase , Digit

```

import java.util.Scanner;

class NestedOp
{
    public static void main(String[] args)
    {
        Scanner sc= new Scanner(System.in);

        System.out.println("Eneter a User Check char:-");

        char ch = sc.next().charAt(0);

        String op = (((ch>='A' && ch <='Z') || (ch>='a' && ch<='z')) ?
        ((ch>='A' && ch <='Z') ? (ch + "Upper Case"):(ch+ "lower case")):

        ((ch>='0' && ch <='9')?(ch+"is a Digits") :(ch + "Special Char")));

        System.out.println(op);

    }
}

```

Q7. check Vowels and Consonant

```

// check vowels yes or no

import java.util.Scanner;

class Vowel
{
    public static void main(String[] args)
    {
        Scanner sc = new Scanner(System.in);

        System.out.println("Eneter a any Char:-");
    }
}

```

```

char ch = sc.next().charAt(0);

String output = ( ch=='A' || ch=='a' ||

                ch=='E' || ch=='e' ||

                ch=='I' || ch=='i' ||

                ch=='O' || ch=='o' ||

                ch=='U' || ch=='u' )?

(ch + " This char is Vowels"):

(ch + " This char is Consonant");

System.out.println(output);

}
}

```

Q8. Check Leap Year

```

import java.util.Scanner;

class LeapYear
{
    public static void main(String[] args)
    {

        Scanner sc = new Scanner(System.in);

        System.out.println("Enter a Year:");

        int year = sc.nextInt();

        String output = ( (year%100!=0 || year%400==0) && year%4==0) ?

        (year + " Is a Leap Year") : (year + "Not Leap Year");

        System.out.println(output);
    }
}

```

```
}  
}
```

Q9 . check positive or negative Number check

```
import java.util.Scanner;  
  
class PositiveNegative  
{  
    public static void main(String[] args)  
    {  
        Scanner sc = new Scanner(System.in);  
  
        System.out.println("Eneter Any Number:");  
  
        int num = sc.nextInt();  
  
        String output = (num >0)? (num + " is Positive Number"):(num + "Negativ  
e Number" );  
  
        System.out.println(output);  
    }  
}
```

Q10 . check Positive or Negative or zero check

```
import java.util.Scanner;  
  
class ZeroPositiveNegative  
{  
    public static void main(String[] args)  
    {  
        Scanner sc = new Scanner(System.in);  
  
        System.out.println("Eneter a Number:");  
  
        int num = sc.nextInt();  
  
        String output = (num >0)?(num + "Positive Number"): ((num< 0 )? ( num  
+"Negative Number") :(num +"Zero"));  
  
        System.out.println(output);  
    }  
}
```

```
}  
}
```

Q11 even odd Number check

```
import java.util.Scanner;  
  
class EvenOdd  
{  
    public static void main(String[] args)  
    {  
  
        Scanner sc = new Scanner(System.in);  
  
        System.out.println("Eneter a Number ");  
  
        int num = sc.nextInt();  
  
        String output = (num%2==0)? (num + " Number is Even"):(num + "Number is Odd");  
  
        System.out.println(output);  
    }  
}
```

Q12. abs Number

```
import java.util.Scanner;  
  
class AbsMethod  
{  
    public static void main(String[] args)  
    {  
  
        Scanner sc =new Scanner(System.in);  
  
        System.out.println("Eneter a any number:");  
  
        int num = sc.nextInt();  
  
        int result = (num<=0 )? (-num) : (num);  
  
        System.out.println(result);  
    }  
}
```

```
}  
}
```

Q13 . Check prime Number yes or no

```
import java.util.Scanner;  
  
class PrimeNum  
{  
    public static void main(String[] args)  
    {  
        Scanner sc = new Scanner(System.in);  
  
        System.out.println("Eneter a Number:");  
  
        int num =sc.nextInt();  
  
        String result = (num >1 && (num==2 || num%2!=0))? ( num +"Number is  
Prime"): (num +"Not prime Number");  
  
        System.out.println(result);  
    }  
}
```