

java 5 programs

EVM

```
import java.util.Scanner;
class Evm
{
    static int bjp , cong , aap ,mns,nota;

    public static void main(String[] args)
    {
        Scanner sc = new Scanner(System.in);

        System.out.println("Eneter a Population :");

        int Population = sc.nextInt();

        for (int i=1; i<=Population;i++ )
        {

            System.out.println("\n ***** Welecome *** ");

            System.out.println ( "\n 1.BJP \n 2.CONG \n 3.
AAP \n 4.MNS \n 5.NOTA");

            System.out.println("Eneter Your Response: ");

            String resp = sc.next().toUpperCase();

            if (resp.equals("BJP"))
            {
                bjp++;

                System.out.println("Vote for BJP ");
                System.out.println("Sabka Saath, Sabka Vik
as, Sabka Vishwas \n");
            }
            else if (resp.equals("CONG"))
            {
                cong++;

                System.out.println("Vote for Congress");
```

```

        System.out.println("Bharat Jodo \n");
    }

    else if (resp.equals("AAP"))
    {
        aap++;
        System.out.println("Vote for AAP");
        System.out.println("Kattar Imaandaar
\n");
    }

    else if (resp.equals("MNS"))
    {
        mns++;
        System.out.println("Vote for MNS");
        System.out.println("Marathi Manoos, Mahar
ashtra First \n");
    }
    else if (resp.equals("NOTA"))
    {
        nota++;

        System.out.println("Vote for NOTA");
        System.out.println("None of the Above
\n");
    }
    else
    {
        System.out.println("Invalid Response");
        i--;
    }
}

System.out.println("BJP :" + bjp);
System.out.println("CONG :" + cong);
System.out.println("AAP :" + aap);
System.out.println("MNS :" + mns);
System.out.println("Nota :" + nota);

if (bjp>= cong && bjp>=aap && bjp>=mns && bjp>=
nota)
{
    System.out.println("BJP is Won the election
" + bjp + " Votes");
}
else if (cong>=bjp && cong>=aap && cong >=mns &
& cong>=nota)

```

```

        {
            System.out.println("Cong is Won the election
n " + cong +" Votes");
        }
        else if (aap>=bjp && aap>=cong && aap>=mns &&
aap>=nota)
        {
            System.out.println("AAP is Won the election
" + aap +" Votes");
        }
        else if (mns>=bjp && mns>=cong && mns>=aap && m
ns>=nota)
        {
            System.out.println("MNS is Won the election
" + mns +" Votes");
        }
        else
        {
            System.out.println("Nota is Won the election " +
nota+" Votes");
        }
    }
}

```

Vowels check using if else

```

import java.util.Scanner;

class VowelIf
{
    public static void main(String[] args)
    {
        Scanner sc = new Scanner(System.in);

        System.out.println("Eneter a char");

        char ch = sc.next().charAt(0);

        if (ch=='A' || ch=='a' || ch=='E' || ch=='e' || ch=='I' ||
ch=='i' || ch=='O' || ch=='o' || ch=='U' || ch=='u')
        {

            System.out.println(ch + " char is Vowel ");

        }
    }
}

```

```

        else
        {

                System.out.println( ch + "Char is Consonan
t");
        }

    }
}

```

even odd

```

import java.util.Scanner;

class EvenOddif
{
    public static void main(String[] args)
    {

        Scanner sc = new Scanner(System.in);

        System.out.println("Eneter Number:-");
        int num =sc.nextInt();

        if (num%2==0)
        {
            System.out.println(num + " num is Even");
        }

        else
        {
            System.out.println(num + "Num is odd");
        }

    }
}

```

marks Per

```

import java.util.Scanner;

```

```

class PerMarks
{
    public static void main(String[] args)
    {
        Scanner sc =new Scanner(System.in);

        System.out.println("Eneter a Marks : ");

        double marks =sc.nextDouble();

        final double TOTAL_MARKS=500;

        if (marks<0|| marks>500)
        {
            System.out.println("Invalid Marks");
            //System.exit(0);
            return;
        }

        double per =( marks/ TOTAL_MARKS)*100;

        String grade="" , remark="";

        if (per>=90)
        {
            grade="O";
            remark="Outstanding";
        }

        else if (per>=75)
        {
            grade="A++";
            remark="First Class with Distinction";
        }
        else if (per>=60)
        {
            grade="A";
            remark ="First Class ";
        }

        else if (per>=50)
        {
            grade="B";
            remark =" Second Class";
        }

        else if (per>=35)
        {

```

```

        grade="C";
        remark ="Pass";
    }
    else
    {
        grade ="F";
        remark ="Fail";
    }

    System.out.println("Grade: "+grade);
    System.out.println("Remark :"+remark);
    System.out.println("Marks :"+ marks +"/"+ TOTAL_MARK
S);
    System.out.println("Percentage : " + per +"%");
}
}

```

Stone paper Scissor game

```

import java.util.Scanner;

class StonePaperGame
{
    public static void main(String[] args)
    {
        Scanner sc = new Scanner(System.in);

        infiniteLoop:

        for (; ; )
        {
            System.out.println(" \n*****Welcome*****");

            System.out.println("\n 1.STONE \n 2.PAPER \n 3.SC
ISSOR");

            int dgtuser = sc.nextInt();

            String user="";

            if (dgtuser==1) user="STONE";

            else if (dgtuser==2) user="PAPER";

            else if (dgtuser==3) user="SCISSOR";

```

```

else
{
    System.out.println("Invalid Response");

    continue infiniteLoop;
}

// boat implementation

int dgtBot=0;
for ( ; ; )
{
    dgtBot =(int) (Math.random()*10);

    if (dgtBot>=1 && dgtBot<=3)
        break;
}

String bot="";

if (dgtBot==1) bot="STONE";
else if (dgtBot==2) bot="PAPER";
else bot="SCISSOR";

System.out.printf("%n%10s %7s" , "USER ", "BOT ");
System.out.printf("%n %n %10s %7s" , user, bot);

// winner Calculator

    if (bot.equals("STONE") && user.equals("PAPER")
||
    (bot.equals("PAPER") && user.equals("SCISSOR"))
||
    (bot.equals("SCISSOR") && user.equals("STONE")))
    {
        System.out.println("\n\n***** User Won *****
** ");
    }

    else if (bot.equals("STONE") && user.equals("SCISSOR") ||
    (bot.equals("PAPER") && user.equals("STONE")) ||
    (bot.equals("SCISSOR") && user.equals("PAPER")))

```

```
R"))))
    {
        System.out.println("\n\n***** Bot Won *****
");
    } else
    {
        System.out.println("\n\n***** Draw *****
\n");
    }

}
}
}
```