Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

```
Checker Input
Show Source
                outline
                                        Options...
                          image report
Check by text input ∨ □ css
<!DOCTYPE html>
 <html lang="en">
     <head>
     <meta charset="utf-8">
     <meta http-equiv="X-UA-Compatible" content="IE=edge">
     <meta name="viewport" content="width=device-width, initial-scale=1">
     <!-- CSRF Token -->
     <meta name="csrf-token" content="seIUbKReloHbFmNSFlISzftmxd423g9AuQVyHbJQ">
     <title>reFurniture</title>
     <link rel="preconnect" href="https://fonts.googleapis.com">
     <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
     link
Check
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
1. <!DOCTYPE html>↩
 2. <html lang="en">↔
 3.
        <head>↩
        <meta charset="utf-8">₽
 4.
        <meta http-equiv="X-UA-Compatible" content="IE=edge">↔
 5.
        <meta name="viewport" content="width=device-width, initial-</pre>
 6.
    scale=1">↩
 7.
        <!-- CSRF Token -->↔
 8.
        <meta name="csrf-token"</pre>
 9.
    content="seIUbKReloHbFmNSFlISzftmxd423g9AuQVyHbJQ">↔
10. ↩
11.
        <title>reFurniture</title>₽
12. ↩
        <link rel="preconnect" href="https://fonts.googleapis.com">↩
13.
        k rel="preconnect" href="https://fonts.gstatic.com"
14.
    crossorigin>↔
15.
        link↔
            href="https://fonts.googleapis.com
    /css2?family=DM+Serif+Display:ital@0;1&family=DM+Serif+Text:ital@0;
    1&display=swap"↔
```

```
17.
              rel="stylesheet">↔
    <link href="https://fonts.googleapis.com/css2?family=Alata&
display=swap" rel="stylesheet">→
18.
         link href="http://localhost:8000/css/product.css"
19.
    rel="stylesheet">↔
20. ↩
21. ↔
22. ↔
23.
         <!-- Styles -->↔
         <link href="http://localhost:8000/css/app.css" rel="stylesheet">↔
24.
25.
         <link href="http://localhost:8000/css/error.css"</pre>
     rel="stylesheet">↩
         <link href="http://localhost:8000/css/utility.css"</li>
26.
     rel="stylesheet">↔
         <link href="http://localhost:8000/css/notifications.css"</pre>
27.
     rel="stylesheet">↔
         <link href="http://localhost:8000/css/tabs.css"</li>
28.
     rel="stylesheet">↔
29.
         <link href="http://localhost:8000/css/login.css"</pre>
     rel="stylesheet">←
         <link href="http://localhost:8000/css/checkout.css"</pre>
30.
     rel="stylesheet">↔
         <link href="http://localhost:8000/css/number.selector.css"</pre>
31.
     rel="stylesheet">↔
         <link href="http://localhost:8000/css/select.css"</pre>
32.
     rel="stylesheet">
         k href="http://localhost:8000/css/cart.css"
33.
     rel="stylesheet">↔
         k href="http://localhost:8000/css/address.css"
34.
     rel="stylesheet">↔
         <link href="http://localhost:8000/css/product.css"</pre>
35.
     rel="stylesheet">
         <link href="http://localhost:8000/css/auxiliar.css"</pre>
36.
     rel="stylesheet">↔
         k href="http://localhost:8000/css/home.css"
37.
     rel="stylesheet">↔
    <script src="https://kit.fontawesome.com/lc937c97ed.js"
crossorigin="anonymous"></script>↩
38.
39.
         <script>↩
40.
              // Fix for Firefox autofocus CSS bug↩
              // See: http://stackoverflow.com/questions/18943276/html-
41.
    5-autofocus-messes-up-css-loading/18945951#18945951↔
42.
         </script>↩
43.
         <script>↩
              window.__theme = 'bs5';↔
44.
45.
         </script>↩
46.
         <script src=http://localhost:8000/js/app.js></script>↔
47.
         <script src="https://js.pusher.com/7.0/pusher.min.js" defer>
    </script>←
48.
         <script src=http://localhost:8000/js/lib/uniqueCheckbox.js defer>
    </script>↩
49.
         <script src=http://localhost:8000/js/lib/select.js defer>
    </script>↩
    <link href="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist
/css/select2.min.css" rel="stylesheet" />

50.
    <script src="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist
/js/select2.min.js" defer></script>↩
51.
         <link rel="stylesheet" href="http://localhost:8000/css/select2-</pre>
52.
    bootstrap-5-theme.min.css">↔
53.
54.
         <script src=http://localhost:8000/js/ajax.js defer></script>←
<script src=http://localhost:8000/js/notifications.js defer>
55.
    </script>↩
56.
         <script src=http://localhost:8000/js/axios.js defer></script>↔
         <script src=http://localhost:8000/js/numberSelector.js defer>
57.
    </script>⊷
         <script src=http://localhost:8000/js/cart.js defer></script>↔
<script src=http://localhost:8000/js/search.js defer></script>↔
<script src=http://localhost:8000/js/userSearch.js defer>
58.
59.
60.
    </script>↩
         <script src=http://localhost:8000/js/address.js defer></script>↔
61.
62.
         <script src=http://localhost:8000/js/addProduct.js defer>
    </script>↩
63.
    </head>↔
64.
       <body class="home">
```

```
65.
         <script src=http://localhost:8000/js/home.js defer></script>↔
 66.
         <div class="video-container">↩
           <video autoplay class="video-parallax video-mobile" loop</pre>
 67.
     muted>↩
 68.
              <source src="img/homepage.mp4" type="video/mp4">←
 69.
            </video>↩
           <img class="video-parallax image-desktop" src="/img</pre>
 70.
     /homepage.jpg" alt=""/>--
<div id="logo-container" class="logo-container">--
 71.
              <img class="logo" src="/img/refurniture.svg" alt=""</pre>
72.
     width="300" \>↔
              <h1 class="title">We make new<br>beginnings <span
 73.
     id="keyword" class="keyword">easier.</span><span id="cursor"></span>
     </h1>↩
74.
              <div class="link-container">↩
 75.
 76.
                  <a class="bi bi-arrow-right-circle-fill link-to-join"</pre>
     href=http://localhost:8000/products></a>↔
77.
              .
</div>↩
 78.
            </div>↩
 79.
         </div>↩
 80.
 81.
         <div class="content-container">↩
 82.
              <div class="holder"> </div>↔
 83.
              <div class="main-content">↩
 84.
                  <div>↩
                      <hl class="content-title">For a more<br>sustainable
 85.
     future.</h1>↔
 86.
                  </div>↔
 87.
                  <div class="info">↔
88.
                      <div class="navigation">↔
 89.
                           <h1>Navigation</h1>↔
                           <a href=http://localhost:8000><h4>Home</h4></a>↔
90.
                           <a href=http://localhost:8000/about-us><h4>About
 91.
     Us</h4></a>↔
 92.
                           <a href=http://localhost:8000/contact-
     us><h4>Contact Us</h4></a>↔
 93.
                      </div>↩
                      <div class="contacts">↩
 94.
95.
                           <h1>Contacts</h1>↩
 96.
                           <h4>support@refurniture.pt</h4>↩
 97.
                           <h4>+351 912345678</h4>↔
 98.
                      </div>↩
99.
                  </div>↔
100.
                  <div class="socials">↔
                      <a class="bi bi-facebook"
101.
     href="https://www.facebook.com/pages/refurniture/"
     target=" blank"></a>↩
                      <a class="bi bi-linkedin"
102.
     href="https://www.linkedin.com/company/refurniture/"
     target=" blank"></a>↔
103.
                      <a class="bi bi-twitter"</pre>
     href="https://www.twitter.com/refurniture/" target=" blank"></a>↔
104.
                  </div>↩
105.
              </div>↔
         </div>↩
106.
107.
         <footer class="footer-container">↩
108.
              <h6 class="footer-text">© 2021 reFurniture. All Rights
     Reserved. </h6>↔
109.
         </footer>↩
110.
111.
       </body>↩
112.
     </html>
Used the HTML parser.
```

Total execution time 14 milliseconds.