## Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

| Checker Input                                   |
|---|
| Show source outline outline Options             |
| Check by text input v                           |
| Enter the URL for an HTML, CSS, or SVG document |
| Check   |

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

```
1. Warning Empty heading.

From line 69, column 17; to line 69, column 63

<h5 class="modal-title" id="errorMessageTitle"></h5>
```

## Document checking completed.

## Source

```
1. <!DOCTYPE html>↔
 2. <html lang="en">↩
       <head>↩
 4.
          <meta charset="utf-8">↔
 5.
6.
          <meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-</pre>
    scale=1">↔
 7. ↔
          <!-- CSRF Token -->↔
 8.
    <meta name="csrf-token"
content="h0ivfx5fgpnG96D0SSKvfED00QU0ypbCPgjJxkof">

 9.
10. ↩
11.
          <title>reFurniture</title>↔
12. ↩
          <link rel="preconnect" href="https://fonts.googleapis.com">↔
<link rel="preconnect" href="https://fonts.gstatic.com"</pre>
13.
14.
    crossorigin>↔
15.
         linḱ↔
               href="https://fonts.googleapis.com
16.
     /css2?family=DM+Serif+Displaỹ:iťal@0;1&family=DM+Serif+Text:ital@0;
     1&display=swap"↔
          rel="stylesheet">

k href="https://fonts.googleapis.com/css2?family=Alata&
17.
18.
    display=swap" rel="stylesheet">↔
19.
          k href="http://localhost:8000/css/product.css"
    rel="stylesheet">↔
20. ↩
21. ↩
22.
23.
         <!-- Styles -->₽
```

```
24.
         <link href="http://localhost:8000/css/app.css" rel="stylesheet">↔
25.
         <link href="http://localhost:8000/css/error.css"</pre>
    rel="stylesheet">↔
         k href="http://localhost:8000/css/utility.css"
26.
    rel="stylesheet">↩
         <link href="http://localhost:8000/css/notifications.css"
27.
    rel="stylesheet">↩
         <link href="http://localhost:8000/css/tabs.css" rel="stylesheet">~<link href="http://localhost:8000/css/login.css"</pre>
28.
29.
    rel="stylesheet">
         <link href="http://localhost:8000/css/checkout.css"</pre>
30.
    rel="stylesheet">↩
         <link href="http://localhost:8000/css/number.selector.css"</pre>
31.
    rel="stylesheet">
         k href="http://localhost:8000/css/select.css"
32.
    rel="stylesheet">←
         link href="http://localhost:8000/css/cart.css" rel="stylesheet">→
33.
34.
         <link href="http://localhost:8000/css/address.css"</pre>
    rel="stylesheet">
         <link href="http://localhost:8000/css/product.css"</pre>
35.
    rel="stylesheet">
         <link href="http://localhost:8000/css/auxiliar.css"</pre>
36.
    rel="stylesheet">↔
         <link href="http://localhost:8000/css/home.css" rel="stylesheet">\u00e9
37.
    <script src="https://kit.fontawesome.com/1c937c97ed.js"
crossorigin="anonymous"></script>↩
38.
39.
         <script>↩
40.
             // Fix for Firefox autofocus CSS bug↔
41.
             // See: http://stackoverflow.com/questions/18943276/html-
    5-autofocus-messes-up-css-loading/18945951#18945951→
42.
         </script>↩
43.
         <script>↩
44.
             window.__theme = 'bs5';↔
45.
         </script>↩
46.
         <script src=http://localhost:8000/js/app.js></script>↔
47.
         <script src="https://js.pusher.com/7.0/pusher.min.js" defer>
    </script>↩
48.
         <script src=http://localhost:8000/js/lib/uniqueCheckbox.js defer>
    </script>↩
49.
         <script src=http://localhost:8000/js/lib/select.js defer>
    </script>↩
    <link href="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist
/css/select2.min.css" rel="stylesheet" />

50.
         <script src="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist</pre>
51.
    /js/select2.min.js" defer></script>↔ <link rel="stylesheet" href="http://localhost:8000/css/select2-
52.
    bootstrap-5-theme.min.css">↔
53.
54.
         <script src=http://localhost:8000/js/ajax.js defer></script>↔
         <script src=http://localhost:8000/js/notifications.js defer>
55.
    </script>↩
56.
         <script src=http://localhost:8000/js/axios.js_defer></script>↩
57.
         <script src=http://localhost:8000/js/numberSelector.js defer>
    </script>↩
        <script src=http://localhost:8000/js/cart.js defer></script>↔
<script src=http://localhost:8000/js/search.js defer></script>↔
<script src=http://localhost:8000/js/userSearch.js defer>
58.
59.
60.
         <script src=http://localhost:8000/js/address.js defer></script>↔
61.
         <script src=http://localhost:8000/js/addProduct.js defer>
62.
    </script>↔
63.
    </head>↩
64.
       <body>←
         <dív class="modal fade" id="errorMessage" tabindex="-1" aria-
65.
    labelledby="errorMessageTitle" aria-hidden="true">↔
         66.
67.
68.
                  <div_class="modal-header">
                       <h5 class="modal-title" id="errorMessageTitle"></h5>↔
69.
                      <button type="button" class="btn-close" data-bs-
aria-label="Close">↔
70.
    dismiss="modal"
71.
                      </button>↩
72.
                  </div>↔
73.
                  <div class="modal-body" id="errorMessageBody">↔
74. ↔
```

```
75.
                </div>↩
 76.
            </div>↩
 77.
        </div>↩
 78. </div>↔
 79. ↩
 80. <script src="http://localhost:8000/js/errormodal.js" defer></script>↔
 81.
        <main>↩
 82.
          <header>↩
 83.
            <!-- Navbar -->↩
 84. <div id="alert-placeholder">↔
 85. </div>↔
86. ↩
 87. ↩
 4 .88
 89. <link href="http://localhost:8000/css/alert.css" rel="stylesheet">↔
 90. <script src="http://localhost:8000/js/alert.js" defer></script>↔
 91.
    <nav>↩
      <div class="p-3 text-center text-white">←
  <div class="container">←
 92.
 93.
 94.
          <div class="row d-flex align-items-center justify-content-</pre>
    between">↩
 95.
            <div class="col-md-4 d-flex justify-content-center justify-
    content-md-start mb-3 mb-md-0">\leftrightarrow
              96.
97.
    height="65" />↔
 98.
              </a>↩
99.
            </div>↩
100.
            <div class="col-md-4">↔
101.
    <form id="search-products-form" class="d-flex input-group
w-auto my-auto mb-3 mb-md-0">↔
102.
    103.
104.
105.
              </form>↩
106.
            </div>↩
107.
108.
            <div class="col-md-4 d-flex justify-content-center justify-</pre>
    content-md-end align-items-center">↔
              <div class="d-flex align-items-center justify-content-</pre>
109.
    between" id="header-icons">↔
110.
                                              <div>↩
111.
        <a id="cart-dropdown" class="text-reset hidden-arrow" data-bs-
    toggle="dropdown" aria-expanded="false" href="#">↔
            <i class="bi bi-cart-fill" style="color: #000000; font-</pre>
112.
    size:1.5em;"></i>↔
113.
        </a>↩
        114.
    end" aria-labelledby="cart-dropdown">↔
115.
            id="cart-dropdown-menu-content">↔
116.
            ↩
        117.
118.
    </div>↩
119.
                   <div>↩
                     120.
121.
    #000000; font-size:1.5em;"></i>↔
122.
                     </a>↔
123.
                   </div>↩
124.
                   <!-- Notification -->↩
125.
                   <div class="dropdown">↔
                       <a class="text-reset me-1 hidden-arrow" href="#"</pre>
126.
    id="notification-dropdown"↔
                       data-bs-toggle="dropdown" aria-expanded="false">↔
127.
                           <i class="bi bi-bell-fill" style="color:
128.
    #000000; font-size:1.5em;"></i>↔
129.
                       </a>↩
130.
                       dropdown-menu-end"
                      aria-labelledby="notification-dropdown">↔
131.
                       132.
                   </div>↩
133.
                   <div class="notification-number">↩
134.
```

```
135.
                          <div class="new-notif"></div>↔
136.
                      </div>↩
137.
                                       <!-- User -->↔
138.
                      <div_class="dropdown">↔
                      <a class="text-reset d-flex align-items-center hidden-</pre>
139.
     arrow" href="#"↩
140.
                          id="user-drodown" data-bs-toggle="dropdown" aria-
     expanded="false">₽
                                                  <img id="header-user-img"</pre>
141.
     src=http://localhost:8000/images/user/person5.jpg class="rounded-
circle" height="25" width="25" alt="" loading="lazy" />

142.
                                                <h5 id="header-user-name"
     class="px-3 mt-1" style="color: #000000;">↔
143.
                             Terrence↩
144.
                          </h5>↔
145.
                      </a>↔
                      146.
     drodown">↔
147.
                                                  <a class="dropdown-item"
     href=http://localhost:8000/users/6>My profile</a>
148.
                                                <a class="dropdown-item"</p>
     href=http://localhost:8000/users/6/private>Settings</a>↔
149.
                          <form method="POST" class="col"
     action="http://localhost:8000/logout">↔
     <input type="hidden" name="_token"
value="h0ivfx5fgpnG96D0SSKvfED00QU0ypbCPgjJxkof">
150.
     <button type="submit" class="dropdown-item form-control"> Logout
     </button>↩
151.
                        </form>↔
152.
                      153.
                      </div>↔
154.
                             </div>↩
155.
              </div>↩
156.
           </div>↔
         </div>↩
157.
158.
       </div>↩
159. ↔
160. </nav>↔
161. ↩
162.
163.
     <script>↩
164.
         window.addEventListener("load", () => {↔
              const notification = document.querySelector("#notification-
165.
     dropdown i");↩
166.
              const notificationNumber =
     document.querySelector(".notification-number");↔
              const notificationContent =
167.
     document.getElementById("notification-content"); ←
168. ↩
169.
             let skip = 0;↔
170. ↔
171.
              const removeButton = () => {↔
172.
                  const prev = document.getElementById("next-page-btn"); ←
173.
                  if (prev) {↩
174.
                      prev.remove();↔
175.
176.
              } ←
177.
178.
              const createButton = () => {↔
                  const button = buildNextNotificationButton(); ←
179.
                  button.addEventListener('click', (e) ⇒> {↔
180.
181.
                      get(`/api/users/6/notifications?skip=${skip}`)↔
182.
                      .then(data => {↩
183.
                          handleNextRequest(data.data); ←
184.
                      });↩
185.
                      e.stopPropagation();↔
186.
187.
                  notificationContent.appendChild(button); ←
              }←
188.
189. ↔
              const handleNextRequest = (data) => {↔
190.
                  const notifications = data.notifications; €
191.
192.
                  notifications.forEach(noti => {↩
                      const notif = parseNotification(noti); ←
193.
194.
                      notificationContent.appendChild(notif); ←
```

```
195.
                        notificationContent.appendChild(getDivider()); ↔
196.
                   });↩
197. ↔
198.
                   if (data.new_nots > 0) {
    notificationNumber.style.visibility = "visible";

199.
200.
                        console.log('new notif');↔
201.
4 .202
203.
                   skip += notifications.length;↔
4 .204
205.
                   removeButton(); ↔
206. ↩
207.
                   if (skip < data.total) {↩
208.
                        createButton();↔
209.
210.
               }←
211.
               const handleNewRequest = (data) => {
    const notifications = data.notifications;

212.
213.
                   notifications.forEach((noti, idx) => \{ \omega \}
214.
215.
                        const item = parseNotification(noti); ↔
216.
                        if (item) {↩
217.
                            notificationContent.appendChild(item);←
218.
                            notificationContent.appendChild(getDivider()); ←
219.
220.
                   });↩
221.
222.
                   skip += notifications.length; ←
223.
                   removeButton(); ↔
224.
225.
                   if (skip < data.total) {↩
226.
                        createButton();↔
227.
                   } ←
228.
               }←
229.
230.
231.
               get(`/api/users/6/notifications`)↔
232.
                   .then(data => {↩
233.
234. ↔
                        handleNewRequest(data.data)↔
235.
                        if (data.data.new nots > 0) {↔
236.
                         notificationNumber.style.visibility = "visible"; ←
237.
238.
                   });↩
4 ،239
240.
               // Enable pusher logging - don't include this in production↔
241.
242.
               Pusher.logToConsole = true; ←
43. و243
               const pusher = new Pusher('4c7db76f6f7fd6381f0e', { \omega cluster: 'eu' \omega
244.
245.
246.
               });↩
247.
248.
               const handlePusherNotification = () => {↔
249.
                   skip++;↩
250.
                   notificationNumber.style.visibility = "visible"; ←
<u>2</u>51.
                   try{↩
252.
                      const audio = new Audio('/sounds/notif.wav'); ↔
253.
                      audio.play();↔
254.
                   } catch (e) { ↔
255.
                      console.log(e);↔
256.
                   } ~
257.
258.
               }↩
259.
260.
               const channelProfileEdited = pusher.subscribe("profile-
     edited");↔
261.
               channelProfileEdited.bind("profile-edited-6", function(data)
      4}
262.
                   handlePusherNotification(); ←
                   const notif = buildEditedNotifcation(data); ←
263.
264.
                   notificationContent.prepend(getDivider()); ←
265.
                   notificationContent.prepend(notif); ←
266.
               });←
267. ↩
```

```
const channelOrderStatus = pusher.subscribe("order-status"); \epsilon channelOrderStatus.bind("order-status-6", function(data) {\epsilon
268.
269.
270.
                   handlePusherNotification(); ←
271.
                   const notif = buildOrderNotification(data); ←
272.
                   notificationContent.prepend(getDivider()); €
273.
                   notificationContent.prepend(notif); ↔
274.
              });↩
275. ↩
              const cartItemUpdated = pusher.subscribe("cart-item"); e cartItemUpdated.bind("cart-item-6", function(data) {e
276.
277.
                   handlePusherNotification(); ↔
278.
279.
                   const notif = buildCartNotification(data); ←
280.
                   notificationContent.prepend(getDivider());↔
281.
                   notificationContent.prepend(notif); ←
282.
              });←
283.
284.
              const wishlistItemUpdated = pusher.subscribe("wishlist-
     item");↩
              wishlistItemUpdated.bind("wishlist-item-6", function(data) { ↔ handlePusherNotification(); ↔
285.
286.
287.
                   const notif = buildWishlistNotification(data); ↔
288.
                   notificationContent.prepend(getDivider());↔
289.
                   notificationContent.prepend(notif);↩
290.
              });↩
291.
              notification.addEventListener("click", () => {← formDataPost(`/api/users/6/notifications/`).
292.
293.
294.
                        .then(data => {↩
295.
                            console.log(data);↔
296.
                            notificationNumber.style.visibility = "hidden";↔
297.
                       });↩
298.
              });↩
4 .299
300.
          });↩
301.
302. </script>↩
303. ↩
304.
            </header>↩
            <section id="content">
  <div class="container h-100 my-3">

305.
306.
          <div class="row">↩
307.
308.
              <div class="col-md-3 col-sm-12 container">←
309.
                   <div class="d-flex justify-content-center align-items-</pre>
     center flex-column">↩
310.
                       <div class="w-50">↔
311.
                                                                              <imq
     id="user-img" src=http://localhost:8000/images/user/person5.jpg class="img-fluid" alt="" loading="lazy"./>\omega
312.
                                              </div>↔
                       <div class="w-100">↔
313.
314.
                                                       <h3 id="name-profile"
     class="text-center" style="overflow-wrap: break-word;">Terrence
     Arpino</h3>↔
315.
                                              </div>↩
316.
                   </div>↩
317.
318.
                   <div class="my-3 mx-2">↔
                        <div class="accordion accordion-flush"</pre>
319.
     id="accordionFlushExample">↩
                            <div class="accordion-item">↔
  <br/><h2 class="accordion-header menu-collapse-btn"</pre>
320.
321.
     id="flush-headingOne">↔
     322.
     controls="flush-collapseOne">↔
323.
                                   Menu↩
324.
                                 </button>↩
325.
                              </h2>↔
     326.
     data-bs-parent="#accordionFlushExample">↔
327.
                                 <div class="accordion-body">↩
328.
                                     column mb-5">↔
```

```
329.
             class="nav-item">↔
330.
                 <a class="nav-link active" href=http://localhost:8000</pre>
     /users/6> About Me </a>↔
331.
             ↩
332.
             class="nav-item">↔
                 <a class="nav-link" href=http://localhost:8000/users</pre>
333.
                 Edit Personal Data </a>↩
    /6/private>
334.
335.
             ↩
             class="nav-item">↩
336.
                 <a class="nav-link" href=http://localhost:8000/users</pre>
     /6/private/addresses> Manage Addresses </a>↔
337.
             ↩
338.
             ↩
339.
                 <a class="nav-link" href=http://localhost:8000/users</pre>
     /orders> Purchase History </a>↔
340.
             ↩
341.
             class="nav-item">↩
342.
                 <a class="nav-link" href=http://localhost:8000/users</pre>
    /wishlist> Wishlist </a>↩
343.
             ↩
344.
         345.
346.
    347.
348.
     type="submit" class="my-2 btn btn-primary form-control"> Logout
     </button>↩
349.
         </form>↔
         <a id="show-delete-confirm" class="my-2 btn btn-danger w-100">
350.
    Delete Account </a>↔
351. ↔
352. ↩
353. <div class="modal fade" id="confirm" tabindex="-1" aria-labelledby="confirmTitle" aria-hidden="true">↔
354.
         <div class="modal-dialog modal-dialog-centered">↔
             <div class="modal-content" id="confirmContent">↔
355.
356.
                 <div class="modal-header">↔
357.
                     <h5 class="modal-title" id="confirmTitle">Confirm
    delete account</h5>↩
                     <button type="button" class="btn-close" data-bs-</pre>
358.
    dismiss="modal"
                    aria-label="Close">↩
359.
                     </button>↩
360.
                 </div>↔
                 <div class="modal-body" id="confirmBody">↔
361.
                    This is an irreversible action, pléase take caution↔
362.
                     <form method="POST" action="http://localhost:8000</pre>
363.
     /users/6/delete">↩
                         <input type="hidden" name=" token"</pre>
364.
     value="h0ivfx5fgpnG96D0SSKvfED00QU0ypbCPgjJxkof">
     <div class="form-group my-4">↔
365.
                             <label for="cur-password"><b>Confirm your
     password before applying changes:</b></label>↔
    366.
367.
    id="cur-password-error"></span>↔
368.
                         </div>↩
                         <button type="submit" class="my-2 btn btn-danger</pre>
369.
    w-100">↔
370.
                             Delete Account↔
371.
                         </button>↔
372.
                     </form>↔
373.
                 </div>↩
374.
             </div>↩
375.
         </div>↩
376.
    </div>↩
377.
378.
    <script>↩
379.
        window.addEventListener('load', () => {↔
380.
             let deleteModal = new
    bootstrap.Modal(document.getElementById('confirm')); ←
381.
382.
             document.getElementById("show-delete-
     confirm").addEventListener("click", () => {↔
```

```
383.
                    deleteModal.show(); ↔
384.
               });↩
385.
          })↩
386. ↩
387. </script>↔
388.
                                  </div>↩
                                </div>↩
389.
390.
                              </div>↔
391.
                         </div>↩
392.
                    </div>↔
393.
               </div>↩
394.
               <div class="col-md-9 col-sm-12 container">→
395.
396.
                    <div>↩
     <h3>About Terrence Arpino</h3>↔
  Vestibulum ac est lacinia
nisi venenatis tristique. Fusce congue, diam id ornare imperdiet,
397.
      sapien urna pretium nisl, ut volutpat sapien arcu sed augue. Aliguam
      erat volutpat.↔
398. </div>↔ 399. <div>↔
           <h3>Placeholder for Reviews</h3>↩
400.
401. </div>↩
402.
               </div>↩
403.
           </div>↩
404. </div>
                   </section>↩
405.
          </main>↩
406. </body>←
407. ↔
408. </html>
```

Used the HTML parser.

Total execution time 28 milliseconds.

About this checker • Report an issue • Version: 22.1.9