## Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

```
Checker Input
Show Source
                 outline
                            image report
                                            Options...
Check by text input ∨ □ CSS
 <!DOCTYPE html>
 <html lang="en"><head>
     <meta charset="utf-8">
     <meta http-equiv="X-UA-Compatible" content="IE=edge">
     <meta name="viewport" content="width=device-width, initial-scale=1">
     <meta name="csrf-token" content="H9pUGucXpo80Tji0wrIYZ1eeMYFQgBAwqilFYGy9">
     <title>reFurniture</title>
     <link rel="preconnect" href="https://fonts.googleapis.com">
     <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin="">
     <link href="https://fonts.googleapis.com/css2?family=DM+Serif+Display:ital@0;1&amp;</pre>
 family=DM+Serif+Text:ital@0;1&display=swap" rel="stylesheet">
 Check
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

```
Message Filtering
    Error Bad value stock for attribute autocomplete on element
 1.
     input: The string stock is not a valid autofill field name.
    From line 194, column 13; to line 194, column 116
               <input id="stock" type="number" value="" min="0"</pre>
    class="form-control" name="stock" autocomplete="stock">↩
    Error Bad value true for attribute multiple on element input.
 2.
    From line 205, column 13; to line 205, column 117
               <input required="" multiple="true" id="photos"</pre>
    class="form-control" type="file" name="photos[]" value="">↩
    Error Attribute value not allowed on element input at this
 3.
    point.
    From line 205, column 13; to line 205, column 117
               <input required="" multiple="true" id="photos"</pre>
    class="form-control" type="file" name="photos[]" value="">↩
    Attributes for element input:
       Global attributes
```

accept when type is file
alt when type is image

<u>autocomplete</u> when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, <u>password</u>, <u>date</u>,

month, week, time, datetime-local, number, range, or color

<u>autofocus</u>

checked when type is checkbox or radio
dirname when type is text or search

disabled

form

formactionwhen type is submit or imageformenctypewhen type is submit or imageformmethodwhen type is submit or imageformnovalidatewhen type is submit or imageformtargetwhen type is submit or image

<u>height</u> when type is <u>image</u>

<u>list</u> when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, <u>date</u>, <u>month</u>,

week, time, datetime-local, number, range, or color

max when type is <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>, <u>datetime-local</u>,

<u>number</u>, or <u>range</u>

<u>maxlength</u> when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, or <u>password</u>

min when type is <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>, <u>datetime-local</u>,

<u>number</u>, or <u>range</u>

<u>multiple</u> when type is <u>email</u> or <u>file</u>

<u>name</u>

<u>number</u>

<u>readonly</u> when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, <u>password</u>, <u>date</u>,

month, week, time, datetime-local, or number

<u>required</u> when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, <u>password</u>, <u>date</u>,

month, week, time, datetime-local, number, checkbox,

<u>radio</u>, or <u>file</u>

<u>size</u> when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, or <u>password</u>

<u>src</u> when type is <u>image</u>

step when type is <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>, <u>datetime-local</u>,

number, or range

<u>type</u>

<u>value</u> when type is not <u>file</u> or <u>image</u>

width when type is <u>image</u>

4. Error Element input is missing required attribute role.

From line 218, column 13; to line 218, column 254

<input value="" id="variantCheck" name="variantCheck"</pre>

class="form-check-input mx-2" type="checkbox" ...#collapseExample"

aria-expanded="false" aria-controls="collapseExample"

Attributes for element <u>input</u>:

**Global attributes** 

accept when type is <u>file</u>
alt when type is <u>image</u>

<u>autocomplete</u> when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, <u>password</u>, <u>date</u>,

month, week, time, datetime-local, number, range, or color

<u>autofocus</u>

checked when type is checkbox or radio
dirname when type is text or search

<u>disabled</u>

<u>form</u>

formactionwhen type is submit or imageformenctypewhen type is submit or imageformmethodwhen type is submit or imageformnovalidatewhen type is submit or imageformtargetwhen type is submit or image

<u>height</u> when type is <u>image</u>

list when type is text, search, url, tel, email, date, month,

week, time, datetime-local, number, range, or color

<u>max</u> when type is <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>, <u>datetime-local</u>,

number, or range

maxlength when type is text, search, url, tel, email, or password when type is date, month, week, time, datetime-local,

<u>number</u>, or <u>range</u>

multiple when type is email or file

name

number

<u>readonly</u> when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, <u>password</u>, <u>date</u>,

month, week, time, datetime-local, or number

<u>required</u> when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, <u>password</u>, <u>date</u>,

month, week, time, datetime-local, number, checkbox,

radio, or file

```
when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, or <u>password</u>
      <u>size</u>
      src
                         when type is <u>image</u>
                         when type is <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>, <u>datetime-local</u>,
      step
                         number, or range
      <u>type</u>
      <u>value</u>
                         when type is not file or image
      width
                         when type is <u>image</u>
   Error Attribute autocomplete is only allowed when the input
5.
   type is color, date, datetime-local, email, hidden, month,
    number, password, range, search, tel, text, time, url, or
    week .
   From line 218, column 13; to line 218, column 254
               <input value="" id="variantCheck" name="variantCheck"</pre>
   class="form-check-input mx-2" type="checkbox" ...#collapseExample"
   aria-expanded="false" aria-controls="collapseExample"
6.
   Error Bad value originVariantID for attribute autocomplete on
   element input: The string originvariantid is not a valid
   autofill field name.
   From line 228, column 17; to line 228, column 142
               <input id="originVariantID" type="number" value=""</pre>
   class="form-control" name="originVariantID"
   autocomplete="originVariantID">↩
7. Error Element script must not have attribute defer unless
   attribute src is also specified.
   From line 262, column 1; to line 262, column 17
    >↩</div>↩↩<mark><script defer=""></mark>↩
8. Warning Section lacks heading. Consider using h2 h6 elements
   to add identifying headings to all sections.
   From line 131, column 7; to line 131, column 28
              <section id="content">↩
   er>↩
   Error Attribute z-index not allowed on element div at this
9.
   point.
   From line 323, column 212; to line 323, column 259
   ft: Opx;"><div class="ck ck-balloon-rotator" z-index="-1"><div c
   Attributes for element div:
```

```
Global attributes
    Error The value of the for attribute of the label element must
10.
    be the ID of a non-hidden form control.
    From line 231, column 17; to line 231, column 56
               <label for="variant" class="form-label">↩
           The aria-labelledby attribute must point to an element
11.
    in the same document.
    From line 179, column 9; to line 179, column 70
               <div class="dropdown-menu" aria-</pre>
    labelledby="dropdownMenuLink">↩
           The aria-labelledby attribute must point to an element
12.
    in the same document.
    From line 241, column 9; to line 241, column 70
               <div class="dropdown-menu" aria-</pre>
    labelledby="dropdownMenuLink">←
```

## Document checking completed.

## **Source**

```
1. <!DOCTYPE html>↔
   2. <html lang="en"><head>↔
3. <meta charset="utf-8">↔
                         <meta http-equiv="X-UA-Compatible" content="IE=edge">↔
   5.
                         <meta name="viewport" content="width=device-width, initial-</pre>
            scale=1">↩
   6.
   7.
                         <!-- CSRF Token -->↔
                         <meta name="csrf-token"</pre>
   8.
            content="H9pUGucXpo80Tji0wrIYZ1eeMYFQqBAwqilFYGy9">→
   9. ↩
10.
                        <title>reFurniture</title>₽
11. ↩
                         <link rel="preconnect" href="https://fonts.googleapis.com">↩
12.
                         <link rel="preconnect" href="https://fonts.gstatic.com"</pre>
13.
            crossorigin="">بُ
            k href="https://fonts.googleapis.com"
/css2?family=DM+Serif+Display:ital@0;1&
family=DM+Serif+Text:ital@0;1&
family=DM+Serif+Text:
14.
            k href="https://fonts.googleapis.com/css2?family=Alata&
display=swap" rel="stylesheet">
15.
            <link href="http://lbaw2116.lbaw.fe.up.pt/css/product.css"
rel="stylesheet">

16.
17. ↩
18. ↩
19. ↩
20.
                        <!-- Styles -->↔
<link href="http://lbaw2116.lbaw.fe.up.pt/css/app.css"
            rel="stylesheet">↔
                        <link href="http://lbaw2116.lbaw.fe.up.pt/css/error.css"</pre>
22.
            rel="stylesheet">↩
23.
                         <link href="http://lbaw2116.lbaw.fe.up.pt/css/utility.css"</pre>
```

```
rel="stylesheet">↩
        <lińk href="http://lbaw2116.lbaw.fe.up.pt/css/notifications.css"</li>
24.
    rel="stylesheet">↔
        <link href="http://lbaw2116.lbaw.fe.up.pt/css/tabs.css"</pre>
25.
   rel="stylesheet">↔
        <link href="http://lbaw2116.lbaw.fe.up.pt/css/login.css"
26.
    rel="stylesheet">↩
27.
        <link href="http://lbaw2116.lbaw.fe.up.pt/css/checkout.css"</li>
    rel="stylesheet">+
        <link href="http://lbaw2116.lbaw.fe.up.pt/css/number.selector.css"</pre>
28.
    rel="stylesheet">↔
        <link href="http://lbaw2116.lbaw.fe.up.pt/css/select.css"</pre>
29.
    rel="stylesheet">↔
        <link href="http://lbaw2116.lbaw.fe.up.pt/css/cart.css"</li>
30.
    rel="stylesheet">↔
        <link href="http://lbaw2116.lbaw.fe.up.pt/css/address.css"
31.
    rel="stylesheet">↩
32.
        <lińk href="http://lbaw2116.lbaw.fe.up.pt/css/product.css"</li>
    rel="stylesheet">
        <link href="http://lbaw2116.lbaw.fe.up.pt/css/auxiliar.css"</pre>
33.
    rel="stylesheet">↔
        <link href="http://lbaw2116.lbaw.fe.up.pt/css/home.css"</pre>
34.
   rel="stylesheet">↔
35.
36.
37.
        <script>↩
            // Fix for Firefox autofocus CSS bug↔
            // See: http://stackoverflow.com/questions/18943276/html-
38.
    5-autofocus-messes-up-css-loading/18945951#18945951↔
39.
        </script>↩
40.
        <script>↩
41.
            window.__theme = 'bs5';↔
42.
        </script>↩
        <script src="http://lbaw2116.lbaw.fe.up.pt/js/app.js"></script>↩
43.
44.
        <script src="https://js.pusher.com/7.0/pusher.min.js" defer=</pre>
    </script>↔
   <script src="http://lbaw2116.lbaw.fe.up.pt/js/lib
/uniqueCheckbox.js" defer=""></script>↩
45.
        <script src="http://lbaw2116.lbaw.fe.up.pt/js/lib/select.js"</pre>
46.
   47.
        <script src="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist</pre>
48.
    /js/select2.min.js" defer=""></script>↔
        <link rel="stylesheet" href="http://lbaw2116.lbaw.fe.up.pt</pre>
49.
   /css/select2-bootstrap-5-theme.min.css">↔
50. €
51.
        <script src="http://lbaw2116.lbaw.fe.up.pt/js/ajax.js" defer="">
    </script>↔
52.
        <script src="http://lbaw2116.lbaw.fe.up.pt/js/notifications.js"</pre>
   defer=""></script>↔
53.
        <script src="http://lbaw2116.lbaw.fe.up.pt/js/axios.js" defer="">
    </script>↩
54.
        <script src="http://lbaw2116.lbaw.fe.up.pt/js/numberSelector.js"</pre>
   defer=""></script>↔
        <script src="http://lbaw2116.lbaw.fe.up.pt/js/cart.js" defer="">
55.
    </script>↩
56.
        <script src="http://lbaw2116.lbaw.fe.up.pt/js/search.js" defer="">
    </script>↩
        <script src="http://lbaw2116.lbaw.fe.up.pt/js/userSearch.js"</pre>
57.
   defer=""></script>↔
58.
        <script src="http://lbaw2116.lbaw.fe.up.pt/js/address.js"</pre>
   defer=""></script>↔
   <script src="http://lbaw2116.lbaw.fe.up.pt/js/addProduct.js"
defer=""></script>↩
59.
60.
   </head>↩
      <body data-new-gr-c-s-check-loaded="8.893.0" data-gr-ext-</pre>
61.
    installed="">↩
        <div class="modal fade" id="errorMessage" tabindex="-1" aria-
62.
    labelledby="errorMessageTitle" aria-hidden="true">↔
        63.
64.
                <div class="modal-header">↔
65.
                    <h5 class="modal-title"
66.
    id="errorMessageTitle">PLACEHOLDER</h5>↔
67.
                    <button type="button" class="btn-close" data-bs-</pre>
```

```
dismiss="modal" aria-label="Close">↩
 68.
                     </button>↩
 69.
                 </div>↔
 70.
                 <div class="modal-body" id="errorMessageBody">←
 71.
 72.
                </div>↩
 73.
             </div>↩
 74.
         </div>↩
 75. </div>↔
 76.
 77.
    <script src="http://lbaw2116.lbaw.fe.up.pt/js/errormodal.js" defer="">
     </script>↩
 78.
         <main>↔
 79.
           <header>↩
 80.
            <!-- Navbar -->↔
 81. <div id="alert-placeholder">↔
 82. </div>↔
 83. ↩
 84. ↩
 85.
 86. <link href="http://lbaw2116.lbaw.fe.up.pt/css/alert.css"</pre>
     rel="stylesheet">↔
 87. <script src="http://lbaw2116.lbaw.fe.up.pt/js/alert.js" defer="">
     </script>↩
 88.
    <nav>←
 89.
       <div class="p-3 text-center text-white">↔
         <div class="container">↩
 90.
91.
           <div class="row d-flex align-items-center justify-content-</pre>
    between">↔
 92.
             <div class="col-md-4 d-flex justify-content-center justify-</pre>
     content-md-start mb-3 mb-md-0">↔
 93.
               <a href="http://lbaw2116.lbaw.fe.up.pt" class="ms-md-2">↔
                 <img src="/img/refurniture.svg" alt="reFurniture Logo"</pre>
 94.
    width="200" height="65">↔
 95.
               </a>↩
 96.
             </div>↩
 97.
98.
             <div class="col-md-4">₽
    < form id="search-products-form" class="d-flex input-group w-auto my-auto mb-3 mb-md-0"> \omega
 99.
100.
                 <input id="search-products-input" autocomplete="off"</pre>
     type="search" class="form-control rounded" placeholder="Search">↔
               </form>↔
101.
             </div>↔
102.
103.
             <div class="col-md-4 d-flex justify-content-center justify-</pre>
104.
    content-md-end align-items-center">←
               <div class="d-flex align-items-center justify-content-</pre>
105.
    between" id="header-icons">↔
106.
                                                 <!-- User -->↩
                     <div class="dropdown">↔
107.
    108.
    expanded="false">₽
    109.
110.
     class="px-3 mt-1" style="color: #000000;">↔
111.
                           Nuno↩
112.
                         </h5>↩
113.
                     </a>↔
                     114.
    drodown">↔
115.
                                               <a class="dropdown-item"
    href="http://lbaw2116.lbaw.fe.up.pt/admin">Dashboard</a><a class="dropdown-item"</td>
116.
    href="http://lbaw2116.lbaw.fe.up.pt/users/4/private">Settings</a>
     <form method="POST" class="col"</pre>
117.
    action="http://lbaw2116.lbaw.fe.up.pt/logout">+
    <input type="hidden" name="_token"
value="H9pUGucXpo80Tji0wrIYZ1eeMYFQgBAwqilFYGy9">
118.
    <button type="submit" class="dropdown-item form-control"> Logout
```

```
</button>↩
119.
                       </form>↔
120.
                     121.
                     </div>↩
122.
                           </div>↔
123.
             </div>↔
124.
           </div>↩
125.
         </div>↔
126.
      </div>↩
127. ↩
128. </nav>↔
129. ↩
130.
           </header>↩
131.
           <section id="content">↩
132.
133. <div class="container">↩
134. ↔
135.
         class="nav-item">⊷
             <a class="nav-link" href="http://lbaw2116.lbaw.fe.up.pt/admin</pre>
136.
     /orders"> Manage Orders </a>↔
137.
         138.
         class="nav-item">↩
             <a class="nav-link" href="http://lbaw2116.lbaw.fe.up.pt/admin</pre>
139.
     /create"> Create Admin </a>↔
140.
         ↩
141.
         ↩
             <a class="nav-link" href="http://lbaw2116.lbaw.fe.up.pt/admin</pre>
142.
     /users"> Manage Users </a>↔
         143.
144.
         class="nav-item">↩
             <a class="nav-link active" href="http://lbaw2116.lbaw.fe.up.pt</pre>
145.
     /admin/products/create"> Create Product </a>→
146.
         147.
         class="nav-item">↩
             <a class="nav-link" href="http://lbaw2116.lbaw.fe.up.pt/admin</pre>
148.
     /products"> Manage Products </a>↔
149.
         150.
         class="nav-item">↩
             <a class="nav-link" href="http://lbaw2116.lbaw.fe.up.pt/admin</pre>
151.
     /coupon/create"> Create Coupon </a>↔
152.
         .
⊷ٍ
153.
         class="nav-item">₽
             <a class="nav-link" href="http://lbaw2116.lbaw.fe.up.pt/admin</pre>
154.
     /coupon"> Manage Coupons </a>↔
155.
         ↩
156. ↔
157. ↔
158.
159. <div class="container">↩
160. ↩
161.
    <form class="container d-flex flex-column" id="add-product-form"
autocomplete="off" enctype="multipart/form-data" method="POST"</pre>
162.
    action="http://lbaw2116.lbaw.fe.up.pt/admin/products/create">→ <input type="hidden" name="_token"
163.
     value="H9pUGucXpo80Tji0wrIYZ1eeMYFQgBAwqilFYGy9">
                                                          <div
     class="row">↔
164.
             <div class="form-group mb-3 col-md-6">↔
                 <label for="name" class="form-label">Product Name</label>↔
165.
    class="form-control" type="text"
name="name" value="">

166.
167.
                             <span class="error form-text text-danger"</pre>
     id="name-error"></span>↩
168.
             </div>←
             169.
170.
171.
                     Category↩
172.
                 </label>بَ
                 <div id="category-replace"></div><div id="root-category"</pre>
173.
    class="autocomplete-select">-
     174.
175.
             <a class="form-select hidden-arrow" href="#" role="button"</pre>
176.
     id="select-trigger-category" data-bs-toggle="dropdown" aria-
```

```
expanded="false">↔
177.
                                         <span></span>↔
178.
                                </a>↩
            <div class="dropdown-menu" aria-
labelledby="dropdownMenuLink">↩
179.
180.
                                <div class="px-4 pb-4 pt-2">↔
                                                   <label class="form-label" for="autocomplete-
181.
            182.
            autocomplete="off">⊷
183.
                                </div>↩
                                          <div class="select-container">↩
184.
185.
                                          </div>↩
                                </div>↩
186.
187.
                      </div>↔
188.
                                </div>↩
                                <input id="category-id" name="category-id" hidden="">←
189.
190.
                      </div>↔
191.
                      <div class="row">↔
            192.
193.
194.
195.
            196.
197.
198.
199.
                                                             </div>↔
200.
                      </div>↔
201.
202.
                      <div class="row mt-3">↩
                               203.
204.
            Photos</label>↔
                                         <input required="" multiple="true" id="photos"</pre>
205.
            class="form-control" type="file" name="photos[]" value="">↩
206.
                                                             </div>↔
207.
                      </div>↔
208. ↩
                      <div class="row mt-3">↔
209.
210.
                                <div class="form-group col-12">←
                                          <label for="description" class="form-
211.
            label">Description</label>↔
           class="form-control"
class="form-control"
name="description" style="display: none;"></textarea><div class="ck
ck-reset ck-editor ck-rounded-corners" role="application" dir="ltr"</pre>
212.
            aria-labelledby="ck-editor__label_e30b28007220648001687e0dac34c56cd" lang="en"><label_class="ck_ck-label_ck-voice-label" id="ck-
           clang="en"><lapel class="Ck ck-label ck-voice-label" id="ck-
editor_label_e30b28007220648001687e0dac34c56cd">Rich Text
Editor</label><div class="ck ck-editor_top ck-reset_all"
role="presentation"><div class="ck ck-sticky-panel"><div class="ck ck-sticky-panel"><div class="ck ck-sticky-panel"><div class="ck ck-sticky-panel_content"><div class="ck ck-toolbar ck-toolbar_grouping" role="toolbar" aria-label="Editor toolbar"><div class="ck ck-toolbar_stick"><div class="ck ck-dropdown ck-toolbar_
           button ck-off ck-dropdown_button" type="button" tabindex="-1" aria-labelledby="ck-editor_aria-label_e42afeebc1f1e745c93501b41f42aabd6" aria-haspopup="true"><svg class="ck ck-icon ck-button_icon" viewBox="0 0 20 20"><circle cx="9.5" cy="4.5" r="1.5"></circle><circle cx="9.5" cy="10.5" r="1.5"></circle><circle cx="9.5" cy="10.5" cy="16.5"
            r="1.5"></circle></svg><span class="ck ck-tooltip ck-tooltip_sw"><span
            class="ck ck-tooltip__text">Show more items</span></span><span class="ck ck-button__label" id="ck-editor__aria-label_e42afeebc1f1e745c93501b41f42aabd6">Show more items</span><svg
           label="Dropdown toolbar"><div class="ck ck-toolbar__items"><div
class="ck ck-dropdown ck-heading-dropdown"><button class="ck ck-button"</pre>
            ck-off ck-button_with-text ck-dropdown__button" type="button"
```

```
tabindex="-1" aria-labelledby="ck-editor__aria-
label_e00cc364b90d0378f7b9f1d46a3e3df81" aria-haspopup="true"><span
class="ck ck-tooltip ck-tooltip_s"><span class="ck ck-</pre>
 tooltip__text">Heading</span></span><span class="ck ck-button__label"
 id="ck-editor_
                                                 aria-
 label_e00cc364b90d0378f7b9f1d46a3e3df81">Paragraph</span><svg
label_e00cc364b90d0378f7b9f1d46a3e3df81">Paragraph</span><svg
class="ck ck-icon ck-dropdown__arrow" viewBox="0 0 10 10"><path
d="M.941 4.523a.75.75 0 1 1 1.06-1.06l3.006 3.005 3.005-3.005a.75.75 0
1 1 1.06 1.06l-3.549 3.55a.75.75 0 0 1-1.168-.136L.941 4.523z"></path>
</svg></button><div class="ck ck-reset ck-dropdown__panel ck-
dropdown__panel_se"><button class="ck ck-button ck-heading_paragraph ck-on ck-
button_with-text" type="button" tabindex="-1" aria-labelledby="ck-
editor__aria-label_e79b5dfec2c0b27daeeb03f209d8c37ef"><span class="ck
ck-tooltip_s ck-hidden"><span class="ck ck-tooltip__text"></span></span></span></span></span></span></span></button_label" id="ck-editor__aria-
label_e79b5dfec2c0b27daeeb03f209d8c37ef">Paragraph</span></button>
class="ck ck-button class="ck ck-button>
label_e/9b5dTec2cUb2/daeebU3T2U9d8c3/eT">Paragrapn</span></button>
li>li class="ck ck-list__item"><button class="ck ck-button ck-
heading_heading4 ck-off ck-button_with-text" type="button"
tabindex="-1" aria-labelledby="ck-editor__aria-
label_ebeb3c63098f4771fa5fcf2cc9841c0e1"><span class="ck ck-tooltip_
ck-tooltip_s ck-hidden"><span class="ck ck-tooltip__text"></span>
</span><span class="ck ck-button__label" id="ck-editor__aria-
label_ebeb3c63098f4771fa5fcf2cc9841c0e1">Heading 1</span></button>
li class="ck ck-list__item"><button class="ck ck-button ck-
heading_heading6 ck-off ck-button_with-text" type="button"
tabindex="-1" aria-labelledby="ck-editor_aria-</pre>
 tabindex="-1" aria-labelledby="ck-editor_aria-label_ea2cf8ea5816b05974f207a04953cb1ae"><span_class="ck_ck-tooltip"
 ck-tooltip_s ck-hidden"><span class="ck ck-tooltip__text"></span>
</span><span class="ck ck-button__label" id="ck-editor__aria-</pre>
 label_ea2cf8ea5816b05974f207a04953cb1ae">Heading 2</span></button>
</div></div>
</div></div>

<p
 0-1.092-.138-1.364-.415-.273-.277-.409-.718-.409-1.323V4.738c0-.617.14
-1.062.419-1.332.279-.27.73-.406 1.354-.406h4.68c.69 0 1.288.041
1.793.124.506.083.96.242 1.36.478.341.197.644.447.906.75a3.262 3.262 0 0 1 .808 2.162c0 1.401-.722 2.426-2.167 3.075C15.05 10.175 16 11.315 16 13.01a3.756 3.756 0 0 1-2.296 3.504 6.1 6.1 0 0 1-1.517.377c-.571.073-1.238.11-2 .11zm-.217-6.217H7v4.087h3.069c1.977
0-.707-.26-1.176-.778-1.409-.519-.232-1.31-.348-2.375-.348H7z"></path>
 </svg><span class="ck ck-tooltip ck-tooltip_s"><span class="ck ck-</pre>
</svg><span class="ck ck-tooltip ck-tooltip_s"><span class="ck ck-
tooltip_text">Bold (Ctrl+B)</span></span><span class="ck ck-
button_label" id="ck-editor_aria-
label_e671c699aa48235b172c1c0417601d3bd">Bold</span></button><button>class="ck ck-button ck-off" type="button" tabindex="-1" aria-
labelledby="ck-editor_aria-label_ebda2f4be8297c9b60eb92a1ac5ed1e21"
aria-pressed="false"><svg class="ck ck-icon ck-button_icon"
viewBox="0 0 20 20"><path d="m9.586
14.633.021.004c-.036.335.095.655.393.962.082.083.173.15.274.201h1.474a
.6.6 0 1 1 0 1.2H5.304a.6.6 0 0 1 0-1.2h1.15c.474-.07.809-.182
1.005-.334.157-.122.291-.32.404-.597l2.416-9.55a1.053 1.053 0 0
0-.281-.823 1.12 1.12 0 0 0-.442-.296H8.15a.6.6 0 0 1 0-1.2h6.443a.6.6</pre>
 0-.281-.823 1.12 1.12 0 0 0-.442-.296H8.15a.6.6 0 0 1 0-1.2h6.443a.6.6
 0 1 1 0
  1.2h-1.195c-.376.056-.65.155-.823.296-.215.175-.423.439-.623.79l-2.366
 9.347z"></path></svg><span class="ck ck-tooltip ck-tooltip_s"><span
9.347z"></path></svg><span class="ck ck-tooltip ck-tooltip_s"><span class="ck ck-tooltip_s"><span class="ck ck-tooltip_text">Italic (Ctrl+I)</span></span><span class="ck ck-button_label" id="ck-editor_aria-label_ebda2f4be8297c9b60eb92a1ac5ed1e21">Italic</span></button><button class="ck ck-button ck-off" type="button" tabindex="-1" aria-labelledby="ck-editor_aria-label_e187b0d9463e051aa76f88797e7d29439" aria-pressed="false"><svg class="ck ck-icon ck-button_icon" viewBox="0 0 20 20"><path d="m11.077 15 .991-1.416a.75.75 0 1 1 1.229.86l-1.148 1.64a.748.748 0 0 1-.217.206 5.251 5.251 0 0 1-8.503-5.955.741.741 0 0 1 .12-.274l1.147-1.639a.75.75 0 1 1 1.228.86L4.933 10.71.006.003a3.75 3.75 0 0 0 6.132 4 2941 006 004zm5 494-5 335a 748 748 0 0 1- 12 274l-1 147 1 639a 75.75
 4.294l.006.004zm5.494-5.335a.748.748 0 0 1-.12.274l-1.147 1.639a.75.75 0 1 1-1.228-.86l.86-1.23a3.75 3.75 0 0 0-6.144-4.301l-.86 1.229a.75.75
 0 0 1-1.229-.86l1.148-1.64a.748.748 0 0 1 .217-.206 5.251 5.251 0 0 1
```

```
8.503 5.955zm-4.563-2.532a.75.75 0 0 1 .184 1.045l-3.155 4.505a.75.75 0 1 1-1.229-.86l3.155-4.506a.75.75 0 0 1 1.045-.184z">
              </svg><span class="ck ck-tooltip ck-tooltip_s"><span class="ck ck-
              tooltip__text">Link (Ctrl+K)</span></span><span class="ck ck-button_label" id="ck-editor_aria-label_e187b0d9463e051aa76f88797e7d29439">Link</span></button></button>
              class="ck ck-button ck-off" type="button" tabindex="-1" aria-
             </svg><span class="ck ck-tooltip ck-tooltip s"><span class="ck ck-
              tooltip__text">Bulleted List</span></span><span class="ck ck-button_label" id="ck-editor_aria-label_e7f2d71f20ff4cce4b9e1bb3210dc5744">Bulleted List</span></button><button class="ck ck-button ck-off" type="button" tabindex="-1" aria-label_e7f2d1b18cdb1665f70108704"
              labelledby="ck-editor__aria-label_e547e3b60876d1b18edb9f65f7e108704"
             aria-pressed="false"><svg class="ck ck-icon ck-button__icon" viewBox="0 0 20 20"><path d="M7 5.75c0 .414.336.75.75.75h9.5a.75.75 0 1 0 0-1.5h-9.5a.75.75 0 0 0-.75.75zM3.5 3v5H2V3.7H1v-1h2.5V3zM.343 17.857l2.59-3.257H2.92a.6.6 0 1 0-1.04 0H.302a2 2 0 1 1 3.995 0h-.001c-.048.405-.16.734-.333.988-.175.254-.59.692-1.244
              1.312H4.3v1h-4l.043-.043zM7 14.75a.75.75 0 0 1 .75-.75h9.5a.75.75 0 1 1 0 1.5h-9.5a.75.75 0 0 1-.75-.75z"></path></syg><span class="ck ck-tooltip_s"><span class="ck ck-tooltip_text">Numbered List</span></span><span class="ck ck-button_label" id="ck-tooltip_s"><span class="ck ck-button_label" id="ck-button_label" id="ck-
              List</span></span><span class="ck ck-button__label" id="ck-editor__aria-label_e547e3b60876d1b18edb9f65f7e108704">Numbered
              List</span></button></div></div></div></div></div></div>
             </div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div>
213.
                                                                      </div>↔
214.
215.
                         </div>ب
                         <div class="row mt-2">↔
                                    <div class="d-flex align-items-center mb-3">↔
216.
                                               <label for="variantCheck" class="form-label">Is variant?
217.
              </label>↩
              <input value="" id="variantCheck" name="variantCheck"
class="form-check-input mx-2" type="checkbox" data-bs-
toggle="collapse" data-bs-target="#collapseExample" aria-</pre>
218.
              expanded="false" aria-controls="collapseExample"
              autocomplete="variantCheck">↩
219.
                                    </div>↩
                                    220.
221.
                                                           <div class="alert alert-primary text-center"</pre>
222.
              role="alert">↩
223.
                                                                      Select a color. If this product is the first of
              its variants, don't select any product ID.↔
224.
                                                                 </div>↩
225.
                                               </div>↔
226.
                                               <div class="col-md-6">↔
                                                           <label for="originVariantID" class="mb-3 form-</pre>
227.
              label">Variant of (Product ID): </label>₽ 
<input id="originVariantID" type="number" value="" class="form-control" name="originVariantID"</li>
228.
              autocomplete="originVariantID">
229.
                                                                                             </div>↩
                                               230.
231.
232.
233.
                                                                      Variant Color↔
                                                           </label>↩
234.
                                                          <div class="d-flex align-items-center">↩
                                                                      <div id="select-target-variant"></div><div</pre>
235.
              id="root-variantColor" class="autocomplete-select">+
                                    <input name="variantColor" id="variantColor"</pre>
236.
              style="visibility:collapse;position:fixed">↩
237.
238.
                                    <a class="form-select hidden-arrow" href="#" role="button"</pre>
```

```
id="select-trigger-variantColor" data-bs-toggle="dropdown" aria-
     expanded="false">↔
239.
                   <span></span>↩
240.
              </a>↩
241.
              <div class="dropdown-menu" aria-</pre>
     labelledby="dropdownMenuLink">↩
              242.
243.
     variantColor">Choose your Variant Color</label>↔
                       <input id="autocomplete-variantColor" class="form-</pre>
244.
     control" autocomplete="off">↔
245.
              </div>↔
                   <div class="select-container">↩
246.
247.
                   </div>↩
248.
              </div>↔
249.
          </div>↩
     250.
251.
252
                       </div>↩
253.
                   </div>↩
254.
              </div>↩
255.
          </div>↩
256.
          <button type="submit" class="btn btn-primary my-2"</pre>
257.
     onclick="this.form.submit()">Submit</button>↔
258. </form>↩
259. </div>↔
260. </div>↔
261.
262. <mark><script defer=""></mark>↩
263.
          let editor;↩
264.
265.
         window.addEventListener('load', () => {↔
266.
              ckeditor↔
.create( document.querySelector( '#description' ), {↔
.'thooding' ''' 'hold'. 'italic', 'link',
              ckeditor↩
267.
                   toolbar: [ 'heading',
t', 'numberedList'],↔
                                           '|',
                                                 'bold', 'italic',
268.
      'bulletedList',
269.
                   heading: {↩
270.
     { model: 'paragraph', title: 'Paragraph', class: 'ck-heading_paragraph' },↩
                       options: [↩
271.
                            { model: 'heading1', view: 'h4', title: 'Heading
272.
     1', class: 'ck-heading_heading4' }, ↔ { model: 'heading2', view: 'h6', title: 'Heading
273.
     2', class: 'ck-heading_heading6' }↔
274.
275.
                   ب{
              ب ( {
276.
277.
              .then( newEditor => {↩
278.
                   editor = newEditor;↔
279.
280.
              .catch( error => {↩
281.
                   console.log( error ); ↔
282.
283.
     document.getElementById('add-productform').addEventListener('submit', (e) => {\leftarrow
284.
285.
                   let description = document.getElementById('description');↩
286.
                   description.value = editor.getData();↔
287.
              });↩
288.
              const selectTarget = document.getElementById("category-
289.
     replace");↔
290.
              sélectTarget.replaceWith(selectTarget, createSelect({↩
id: "category",↩
291.
                              "caťegórý"
292.
                       name: "category",↔
label: "Select a Category",↔
293.
294.
                       ajax: true,↩
295.
                       delay: 1000,↔
url: '/api/category',↔
296.
297.
                       data: (value) => {↩
298.
                            const query = {↩
```

```
299.
                                                                                                    name: value,↔
300.
                                                                                       4{
301.
                                                                                       return query;↔
                                                                         ٠, {
302.
303.
                                                                         processResults: (data) => {↔
304.
                                                                                       data.forEach((el) => el.text = el.name)↔
305.
                                                                                       return {↩
306.
                                                                                                    results: data↩
307.
                                                                                       };↩
308.
                                                                         ٠, {
                                                                         callback: (item) => {↩
309.
                                                                                       document.getElementById("category-id").value =
310.
                 item.id;↩
311.
                                                                         ب{
                                             }));↩
312.
313.
                                })↔
314.
315. </script>↩
316. ↩
317. ↩
318.
                                      </section>↩
319.
                               </main>↩
320. ↩
321. ↩
322.
323. <div class="ck-body-wrapper"><div class="ck ck-reset_all ck-body ck-
                 rounded-corners" dir="ltr"><div class="ck ck-balloon-panel ck-balloon-
                panel_arrow nw ck-balloon-panel with-arrow" style="top: 0px; left: 0px;"><div class="ck ck-balloon-rotator" z-index="-1"><div class="ck ck-balloon-rotator" z-index="-1"><div class="ck-balloon-rotator" z-index="-1"></div class="ck-balloon-rotator" z-index="-1"></dd></dr>
                 label_ec0e031fb470386fc4928eba2c5d8933a"><svg class="ck ck-icon ck-
                button__icon" viewBox="0 0 20 20"><path d="M11.463 5.187a.888.888 0 1 1.254 1.255L9.16 10l3.557 3.557a.888.888 0 1 1-1.254 1.255L7.26 10.61a.888.888 0 0 1 .16-1.382l4.043-4.042z"></path>
                 tooltip text">Previous</span></span><span class="ck ck-button label"
                 id="ck-editor
                                                                  _aria-
                ld="ck-editor__aria-
label_ec0e031fb470386fc4928eba2c5d8933a">Previous</span></button><span
class="ck-balloon-rotator__counter"></span><button class="ck ck-button
ck-off" type="button" tabindex="-1" aria-labelledby="ck-editor__aria-
label_e8235968fa8a0f1aae31f28dce6452393"><svg class="ck ck-icon ck-
button__icon" viewBox="0 0 20 20"><path d="M8.537 14.813a.888.888 0 1
1-1.254-1.255L10.84 10 7.283 6.442a.888.888 0 1 1 1.254-1.255L12.74
9.39a.888.888 0 0 1-.16 1.382l-4.043 4.042z"></path></svg><span
class="ck ck-tooltip ck-tooltip_s"><span class="ck ck-
tooltip text">Next</span></span></span></span></span></span></span></span>
                 tooltip__text">Next</span></span><span class="ck ck-button__label" id="ck-editor__aria-
                 label\_e823596\overline{8}\overline{f}a8a0f1aae31f28dce6452393">Next</span></button>
                 </div><div class="ck-balloon-rotator_content"></div></div></div><div
class="ck-fake-panel ck-hidden" style="top: 0px; left: 0px; width:</pre>
                 Opx; height: Opx;"></div></div></div></body></html>
```

Used the HTML parser.

Total execution time 68 milliseconds.

About this checker • Report an issue • Version: 22.1.26