

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report Options...

Check by text input ☐ CSS

```
<!DOCTYPE html>
<html lang="en"><head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <!-- CSRF Token -->
  <meta name="csrf-token" content="p8PrkPWQ82Hb4RyiySvPSoxWWiqHtr4TKoVK5zBB">

  <title>reFurniture</title>

  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin="">
  <link href="https://fonts.googleapis.com/css2?family=DM+Serif+Display:ital@0;1&family=DM+Serif+Text:ital@0;1&display=swap" rel="stylesheet">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Error** Element `div` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)
[From line 161, column 70; to line 161, column 150](#)
`/div><div id="next-page-btn" class="d-flex justify-content-center align-items-center"><i cla`
Contexts in which element `div` may be used:
Where [flow content](#) is expected.
As a child of a [dl](#) element.
Content model for element `ul`:
Zero or more [li](#) and [script-supporting](#) elements.
- Error** Element `script` must not have attribute `defer` unless attribute `src` is also specified.
[From line 509, column 1; to line 509, column 17](#)
`</div><script defer=""> f`
- Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

```
er> <section id="content">
```

- From line 363, column 41; to line 363, column 89

```
<label class="form-check-label" for="address-id">
```

- From line 388, column 41; to line 388, column 89

```
<label class="form-check-label" for="address-id">
```

- From line 408, column 33; to line 408, column 83

```
<label class="form-check-label" for="payment-type">
```

- From line 423, column 33; to line 423, column 83

```
<label class="form-check-label" for="payment-type">
```

Source

```

1. <!DOCTYPE html>↵
2. <html lang="en"><head>↵
3.     <meta charset="utf-8">↵
4.     <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
5.     <meta name="viewport" content="width=device-width, initial-
scale=1">↵
6. ↵
7.     <!-- CSRF Token -->↵
8.     <meta name="csrf-token"
content="p8PrkPWQ82Hb4RyiySvPSoxWWiqHtr4TKoVK5zBB">↵
9. ↵
10.    <title>reFurniture</title>↵
11. ↵
12.    <link rel="preconnect" href="https://fonts.googleapis.com">↵
13.    <link rel="preconnect" href="https://fonts.gstatic.com"
crossorigin="">↵
14.    <link href="https://fonts.googleapis.com
/css2?family=DM+Serif+Display:ital@0;1&
family=DM+Serif+Text:ital@0;1&display=swap" rel="stylesheet">↵
15.    <link href="https://fonts.googleapis.com/css2?family=Alata&
display=swap" rel="stylesheet">↵
16.    <link href="http://lbaw2116.lbaw.fe.up.pt/css/product.css"
rel="stylesheet">↵
17. ↵

```

```

18. ↵
19. ↵
20.     <!-- Styles -->↵
21.     <link href="http://lbaw2116.lbaw.fe.up.pt/css/app.css"
rel="stylesheet">↵
22.     <link href="http://lbaw2116.lbaw.fe.up.pt/css/error.css"
rel="stylesheet">↵
23.     <link href="http://lbaw2116.lbaw.fe.up.pt/css/utility.css"
rel="stylesheet">↵
24.     <link href="http://lbaw2116.lbaw.fe.up.pt/css/notifications.css"
rel="stylesheet">↵
25.     <link href="http://lbaw2116.lbaw.fe.up.pt/css/tabs.css"
rel="stylesheet">↵
26.     <link href="http://lbaw2116.lbaw.fe.up.pt/css/login.css"
rel="stylesheet">↵
27.     <link href="http://lbaw2116.lbaw.fe.up.pt/css/checkout.css"
rel="stylesheet">↵
28.     <link href="http://lbaw2116.lbaw.fe.up.pt/css/number.selector.css"
rel="stylesheet">↵
29.     <link href="http://lbaw2116.lbaw.fe.up.pt/css/select.css"
rel="stylesheet">↵
30.     <link href="http://lbaw2116.lbaw.fe.up.pt/css/cart.css"
rel="stylesheet">↵
31.     <link href="http://lbaw2116.lbaw.fe.up.pt/css/address.css"
rel="stylesheet">↵
32.     <link href="http://lbaw2116.lbaw.fe.up.pt/css/product.css"
rel="stylesheet">↵
33.     <link href="http://lbaw2116.lbaw.fe.up.pt/css/auxiliar.css"
rel="stylesheet">↵
34.     <link href="http://lbaw2116.lbaw.fe.up.pt/css/home.css"
rel="stylesheet">↵
35. ↵
36.     <script>↵
37.         // Fix for Firefox autofocus CSS bug↵
38.         // See: http://stackoverflow.com/questions/18943276/html-
5-autofocus-messes-up-css-loading/18945951#18945951↵
39.     </script>↵
40.     <script>↵
41.         window.__theme = 'bs5';↵
42.     </script>↵
43.     <script src="http://lbaw2116.lbaw.fe.up.pt/js/app.js"></script>↵
44.     <script src="https://js.pusher.com/7.0/pusher.min.js" defer="">
</script>↵
45.     <script src="http://lbaw2116.lbaw.fe.up.pt/js/lib
/uniqueCheckbox.js" defer=""></script>↵
46.     <script src="http://lbaw2116.lbaw.fe.up.pt/js/lib/select.js"
defer=""></script>↵
47.     <link href="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist
/css/select2.min.css" rel="stylesheet">↵
48.     <script src="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist
/js/select2.min.js" defer=""></script>↵
49.     <link rel="stylesheet" href="http://lbaw2116.lbaw.fe.up.pt
/css/select2-bootstrap-5-theme.min.css">↵
50. ↵
51.     <script src="http://lbaw2116.lbaw.fe.up.pt/js/ajax.js" defer="">
</script>↵
52.     <script src="http://lbaw2116.lbaw.fe.up.pt/js/notifications.js"
defer=""></script>↵
53.     <script src="http://lbaw2116.lbaw.fe.up.pt/js/axios.js" defer="">
</script>↵
54.     <script src="http://lbaw2116.lbaw.fe.up.pt/js/numberSelector.js"
defer=""></script>↵
55.     <script src="http://lbaw2116.lbaw.fe.up.pt/js/cart.js" defer="">
</script>↵
56.     <script src="http://lbaw2116.lbaw.fe.up.pt/js/search.js" defer="">
</script>↵
57.     <script src="http://lbaw2116.lbaw.fe.up.pt/js/userSearch.js"
defer=""></script>↵
58.     <script src="http://lbaw2116.lbaw.fe.up.pt/js/address.js"
defer=""></script>↵
59.     <script src="http://lbaw2116.lbaw.fe.up.pt/js/addProduct.js"
defer=""></script>↵
60. </head>↵
61. <body data-new-gr-c-s-check-loaded="8.893.0" data-gr-ext-
installed="">↵

```

```

62.     <div class="modal fade" id="errorMessage" tabindex="-1" aria-
63.     labelledby="errorMessageTitle" aria-hidden="true">↵
64.     <div class="modal-dialog modal-dialog-centered">↵
65.         <div class="modal-content" id="errorMessageContent">↵
66.             <div class="modal-header">↵
67.                 <h5 class="modal-title"
68.                 id="errorMessageTitle">PLACEHOLDER</h5>↵
69.                 <button type="button" class="btn-close" data-bs-
70.                 dismiss="modal" aria-label="Close">↵
71.                 </button>↵
72.             </div>↵
73.             <div class="modal-body" id="errorMessageBody">↵
74.             ↵
75.             </div>↵
76.         </div>↵
77.     </div>↵
78.     <script src="http://lbaw2116.lbaw.fe.up.pt/js/errormodal.js" defer="">
79.     </script>↵
80.     <main>↵
81.         <header>↵
82.             <!-- Navbar -->↵
83.             <div id="alert-placeholder">↵
84.             ↵
85.             ↵
86.             <link href="http://lbaw2116.lbaw.fe.up.pt/css/alert.css"
87.             rel="stylesheet">↵
88.             <script src="http://lbaw2116.lbaw.fe.up.pt/js/alert.js" defer="">
89.             </script>↵
90.             <nav>↵
91.                 <div class="p-3 text-center text-white">↵
92.                     <div class="container">↵
93.                         <div class="row d-flex align-items-center justify-content-
94.                         between">↵
95.                             <div class="col-md-4 d-flex justify-content-center justify-
96.                             content-md-start mb-3 mb-md-0">↵
97.                                 <a href="http://lbaw2116.lbaw.fe.up.pt" class="ms-md-2">↵
98.                                     ↵
100.                                 </a>↵
101.                             </div>↵
102.                             <div class="col-md-4">↵
103.                                 <form id="search-products-form" class="d-flex input-group
104.                                 w-auto my-auto mb-3 mb-md-0">↵
105.                                     <input id="search-products-input" autocomplete="off"
106.                                     type="search" class="form-control rounded" placeholder="Search">↵
107.                                 </form>↵
108.                             </div>↵
109.                             <div class="col-md-4 d-flex justify-content-center justify-
110.                             content-md-end align-items-center">↵
111.                                 <div class="d-flex align-items-center justify-content-
112.                                 between" id="header-icons">↵
113.                                     <div>↵
114.                                         <a id="cart-dropdown" class="text-reset hidden-arrow" data-bs-
115.                                         toggle="dropdown" aria-expanded="false" href="#">↵
116.                                             <i class="bi bi-cart-fill" style="color: #000000; font-
117.                                             size:1.5em;"></i>↵
118.                                         </a>↵
119.                                         <ul id="cart-dropdown-menu" class="dropdown-menu dropdown-menu-
120.                                         end" aria-labelledby="cart-dropdown">↵
121.                                             <li id="cart-dropdown-menu-content">↵
122.                                             ↵
123.                                             </li>↵
124.                                         </ul>↵
125.                                     </div>↵
126.                                     <div>↵
127.                                         <a href="http://lbaw2116.lbaw.fe.up.pt/users
128.                                         /wishlist">↵
129.                                             <i class="bi bi-bookmark-heart-fill" style="color:
130.                                             #000000; font-size:1.5em;"></i>↵
131.                                         </a>↵

```

```

119.         </div>↵
120.         <!-- Notification -->↵
121.         <div class="dropdown">↵
122.             <a class="text-reset me-1 hidden-arrow" href="#"
id="notification-dropdown" data-bs-toggle="dropdown" aria-
expanded="false">↵
123.                 <i class="bi bi-bell-fill" style="color:
#000000; font-size:1.5em;"></i>↵
124.             </a>↵
125.             <ul id="notification-content" class="dropdown-menu
dropdown-menu-end" aria-labelledby="notification-dropdown">↵
126.                 <li style="cursor: pointer;"><div class="dropdown-
item">↵
127.                     <p class="text-center">There was an update to
your order:</p>↵
128.                     <div>↵
129.                         <h6 class="text-center">Order 1 is now <a
class="badge rounded-pill badge-decoration-none badge-shipped ">↵
130.                             SHIPPED↵
131.                         </a></h6>↵
132.                     </div>↵
133.                 </div><div class="dropdown-divider"></div>
</li><li style="cursor: pointer;"><div class="dropdown-item">↵
134.                     <p class="text-center">There was an update to
your order:</p>↵
135.                     <div>↵
136.                         <h6 class="text-center">Order 23 is now <a
class="badge rounded-pill badge-decoration-none badge-shipped ">↵
137.                             SHIPPED↵
138.                         </a></h6>↵
139.                     </div>↵
140.                 </div><div class="dropdown-divider"></div>
</li><li style="cursor: pointer;"><div class="dropdown-item">↵
141.                     <p class="text-center">There was an update to
your order:</p>↵
142.                     <div>↵
143.                         <h6 class="text-center">Order 23 is now <a
class="badge rounded-pill badge-decoration-none badge-processing ">↵
144.                             PROCESSING↵
145.                         </a></h6>↵
146.                     </div>↵
147.                 </div><div class="dropdown-divider"></div>
</li><li style="cursor: pointer;"><div class="dropdown-item">↵
148.                     <p class="text-center">There was an update to
your order:</p>↵
149.                     <div>↵
150.                         <h6 class="text-center">Order 23 is now <a
class="badge rounded-pill badge-decoration-none badge-paid ">↵
151.                             PAID↵
152.                         </a></h6>↵
153.                     </div>↵
154.                 </div><div class="dropdown-divider"></div>
</li><li style="cursor: pointer;"><div class="dropdown-item">↵
155.                     <p class="text-center">There was an update to
your order:</p>↵
156.                     <div>↵
157.                         <h6 class="text-center">Order 23 is now <a
class="badge rounded-pill badge-decoration-none badge-created ">↵
158.                             CREATED↵
159.                         </a></h6>↵
160.                     </div>↵
161.                 </div><div class="dropdown-divider"></div>
</li><div id="next-page-btn" class="d-flex justify-content-center
align-items-center"><i class="bi bi-arrow-down-circle-fill btn next-
page-search" style="font-size: 1.5em;"></i></div></ul>↵
162.         </div>↵
163.         ↵
164.         <div class="notification-number" style="visibility:
visible;">↵
165.             <div class="new-notif"></div>↵
166.         </div>↵
167.         <!-- User -->↵
168.         <div class="dropdown">↵
169.             <a class="text-reset d-flex align-items-center hidden-
arrow" href="#" id="user-drodown" data-bs-toggle="dropdown" aria-

```

```

expanded="false">
170.         
171.         <h5 id="header-user-name"
class="px-3 mt-1" style="color: #000000;">
172.             Terrence
173.         </h5>
174.     </a>
175.     <ul class="dropdown-menu" aria-labelledby="user-
dropdown">
176.         <li><a class="dropdown-item"
href="http://lbaw2116.lbaw.fe.up.pt/users/6">My profile</a></li>
177.         <li><a class="dropdown-item"
href="http://lbaw2116.lbaw.fe.up.pt/users/6/private">Settings</a>
</li>
178.         <li><form method="POST" class="col"
action="http://lbaw2116.lbaw.fe.up.pt/logout">
179.             <input type="hidden" name="_token"
value="p8PrkPWQ82Hb4RyiySvPSoxWWiqHtr4TKoVK5zBB">
<button type="submit" class="dropdown-item form-control"> Logout
</button>
180.         </form></li>
181.     </ul>
182. </div>
183. </div>
184. </div>
185. </div>
186. </div>
187. </div>
188.
189. </nav>
190.
191.
192. <script>
193.     window.addEventListener("load", () => {
194.         const notification = document.querySelector("#notification-
dropdown i");
195.         const notificationNumber =
document.querySelector(".notification-number");
196.         const notificationContent =
document.getElementById("notification-content");
197.
198.         let skip = 0;
199.
200.         const removeButton = () => {
201.             const prev = document.getElementById("next-page-btn");
202.             if (prev) {
203.                 prev.remove();
204.             }
205.         }
206.
207.         const createButton = () => {
208.             const button = buildNextNotificationButton();
209.             button.addEventListener('click', (e) => {
210.                 get(`/api/users/6/notifications?skip=${skip}`)
211.                 .then(data => {
212.                     handleNextRequest(data.data);
213.                 });
214.                 e.stopPropagation();
215.             });
216.             notificationContent.appendChild(button);
217.         }
218.
219.         function addParsed(parsed, content) {
220.             parsed.appendChild(getDivider());
221.             content.appendChild(parsed);
222.         }
223.
224.         function prependParsed(parsed, content) {
225.             parsed.appendChild(getDivider());
226.             content.prepend(parsed);
227.         }
228.

```



```

229.     const handleNextRequest = (data) => {↵
230.         const notifications = data.notifications;↵
231.         notifications.forEach(noti => {↵
232.             const notif = parseNotification(noti);↵
233.             addParsed(notif, notificationContent);↵
234.         });↵
235. ↵
236.         if (data.new_nots > 0) {↵
237.             notificationNumber.style.visibility = "visible";↵
238.         }↵
239. ↵
240.         skip += notifications.length;↵
241. ↵
242.         removeButton();↵
243. ↵
244.         if (skip < data.total) {↵
245.             createButton();↵
246.         }↵
247.     }↵
248. ↵
249.     const handleNewRequest = (data) => {↵
250.         const notifications = data.notifications;↵
251.         notifications.forEach((noti, idx) => {↵
252.             const item = parseNotification(noti);↵
253.             if (item) {↵
254.                 addParsed(item, notificationContent);↵
255.             }↵
256.         });↵
257. ↵
258.         skip += notifications.length;↵
259.         removeButton();↵
260. ↵
261.         if (skip < data.total) {↵
262.             createButton();↵
263.         }↵
264.     }↵
265. ↵
266. ↵
267.     get(`/api/users/6/notifications`)↵
268.     .then(data => {↵
269.         handleNewRequest(data.data)↵
270. ↵
271.         if (data.data.new_nots > 0) {↵
272.             notificationNumber.style.visibility = "visible";↵
273.         }↵
274.     });↵
275. ↵
276. ↵
277.     // Enable pusher logging - don't include this in production↵
278.     // Pusher.logToConsole = true;↵
279. ↵
280.     const pusher = new Pusher('4c7db76f6f7fd6381f0e', {↵
281.         cluster: 'eu'↵
282.     });↵
283. ↵
284.     const handlePusherNotification = () => {↵
285.         skip++;↵
286.         notificationNumber.style.visibility = "visible";↵
287.         try{↵
288.             const audio = new Audio('/sounds/notif.wav');↵
289.             audio.play();↵
290.         } catch (e) {↵
291.             console.log(e);↵
292.         }↵
293. ↵
294.     }↵
295. ↵
296.     const channelProfileEdited = pusher.subscribe("profile-
edited");↵
297.     channelProfileEdited.bind("profile-edited-6", function(data)
{↵
298.         handlePusherNotification();↵
299.         const notif = buildEditedNotifcation(data);↵
300.         prependParsed(notif, notificationContent);↵
301.     });↵

```

[illegible]


```

362.         <input class="form-check-
input" onclick="styleChosenAddress(0)" type="radio" name="address-id"
value="2" id="address-radio0" checked="" required="">
363.         <label class="form-check-
label" for="address-id">
364.             Use this address
365.         </label>
366.     </div>
367. </div>
368. </div>
369. </div>
370. </div>
371.         <div class="accordion-item">
372.             <h2 class="accordion-header" id="address-
heading1">
373.                 <button class="accordion-button collapsed
" type="button" data-bs-toggle="collapse" data-bs-target="#address-
panel-collapse1" aria-expanded="false" aria-controls="address-panel-
collapse1" id="address-button1">
374.                     4595-472, Florence 76689
375.                 </button>
376.             </h2>
377.             <div id="address-panel-collapse1" data-bs-
parent="#addresses-accordion" class="accordion-collapse collapse "
aria-labelledby="address-heading1">
378.                 <div class="accordion-body row container
justify-content-between">
379.                     <div class="col-md-6">
380.                         Florence 76689<br>
381.                         4595-472<br>
382.                         Paços de Ferreira<br>
383.                         Porto<br>
384.                     </div>
385.                     <div class="col-md-4 d-flex justify-
content-end align-items-end">
386.                         <div class="form-check">
387.                             <input class="form-check-
input" onclick="styleChosenAddress(1)" type="radio" name="address-id"
value="56" id="address-radio1" required="">
388.                             <label class="form-check-
label" for="address-id">
389.                                 Use this address
390.                             </label>
391.                         </div>
392.                     </div>
393.                 </div>
394.             </div>
395.         </div>
396.     </div>
397. </section>
398. <section id="order-payment" class="mb-4 d-flex flex-
column">
399.     <h2 class="mb-4">Payment Method</h2>
400.     <div class="payment-option container mb-4">
401.         <div class="row justify-content-between">
402.             <div class="col-4 payment-image d-flex
justify-content-start align-items-center">
403.                 <i class="bi-paypal"></i>
404.             </div>
405.             <div class="col-lg-4 col-6 d-flex justify-
content-start align-items-center">
406.                 <div class="form-check">
407.                     <input class="form-check-input"
type="radio" name="payment-type" id="payment-radio-paypal"
value="paypal" required="">
408.                     <label class="form-check-label"
for="payment-type">
409.                         Pay with PayPal
410.                     </label>
411.                 </div>
412.             </div>
413.         </div>
414.     </div>
415. <div class="payment-option container mb-4">

```

```

416.             <div class="row justify-content-between">↵
417.                 <div class="col-4 d-flex justify-content-start
align-items-center payment-image">↵
418.                     <i class="bi-bank"></i>↵
419.                 </div>↵
420.                 <div class="col-lg-4 col-6 d-flex justify-
content-start align-items-center">↵
421.                     <div class="form-check">↵
422.                         <input class="form-check-input"
type="radio" name="payment-type" id="payment-radio-bank" value="bank"
required="">↵
423.                         <label class="form-check-label"
for="payment-type">↵
424.                             Pay with Bank Transfer↵
425.                         </label>↵
426.                     </div>↵
427.                 </div>↵
428.             </div>↵
429.         </div>↵
430.     </section>↵
431. </div>↵
432.     <div class="col-md-4 d-flex align-items-center justify-
content-start flex-column">↵
433.         <div class="my-4 w-75">↵
434.             <h4>Apply Coupon </h4>↵
435.             <input id="coupon-id" name="coupon-id" style="display:none">↵
436.             <div class="my-3 container">↵
437.                 <div class="row justify-content-between align-items-center">↵
438.                     <div class="col-10">↵
439.                         <input id="coupon" type="text" class="form-control">↵
440.                     </div>↵
441.                     <div class="col-2">↵
442.                         <i id="clear-coupon" class="bi bi-x-lg clear-coupon"
data-bs-toggle="tooltip" data-bs-placement="top" title="Remove
coupon"></i>↵
443.                     </div>↵
444.                 </div>↵
445.                 <div class="row mt-4 justify-content-center">↵
446.                     <a id="coupon-check-btn" class="btn btn-primary
col-10">Apply Coupon</a>↵
447.                 </div>↵
448.             </div>↵
449.         </div>↵
450.     ↵
451. <script>↵
452.     window.addEventListener('load', () => {↵
453.     ↵
454.         document.getElementById("coupon-check-
btn").addEventListener("click", (e) => {↵
455.             e.preventDefault();↵
456.             jsonBodyPost("/api/coupon/validate", {↵
457.                 code: document.getElementById("coupon").value,↵
458.                 total: 402.9,↵
459.             }).then((data) => {↵
460.                 const item = data.data;↵
461.                 document.getElementById("coupon-id").value = item.id;↵
462.                 document.querySelector("#order-total td").innerText =
`$${(402.9 * (1 - item.percentage)).toFixed(2)} €`;↵
463.                 document.querySelector("#coupon-used td").innerText =
`$${(item.percentage * 100).toFixed(2)}%`;↵
464.                 document.querySelector("#coupon-used").style.display =
"";↵
465.             }).catch((e) => {↵
466.                 console.log(e)↵
467.                 reportData("The given coupon does not exist or cannot
be applied to this order");↵
468.             });↵
469.         });↵
470.     ↵
471.     document.getElementById("clear-
coupon").addEventListener("click", () => {↵
472.         document.getElementById("coupon").value = "";↵
473.         document.getElementById("coupon-id").value = "";↵
474.         document.querySelector("#order-total td").innerText =
`402.9 €`;↵

```

```

475.         document.querySelector("#coupon-used").style.display =
"none";↵
476.     });↵
477. }↵
478. ↵
479. </script>         <div class="my-4 container">↵
480.     <div class="row mx-3">↵
481.         <h4>Order Summary</h4>↵
482.     </div>↵
483.     <br>↵
484.     <div class="row">↵
485.         <table id="vertical-1" style="border-spacing: 2em .5em;
border-collapse: inherit;">↵
486.             <tbody><tr id="coupon-used" style="display:none">↵
487.                 <th>Coupon Used</th>↵
488.                 <td>25%</td>↵
489.             </tr>↵
490.             <tr>↵
491.                 <th>Subtotal:</th>↵
492.                 <td id="order-subtotal">402.9 €</td>↵
493.             </tr>↵
494.                 <tr style="font-size: 1.2em;" id="order-
total">↵
495.                     <th>Total:</th>↵
496.                     <td>402.9 €</td>↵
497.                 </tr>↵
498.             ↵
499.                 </tbody></table>↵
500.         </div>↵
501.     </div>↵
502.         <div class="my-4 w-50 d-flex align-items-center justify-
content-center">↵
503.             <button type="submit" class="w-100 btn btn-
primary">Checkout</button>↵
504.         </div>↵
505.     </div>↵
506. </form>↵
507. </div>↵
508. ↵
509. <script defer="">↵
510.     function clearAllChosenAddresses() {↵
511.         let buttons = document.querySelectorAll(".selected-address");↵
512.         ↵
513.         buttons.forEach((btn) => {↵
514.             btn.classList.remove("bg-success");↵
515.             btn.classList.remove("text-light");↵
516.             btn.classList.remove("selected-address");↵
517.         })↵
518.     }↵
519.     ↵
520.     function styleChosenAddress(id) {↵
521.         clearAllChosenAddresses();↵
522.         ↵
523.         let addressBtn = document.getElementById(`address-button${id}`);↵
524.         addressBtn.classList.add("bg-success");↵
525.         addressBtn.classList.add("text-light");↵
526.         addressBtn.classList.add("selected-address");↵
527.     }↵
528. </script>↵
529. ↵
530.     </section>↵
531. </main>↵
532. ↵
533. ↵
534. ↵
535. </body></html>

```

Used the HTML parser.

Total execution time 36 milliseconds.

