

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report Options...

Check by text input ☐ CSS

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- CSRF Token -->
    <meta name="csrf-token" content="kEScGmCp4mctP8ym8uYoBKEMHGqcWpvQmbwKT43R">

    <title>reFurniture</title>

    <link rel="preconnect" href="https://fonts.googleapis.com">
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
    <link
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** Empty heading.

[From line 69, column 17; to line 69, column 63](#)

```
<h5 class="modal-title" id="errorMessageTitle"></h5>
```

Document checking completed.

Source

```
1. <!DOCTYPE html>↵
2. <html lang="en">↵
3.   <head>↵
4.     <meta charset="utf-8">↵
5.     <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
6.     <meta name="viewport" content="width=device-width, initial-
   scale=1">↵
7.   ↵
8.     <!-- CSRF Token -->↵
9.     <meta name="csrf-token"
   content="kEScGmCp4mctP8ym8uYoBKEMHGqcWpvQmbwKT43R">↵
10.  ↵
11.    <title>reFurniture</title>↵
12.  ↵
```

```

13.     <link rel="preconnect" href="https://fonts.googleapis.com">↵
14.     <link rel="preconnect" href="https://fonts.gstatic.com"
crossorigin">↵
15.     <link↵
16.         href="https://fonts.googleapis.com
/css2?family=DM+Serif+Display:ital@0;1&family=DM+Serif+Text:ital@0;
1&display=swap">↵
17.         rel="stylesheet">↵
18.     <link href="https://fonts.googleapis.com/css2?family=Alata&
display=swap" rel="stylesheet">↵
19.     <link href="http://localhost:8000/css/product.css"
rel="stylesheet">↵
20. ↵
21. ↵
22. ↵
23.     <!-- Styles -->↵
24.     <link href="http://localhost:8000/css/app.css" rel="stylesheet">↵
25.     <link href="http://localhost:8000/css/error.css"
rel="stylesheet">↵
26.     <link href="http://localhost:8000/css/utility.css"
rel="stylesheet">↵
27.     <link href="http://localhost:8000/css/notifications.css"
rel="stylesheet">↵
28.     <link href="http://localhost:8000/css/tabs.css" rel="stylesheet">↵
29.     <link href="http://localhost:8000/css/login.css"
rel="stylesheet">↵
30.     <link href="http://localhost:8000/css/checkout.css"
rel="stylesheet">↵
31.     <link href="http://localhost:8000/css/number.selector.css"
rel="stylesheet">↵
32.     <link href="http://localhost:8000/css/select.css"
rel="stylesheet">↵
33.     <link href="http://localhost:8000/css/cart.css" rel="stylesheet">↵
34.     <link href="http://localhost:8000/css/address.css"
rel="stylesheet">↵
35.     <link href="http://localhost:8000/css/product.css"
rel="stylesheet">↵
36.     <link href="http://localhost:8000/css/auxiliar.css"
rel="stylesheet">↵
37.     <link href="http://localhost:8000/css/home.css" rel="stylesheet">↵
38.     <script src="https://kit.fontawesome.com/lc937c97ed.js"
crossorigin="anonymous"></script>↵
39.     <script>↵
40.         // Fix for Firefox autofocus CSS bug↵
41.         // See: http://stackoverflow.com/questions/18943276/html-
5-autofocus-messes-up-css-loading/18945951#18945951↵
42.     </script>↵
43.     <script>↵
44.         window.__theme = 'bs5';↵
45.     </script>↵
46.     <script src=http://localhost:8000/js/app.js></script>↵
47.     <script src="https://js.pusher.com/7.0/pusher.min.js" defer>
</script>↵
48.     <script src=http://localhost:8000/js/lib/uniqueCheckbox.js defer>
</script>↵
49.     <script src=http://localhost:8000/js/lib/select.js defer>
</script>↵
50.     <link href="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist
/css/select2.min.css" rel="stylesheet" />↵
51.     <script src="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist
/js/select2.min.js" defer></script>↵
52.     <link rel="stylesheet" href="http://localhost:8000/css/select2-
bootstrap-5-theme.min.css">↵
53. ↵
54.     <script src=http://localhost:8000/js/ajax.js defer></script>↵
55.     <script src=http://localhost:8000/js/notifications.js defer>
</script>↵
56.     <script src=http://localhost:8000/js/axios.js defer></script>↵
57.     <script src=http://localhost:8000/js/numberSelector.js defer>
</script>↵
58.     <script src=http://localhost:8000/js/cart.js defer></script>↵
59.     <script src=http://localhost:8000/js/search.js defer></script>↵
60.     <script src=http://localhost:8000/js/userSearch.js defer>
</script>↵
61.     <script src=http://localhost:8000/js/address.js defer></script>↵

```

```

62.     <script src=http://localhost:8000/js/addProduct.js defer>
63. </script>↵
64. </head>↵
65.     <body>↵
66.         <div class="modal fade" id="errorMessage" tabindex="-1" aria-
67. labelledby="errorMessageTitle" aria-hidden="true">↵
68.             <div class="modal-dialog modal-dialog-centered">↵
69.                 <div class="modal-content" id="errorMessageContent">↵
70.                     <div class="modal-header">↵
71.                         <h5 class="modal-title" id="errorMessageTitle"></h5>↵
72.                         <button type="button" class="btn-close" data-bs-
73. dismiss="modal" aria-label="Close">↵
74.                         </button>↵
75.                     </div>↵
76.                     <div class="modal-body" id="errorMessageBody">↵
77.                     ↵
78.                     </div>↵
79.                 </div>↵
80.             </div>↵
81.     <script src="http://localhost:8000/js/errormodal.js" defer></script>↵
82.     <main>↵
83.         <header>↵
84.             <!-- Navbar -->↵
85.         <div id="alert-placeholder">↵
86.         ↵
87.         ↵
88.         ↵
89.         <link href="http://localhost:8000/css/alert.css" rel="stylesheet">↵
90.         <script src="http://localhost:8000/js/alert.js" defer></script>↵
91.         <nav>↵
92.             <div class="p-3 text-center text-white">↵
93.                 <div class="container">↵
94.                     <div class="row d-flex align-items-center justify-content-
95. between">↵
96.                         <div class="col-md-4 d-flex justify-content-center justify-
97. content-md-start mb-3 mb-md-0">↵
98.                             <a href=http://localhost:8000/products class="ms-md-2">↵
99.                                 ↵
101.                             </a>↵
102.                         </div>↵
103.                         <div class="col-md-4">↵
104.                             <form id="search-products-form" class="d-flex input-group
105. w-auto my-auto mb-3 mb-md-0">↵
106.                                 <input id="search-products-input" autocomplete="off"
107. type="search" class="form-control rounded" placeholder="Search" />↵
108.                                 <span class="input-group-text border-0 d-none d-lg-
109. flex"><i class="fas fa-search"></i></span>↵
110.                             </form>↵
111.                         </div>↵
112.                         <div class="col-md-4 d-flex justify-content-center justify-
113. content-md-end align-items-center">↵
114.                             <div class="d-flex align-items-center justify-content-
115. between" id="header-icons">↵
116.                                 <div>↵
117.                                     <a id="cart-dropdown" class="text-reset hidden-arrow" data-bs-
118. toggle="dropdown" aria-expanded="false" href="#">↵
119.                                         <i class="bi bi-cart-fill" style="color: #000000; font-
120. size:1.5em;"></i>↵
121.                                     </a>↵
122.                                     <ul id="cart-dropdown-menu" class="dropdown-menu dropdown-menu-
123. end" aria-labelledby="cart-dropdown">↵
124.                                         <li id="cart-dropdown-menu-content">↵
125.                                         ↵
126.                                         </li>↵
127.                                     </ul>↵
128.                                 </div>↵
129.                                 <div>↵
130.                                     <a href=http://localhost:8000/users/wishlist>↵
131.                                         <i class="bi bi-bookmark-heart-fill" style="color:
132. #000000; font-size:1.5em;"></i>↵

```

```

122.         </a>↵
123.     </div>↵
124.     <!-- Notification -->↵
125.     <div class="dropdown">↵
126.         <a class="text-reset me-1 hidden-arrow" href="#"
id="notification-dropdown"↵
127.             data-bs-toggle="dropdown" aria-expanded="false">↵
128.             <i class="bi bi-bell-fill" style="color:
#000000; font-size:1.5em;"></i>↵
129.         </a>↵
130.         <ul id="notification-content" class="dropdown-menu
dropdown-menu-end" aria-labelledby="notification-dropdown">↵
131.             </ul>↵
132.     </div>↵
133. ↵
134.     <div class="notification-number">↵
135.         <div class="new-notif"></div>↵
136.     </div>↵
137.         <!-- User -->↵
138.         <div class="dropdown">↵
139.             <a class="text-reset d-flex align-items-center hidden-
arrow" href="#"↵
140.                 id="user-drodown" data-bs-toggle="dropdown" aria-
expanded="false">↵
141.                 <img id="header-user-img"
src=http://localhost:8000/images/user/person8.jpg class="rounded-
circle" height="25" width="25" alt="" loading="lazy" />↵
142.                 <h5 id="header-user-name"
class="px-3 mt-1" style="color: #000000;">↵
143.                     Hogan↵
144.                 </h5>↵
145.             </a>↵
146.             <ul class="dropdown-menu" aria-labelledby="user-
drodown">↵
147.                 <li><a class="dropdown-item"
href=http://localhost:8000/users/10>My profile</a></li>↵
148.                 <li><a class="dropdown-item"
href=http://localhost:8000/users/10/private>Settings</a></li>↵
149.                 <li><form method="POST" class="col"
action="http://localhost:8000/logout">↵
150.                     <input type="hidden" name="_token"
value="kEScGmCp4mctP8ym8uYoBKEMHGqcWpvQmbwKT43R">↵
151.                     <button type="submit" class="dropdown-item form-control"> Logout
</button>↵
152.                 </form></li>↵
153.             </ul>↵
154.         </div>↵
155.     </div>↵
156. </div>↵
157. </div>↵
158. </div>↵
159. ↵
160. </nav>↵
161. ↵
162. ↵
163. <script>↵
164.     window.addEventListener("load", () => {↵
165.         const notification = document.querySelector("#notification-
dropdown i");↵
166.         const notificationNumber =
document.querySelector(".notification-number");↵
167.         const notificationContent =
document.getElementById("notification-content");↵
168.         ↵
169.         let skip = 0;↵
170.         ↵
171.         const removeButton = () => {↵
172.             const prev = document.getElementById("next-page-btn");↵
173.             if (prev) {↵
174.                 prev.remove();↵
175.             }↵
176.         }↵
177.         ↵
178.         const createButton = () => {↵

```

```

179.         const button = buildNextNotificationButton();↵
180.         button.addEventListener('click', (e) => {↵
181.             get(`/api/users/10/notifications?skip=${skip}`)↵
182.                 .then(data => {↵
183.                     handleNextRequest(data.data);↵
184.                 });↵
185.             e.stopPropagation();↵
186.         });↵
187.         notificationContent.appendChild(button);↵
188.     }↵
189. ↵
190.     const handleNextRequest = (data) => {↵
191.         const notifications = data.notifications;↵
192.         notifications.forEach(noti => {↵
193.             const notif = parseNotification(noti);↵
194.             notificationContent.appendChild(notif);↵
195.             notificationContent.appendChild(getDivider());↵
196.         });↵
197. ↵
198.         if (data.new_nots > 0) {↵
199.             notificationNumber.style.visibility = "visible";↵
200.             console.log('new notif');↵
201.         }↵
202. ↵
203.         skip += notifications.length;↵
204. ↵
205.         removeButton();↵
206. ↵
207.         if (skip < data.total) {↵
208.             createButton();↵
209.         }↵
210.     }↵
211. ↵
212.     const handleNewRequest = (data) => {↵
213.         const notifications = data.notifications;↵
214.         notifications.forEach((noti, idx) => {↵
215.             const item = parseNotification(noti);↵
216.             if (item) {↵
217.                 notificationContent.appendChild(item);↵
218.                 notificationContent.appendChild(getDivider());↵
219.             }↵
220.         });↵
221. ↵
222.         skip += notifications.length;↵
223.         removeButton();↵
224. ↵
225.         if (skip < data.total) {↵
226.             createButton();↵
227.         }↵
228.     }↵
229. ↵
230. ↵
231.     get(`/api/users/10/notifications`)↵
232.         .then(data => {↵
233.             handleNewRequest(data.data)↵
234. ↵
235.             if (data.data.new_nots > 0) {↵
236.                 notificationNumber.style.visibility = "visible";↵
237.             }↵
238.         });↵
239. ↵
240. ↵
241.     // Enable pusher logging - don't include this in production↵
242.     Pusher.logToConsole = true;↵
243. ↵
244.     const pusher = new Pusher('4c7db76f6f7fd6381f0e', {↵
245.         cluster: 'eu'↵
246.     });↵
247. ↵
248.     const handlePusherNotification = () => {↵
249.         skip++;↵
250.         notificationNumber.style.visibility = "visible";↵
251.         try{↵
252.             const audio = new Audio('/sounds/notif.wav');↵
253.             audio.play();↵

```

```

254.         } catch (e) {↵
255.             console.log(e);↵
256.         }↵
257.     ↵
258.     }↵
259.     ↵
260.     const channelProfileEdited = pusher.subscribe("profile-
edited");↵
261.     channelProfileEdited.bind("profile-edited-10", function(data)
{↵
262.         handlePusherNotification();↵
263.         const notif = buildEditedNotification(data);↵
264.         notificationContent.prepend(getDivider());↵
265.         notificationContent.prepend(notif);↵
266.     });↵
267.     ↵
268.     const channelOrderStatus = pusher.subscribe("order-status");↵
269.     channelOrderStatus.bind("order-status-10", function(data) {↵
270.         handlePusherNotification();↵
271.         const notif = buildOrderNotification(data);↵
272.         notificationContent.prepend(getDivider());↵
273.         notificationContent.prepend(notif);↵
274.     });↵
275.     ↵
276.     const cartItemUpdated = pusher.subscribe("cart-item");↵
277.     cartItemUpdated.bind("cart-item-10", function(data) {↵
278.         handlePusherNotification();↵
279.         const notif = buildCartNotification(data);↵
280.         notificationContent.prepend(getDivider());↵
281.         notificationContent.prepend(notif);↵
282.     });↵
283.     ↵
284.     const wishlistItemUpdated = pusher.subscribe("wishlist-
item");↵
285.     wishlistItemUpdated.bind("wishlist-item-10", function(data) {↵
286.         handlePusherNotification();↵
287.         const notif = buildWishlistNotification(data);↵
288.         notificationContent.prepend(getDivider());↵
289.         notificationContent.prepend(notif);↵
290.     });↵
291.     ↵
292.     notification.addEventListener("click", () => {↵
293.         formDataPost(`/api/users/10/notifications/`)↵
294.         .then(data => {↵
295.             console.log(data);↵
296.             notificationNumber.style.visibility = "hidden";↵
297.         });↵
298.     });↵
299.     ↵
300.     });↵
301.     ↵
302. </script>↵
303.     ↵
304.     </header>↵
305.     <section id="content">↵
306.         <div class="container h-100 my-3">↵
307.             <div class="row">↵
308.                 <div class="col-md-3 col-sm-12 container">↵
309.                     <div class="d-flex justify-content-center align-items-
center flex-column">↵
310.                         <div class="w-50">↵
311.                             <img
id="user-img" src=http://localhost:8000/images/user/person8.jpg
class="img-fluid" alt="" loading="lazy" />↵
312.                             </div>↵
313.                             <div class="w-100">↵
314.                                 <h3 id="name-profile"
class="text-center" style="overflow-wrap: break-word;">Hogan
Calvert</h3>↵
315.                                 </div>↵
316.                             </div>↵
317.                             ↵
318.                             <div class="my-3 mx-2">↵
319.                                 <div class="accordion accordion-flush"
id="accordionFlushExample">↵

```



```

320.             <div class="accordion-item">↵
321.             <h2 class="accordion-header menu-collapse-btn"
id="flush-heading0ne">↵
322.                 <button class="accordion-button collapsed bg-
primary text-white" type="button" data-bs-toggle="collapse" data-bs-
target="#flush-collapse0ne" aria-expanded="false" aria-
controls="flush-collapse0ne">↵
323.                     Menu↵
324.                 </button>↵
325.             </h2>↵
326.             <div id="flush-collapse0ne" class="accordion-
collapse collapse dont-collapse-sm" aria-labelledby="flush-heading0ne"
data-bs-parent="#accordionFlushExample">↵
327.                 <div class="accordion-body">↵
328.                     <ul class="nav nav-tabs v-nav-tabs flex-
column mb-5">↵
329.                         <li class="nav-item">↵
330.                             <a class="nav-link active" href=http://localhost:8000
/users/10> About Me </a>↵
331.                         </li>↵
332.                         <li class="nav-item">↵
333.                             <a class="nav-link" href=http://localhost:8000/users
/10/private> Edit Personal Data </a>↵
334.                         </li>↵
335.                         <li class="nav-item">↵
336.                             <a class="nav-link" href=http://localhost:8000/users
/10/private/addresses> Manage Addresses </a>↵
337.                         </li>↵
338.                         <li class="nav-item">↵
339.                             <a class="nav-link" href=http://localhost:8000/users
/orders> Purchase History </a>↵
340.                         </li>↵
341.                         <li class="nav-item">↵
342.                             <a class="nav-link" href=http://localhost:8000/users
/wishlist> Wishlist </a>↵
343.                         </li>↵
344.                     </ul>↵
345.                 ↵
346.                 ↵
347.                 <form method="POST" action="http://localhost:8000/logout">↵
348.                     <input type="hidden" name=" token"
value="kEScGmCp4mctP8ym8uYoBKEMHGqcWpvQmbwKT43R">↵ <button
type="submit" class="my-2 btn btn-primary form-control"> Logout
</button>↵
349.                 </form>↵
350.                 <a id="show-delete-confirm" class="my-2 btn btn-danger w-100">
Delete Account </a>↵
351.             ↵
352.             </div>↵
353.         </div>↵
354.     </div>↵
355. </div>↵
356. </div>↵
357. </div>↵
358. <div class="col-md-9 col-sm-12 container">↵
359.     <div>↵
360.         <h3>About Hogan Calvert</h3>↵
361.         <p style="white-space: break-spaces;">Proin leo odio, porttitor
id, consequat in, consequat ut, nulla. Sed accumsan felis. Ut at dolor
quis odio consequat varius.</p>↵
362.     </div>↵
363. <div>↵
364.     <h3>Placeholder for Reviews</h3>↵
365. </div>↵
366. </div>↵
367. </div>↵
368. </div> </section>↵
369. </main>↵
370. </body>↵
371. ↵
372. </html>

```

Used the HTML parser.

Total execution time 22 milliseconds.

