

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by text input ▼

Enter the URL for an HTML, CSS, or SVG document

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

1. **Warning** Empty heading.

[From line 69, column 17; to line 69, column 63](#)

```
<h5 class="modal-title" id="errorMessageTitle"></h5>
```

2. **Error** The value of the `for` attribute of the `label` element must be the ID of a non-hidden form control.

[From line 717, column 17; to line 717, column 52](#)

```
<label for="zip" class="form-label">
```

Document checking completed.

Source

```
1. <!DOCTYPE html>
2. <html lang="en">
3.   <head>
4.     <meta charset="utf-8">
5.     <meta http-equiv="X-UA-Compatible" content="IE=edge">
6.     <meta name="viewport" content="width=device-width, initial-
scale=1">
7.   <!-- CSRF Token -->
8.   <meta name="csrf-token"
content="kEScGmCp4mctP8ym8uYoBKEMHGqcWpvQmbwKT43R">
9.   <title>reFurniture</title>
10.  <link rel="preconnect" href="https://fonts.googleapis.com">
11.  <link rel="preconnect" href="https://fonts.gstatic.com"
crossorigin>
12.  <link
href="https://fonts.googleapis.com
/css2?family=DM+Serif+Display:ital@0;1&family=DM+Serif+Text:ital@0;
1&display=swap">
```

```

17.         rel="stylesheet">↵
18.         <link href="https://fonts.googleapis.com/css2?family=Alata&
display=swap" rel="stylesheet">↵
19.         <link href="http://localhost:8000/css/product.css"
rel="stylesheet">↵
20.     ↵
21.     ↵
22.     ↵
23.         <!-- Styles -->↵
24.         <link href="http://localhost:8000/css/app.css" rel="stylesheet">↵
25.         <link href="http://localhost:8000/css/error.css"
rel="stylesheet">↵
26.         <link href="http://localhost:8000/css/utility.css"
rel="stylesheet">↵
27.         <link href="http://localhost:8000/css/notifications.css"
rel="stylesheet">↵
28.         <link href="http://localhost:8000/css/tabs.css" rel="stylesheet">↵
29.         <link href="http://localhost:8000/css/login.css"
rel="stylesheet">↵
30.         <link href="http://localhost:8000/css/checkout.css"
rel="stylesheet">↵
31.         <link href="http://localhost:8000/css/number.selector.css"
rel="stylesheet">↵
32.         <link href="http://localhost:8000/css/select.css"
rel="stylesheet">↵
33.         <link href="http://localhost:8000/css/cart.css" rel="stylesheet">↵
34.         <link href="http://localhost:8000/css/address.css"
rel="stylesheet">↵
35.         <link href="http://localhost:8000/css/product.css"
rel="stylesheet">↵
36.         <link href="http://localhost:8000/css/auxiliar.css"
rel="stylesheet">↵
37.         <link href="http://localhost:8000/css/home.css" rel="stylesheet">↵
38.         <script src="https://kit.fontawesome.com/lc937c97ed.js"
crossorigin="anonymous"></script>↵
39.         <script>↵
40.             // Fix for Firefox autofocus CSS bug↵
41.             // See: http://stackoverflow.com/questions/18943276/html-
5-autofocus-messes-up-css-loading/18945951#18945951↵
42.         </script>↵
43.         <script>↵
44.             window.__theme = 'bs5';↵
45.         </script>↵
46.         <script src=http://localhost:8000/js/app.js></script>↵
47.         <script src="https://js.pusher.com/7.0/pusher.min.js" defer>
</script>↵
48.         <script src=http://localhost:8000/js/lib/uniqueCheckbox.js defer>
</script>↵
49.         <script src=http://localhost:8000/js/lib/select.js defer>
</script>↵
50.         <link href="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist
/css/select2.min.css" rel="stylesheet" />↵
51.         <script src="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist
/js/select2.min.js" defer></script>↵
52.         <link rel="stylesheet" href="http://localhost:8000/css/select2-
bootstrap-5-theme.min.css">↵
53.     ↵
54.         <script src=http://localhost:8000/js/ajax.js defer></script>↵
55.         <script src=http://localhost:8000/js/notifications.js defer>
</script>↵
56.         <script src=http://localhost:8000/js/axios.js defer></script>↵
57.         <script src=http://localhost:8000/js/numberSelector.js defer>
</script>↵
58.         <script src=http://localhost:8000/js/cart.js defer></script>↵
59.         <script src=http://localhost:8000/js/search.js defer></script>↵
60.         <script src=http://localhost:8000/js/userSearch.js defer>
</script>↵
61.         <script src=http://localhost:8000/js/address.js defer></script>↵
62.         <script src=http://localhost:8000/js/addProduct.js defer>
</script>↵
63.     </head>↵
64.     <body>↵
65.         <div class="modal fade" id="errorMessage" tabindex="-1" aria-
labelledby="errorMessageTitle" aria-hidden="true">↵
66.         <div class="modal-dialog modal-dialog-centered">↵

```

```

67.         <div class="modal-content" id="errorMessageContent">↵
68.             <div class="modal-header">↵
69.                 <h5 class="modal-title" id="errorMessageTitle"></h5>↵
70.                 <button type="button" class="btn-close" data-bs-
dismiss="modal" aria-label="Close">↵
71.                 </button>↵
72.             </div>↵
73.             <div class="modal-body" id="errorMessageBody">↵
74. ↵
75.                 </div>↵
76.             </div>↵
77.         </div>↵
78.     </div>↵
79. ↵
80.     <script src="http://localhost:8000/js/errormodal.js" defer></script>↵
81.     <main>↵
82.         <header>↵
83.             <!-- Navbar -->↵
84.             <div id="alert-placeholder">↵
85.             </div>↵
86. ↵
87. ↵
88. ↵
89.             <link href="http://localhost:8000/css/alert.css" rel="stylesheet">↵
90.             <script src="http://localhost:8000/js/alert.js" defer></script>↵
91.             <nav>↵
92.                 <div class="p-3 text-center text-white">↵
93.                     <div class="container">↵
94.                         <div class="row d-flex align-items-center justify-content-
between">↵
95.                             <div class="col-md-4 d-flex justify-content-center justify-
content-md-start mb-3 mb-md-0">↵
96.                                 <a href=http://localhost:8000/products class="ms-md-2">↵
97.                                     ↵
98.                                 </a>↵
99.                             </div>↵
100. ↵
101.                             <div class="col-md-4">↵
102.                                 <form id="search-products-form" class="d-flex input-group
w-auto my-auto mb-3 mb-md-0">↵
103.                                     <input id="search-products-input" autocomplete="off"
type="search" class="form-control rounded" placeholder="Search" />↵
104.                                     <span class="input-group-text border-0 d-none d-lg-
flex"><i class="fas fa-search"></i></span>↵
105.                                 </form>↵
106.                             </div>↵
107. ↵
108.                             <div class="col-md-4 d-flex justify-content-center justify-
content-md-end align-items-center">↵
109.                                 <div class="d-flex align-items-center justify-content-
between" id="header-icons">↵
110.                                     <div>↵
111.                                         <a id="cart-dropdown" class="text-reset hidden-arrow" data-bs-
toggle="dropdown" aria-expanded="false" href="#">↵
112.                                             <i class="bi bi-cart-fill" style="color: #000000; font-
size:1.5em;"></i>↵
113.                                         </a>↵
114.                                         <ul id="cart-dropdown-menu" class="dropdown-menu dropdown-menu-
end" aria-labelledby="cart-dropdown">↵
115.                                             <li id="cart-dropdown-menu-content">↵
116.                                             </li>↵
117.                                         </ul>↵
118.                                     </div>↵
119.                                     <div>↵
120.                                         <a href=http://localhost:8000/users/wishlist>↵
121.                                             <i class="bi bi-bookmark-heart-fill" style="color:
#000000; font-size:1.5em;"></i>↵
122.                                         </a>↵
123.                                     </div>↵
124.                                     <!-- Notification -->↵
125.                                     <div class="dropdown">↵
126.                                         <a class="text-reset me-1 hidden-arrow" href="#"
id="notification-dropdown">↵
127.                                             data-bs-toggle="dropdown" aria-expanded="false">↵

```

```

128.             <i class="bi bi-bell-fill" style="color:
#000000; font-size:1.5em;"></i>↵
129.             </a>↵
130.             <ul id="notification-content" class="dropdown-menu
dropdown-menu-end" aria-labelledby="notification-dropdown">↵
131.             </ul>↵
132.         </div>↵
133.     ↵
134.         <div class="notification-number">↵
135.             <div class="new-notif"></div>↵
136.         </div>↵
137.             <!-- User -->↵
138.             <div class="dropdown">↵
139.                 <a class="text-reset d-flex align-items-center hidden-
arrow" href="#"↵
140.                     id="user-drodown" data-bs-toggle="dropdown" aria-
expanded="false">↵
141.                     <img id="header-user-img"
src=http://localhost:8000/images/user/person8.jpg class="rounded-
circle" height="25" width="25" alt="" loading="lazy" />↵
142.                     <h5 id="header-user-name"
class="px-3 mt-1" style="color: #000000;">↵
143.                         Hogan↵
144.                     </h5>↵
145.                 </a>↵
146.                 <ul class="dropdown-menu" aria-labelledby="user-
drodown">↵
147.                     <li><a class="dropdown-item"
href=http://localhost:8000/users/10>My profile</a></li>↵
148.                     <li><a class="dropdown-item"
href=http://localhost:8000/users/10/private>Settings</a></li>↵
149.                     <li><form method="POST" class="col"
action="http://localhost:8000/logout">↵
150.                         <input type="hidden" name="_token"
value="kEScGmCp4mctP8ym8uYoBKEMHGqcWpvQmbwKT43R">↵
                        <button type="submit" class="dropdown-item form-control"> Logout
                        </button>↵
151.                     </form></li>↵
152.                 </ul>↵
153.             </div>↵
154.         </div>↵
155.     </div>↵
156. </div>↵
157. </div>↵
158. </div>↵
159. ↵
160. </nav>↵
161. ↵
162. ↵
163. <script>↵
164.     window.addEventListener("load", () => {↵
165.         const notification = document.querySelector("#notification-
dropdown i");↵
166.         const notificationNumber =
document.querySelector(".notification-number");↵
167.         const notificationContent =
document.getElementById("notification-content");↵
168.     ↵
169.         let skip = 0;↵
170.     ↵
171.         const removeButton = () => {↵
172.             const prev = document.getElementById("next-page-btn");↵
173.             if (prev) {↵
174.                 prev.remove();↵
175.             }↵
176.         }↵
177.     ↵
178.         const createButton = () => {↵
179.             const button = buildNextNotificationButton();↵
180.             button.addEventListener('click', (e) => {↵
181.                 get(`/api/users/10/notifications?skip=${skip}`)↵
182.                 .then(data => {↵
183.                     handleNextRequest(data.data);↵
184.                 });↵
185.                 e.stopPropagation();↵

```

```

186.     });↵
187.     notificationContent.appendChild(button);↵
188. }↵
189. ↵
190. const handleNextRequest = (data) => {↵
191.     const notifications = data.notifications;↵
192.     notifications.forEach(noti => {↵
193.         const notif = parseNotification(noti);↵
194.         notificationContent.appendChild(notif);↵
195.         notificationContent.appendChild(getDivider());↵
196.     });↵
197. ↵
198.     if (data.new_nots > 0) {↵
199.         notificationNumber.style.visibility = "visible";↵
200.         console.log('new notif');↵
201.     }↵
202. ↵
203.     skip += notifications.length;↵
204. ↵
205.     removeButton();↵
206. ↵
207.     if (skip < data.total) {↵
208.         createButton();↵
209.     }↵
210. }↵
211. ↵
212. const handleNewRequest = (data) => {↵
213.     const notifications = data.notifications;↵
214.     notifications.forEach((noti, idx) => {↵
215.         const item = parseNotification(noti);↵
216.         if (item) {↵
217.             notificationContent.appendChild(item);↵
218.             notificationContent.appendChild(getDivider());↵
219.         }↵
220.     });↵
221. ↵
222.     skip += notifications.length;↵
223.     removeButton();↵
224. ↵
225.     if (skip < data.total) {↵
226.         createButton();↵
227.     }↵
228. }↵
229. ↵
230. ↵
231. get(`/api/users/10/notifications`)↵
232.     .then(data => {↵
233.         handleNewRequest(data.data)↵
234. ↵
235.         if (data.data.new_nots > 0) {↵
236.             notificationNumber.style.visibility = "visible";↵
237.         }↵
238.     });↵
239. ↵
240. ↵
241. // Enable pusher logging - don't include this in production↵
242. Pusher.logToConsole = true;↵
243. ↵
244. const pusher = new Pusher('4c7db76f6f7fd6381f0e', {↵
245.     cluster: 'eu'↵
246. });↵
247. ↵
248. const handlePusherNotification = () => {↵
249.     skip++;↵
250.     notificationNumber.style.visibility = "visible";↵
251.     try{↵
252.         const audio = new Audio('/sounds/notif.wav');↵
253.         audio.play();↵
254.     } catch (e) {↵
255.         console.log(e);↵
256.     }↵
257. ↵
258. }↵
259. ↵
260. const channelProfileEdited = pusher.subscribe("profile-

```

```

edited");↵
261.     channelProfileEdited.bind("profile-edited-10", function(data)
    {↵
262.         handlePusherNotification();↵
263.         const notif = buildEditedNotification(data);↵
264.         notificationContent.prepend(getDivider());↵
265.         notificationContent.prepend(notif);↵
266.     });↵
267.     ↵
268.     const channelOrderStatus = pusher.subscribe("order-status");↵
269.     channelOrderStatus.bind("order-status-10", function(data) {↵
270.         handlePusherNotification();↵
271.         const notif = buildOrderNotification(data);↵
272.         notificationContent.prepend(getDivider());↵
273.         notificationContent.prepend(notif);↵
274.     });↵
275.     ↵
276.     const cartItemUpdated = pusher.subscribe("cart-item");↵
277.     cartItemUpdated.bind("cart-item-10", function(data) {↵
278.         handlePusherNotification();↵
279.         const notif = buildCartNotification(data);↵
280.         notificationContent.prepend(getDivider());↵
281.         notificationContent.prepend(notif);↵
282.     });↵
283.     ↵
284.     const wishlistItemUpdated = pusher.subscribe("wishlist-
item");↵
285.     wishlistItemUpdated.bind("wishlist-item-10", function(data) {↵
286.         handlePusherNotification();↵
287.         const notif = buildWishlistNotification(data);↵
288.         notificationContent.prepend(getDivider());↵
289.         notificationContent.prepend(notif);↵
290.     });↵
291.     ↵
292.     notification.addEventListener("click", () => {↵
293.         formDataPost(`/api/users/10/notifications/`)↵
294.         .then(data => {↵
295.             console.log(data);↵
296.             notificationNumber.style.visibility = "hidden";↵
297.         });↵
298.     });↵
299.     ↵
300.     });↵
301.     ↵
302. </script>↵
303.     ↵
304.     </header>↵
305.     <section id="content">↵
306.         <div class="container h-100 my-3">↵
307.             <div class="row">↵
308.                 <div class="col-md-3 col-sm-12 container">↵
309.                     <div class="d-flex justify-content-center align-items-
center flex-column">↵
310.                         <div class="w-50">↵
311.                             id="user-img" src=http://localhost:8000/images/user/person8.jpg <img
class="img-fluid" alt="" loading="lazy" />↵
312.                             </div>↵
313.                             <div class="w-100">↵
314.                                 <h3 id="name-profile"
class="text-center" style="overflow-wrap: break-word;">Hogan
Calvert</h3>↵
315.                                 </div>↵
316.                             </div>↵
317.                             ↵
318.                             <div class="my-3 mx-2">↵
319.                                 <div class="accordion accordion-flush"
id="accordionFlushExample">↵
320.                                     <div class="accordion-item">↵
321.                                         <h2 class="accordion-header menu-collapse-btn"
id="flush-headingOne">↵
322.                                             <button class="accordion-button collapsed bg-
primary text-white" type="button" data-bs-toggle="collapse" data-bs-
target="#flush-collapseOne" aria-expanded="false" aria-
controls="flush-collapseOne">↵

```



```

323.             Menu↵
324.         </button>↵
325.     </h2>↵
326.     <div id="flush-collapseOne" class="accordion-
collapse collapse dont-collapse-sm" aria-labelledby="flush-headingOne"
data-bs-parent="#accordionFlushExample">↵
327.         <div class="accordion-body">↵
328.             <ul class="nav nav-tabs v-nav-tabs flex-
column mb-5">↵
329.                 <li class="nav-item">↵
330.                     <a class="nav-link" href=http://localhost:8000/users/10>
About Me </a>↵
331.                 </li>↵
332.                 <li class="nav-item">↵
333.                     <a class="nav-link" href=http://localhost:8000/users
/10/private> Edit Personal Data </a>↵
334.                 </li>↵
335.                 <li class="nav-item">↵
336.                     <a class="nav-link active" href=http://localhost:8000
/users/10/private/addresses> Manage Addresses </a>↵
337.                 </li>↵
338.                 <li class="nav-item">↵
339.                     <a class="nav-link" href=http://localhost:8000/users
/orders> Purchase History </a>↵
340.                 </li>↵
341.                 <li class="nav-item">↵
342.                     <a class="nav-link" href=http://localhost:8000/users
/wishlist> Wishlist </a>↵
343.                 </li>↵
344.             </ul>↵
345.         ↵
346.         ↵
347.         <form method="POST" action="http://localhost:8000/logout">↵
348.             <input type="hidden" name=" token"
value="kEScGmCp4mctP8ym8uYoBKEMHGqcWpvQmbwKT43R">↵ <button
type="submit" class="my-2 btn btn-primary form-control"> Logout
</button>↵
349.         </form>↵
350.         <a id="show-delete-confirm" class="my-2 btn btn-danger w-100">
Delete Account </a>↵
351.     ↵
352.         </div>↵
353.     </div>↵
354. </div>↵
355. </div>↵
356. </div>↵
357. </div>↵
358. <div class="col-md-9 col-sm-12 container">↵
359.     <div id="address-root" class="accordion">↵
360.     <div id="address-root-1" class="accordion-item">↵
361.     <h2 class="accordion-header" id="address-heading1">↵
362.         <button↵
363.             class="accordion-button collapsed"↵
364.             type="button" data-bs-toggle="collapse"↵
365.             data-bs-target="#address-panel-collapse1"↵
366.             aria-expanded="false"↵
367.             aria-controls="address-panel-collapse1"↵
368.             id="address-button1">↵
369.             4925-346, Emmet 13↵
370.         </button>↵
371.     </h2>↵
372.     <div id="address-panel-collapse1"↵
373.         data-bs-parent="#address-root"↵
374.         class="accordion-collapse collapse"↵
375.         aria-labelledby="address-heading1"↵
376.     >↵
377.     <div class="accordion-body row container justify-content-
between align-items-center">↵
378.         <div class="col-6 address-info">↵
379.             Emmet 13<br>↵
380.             4925-346<br>↵
381.             Viana do Castelo<br>↵
382.             Viana do Castelo<br>↵
383.         </div>↵
384.     </div class="col-6 container">↵

```

```

385.         <div class="row justify-content-end">↵
386.             <i id="edit-address-1" class="bi bi-pencil-
square col-1 fs-4 px-0 btn edit-address-btn"></i>↵
387.             <i id="remove-address-1" class="bi bi-x-lg
col-1 fs-4 px-0 btn remove-address-btn"></i>↵
388.         </div>↵
389.     </div>↵
390. </div>↵
391. </div>↵
392. </div>↵
393.     <div id="address-root-6" class="accordion-item">↵
394.         <h2 class="accordion-header" id="address-heading6">↵
395.             <button↵
396.                 class="accordion-button collapsed"↵
397.                 type="button" data-bs-toggle="collapse"↵
398.                 data-bs-target="#address-panel-collapse6"↵
399.                 aria-expanded="false"↵
400.                 aria-controls="address-panel-collapse6"↵
401.                 id="address-button6">↵
402.                 2350-352, Kings 2482↵
403.             </button>↵
404.         </h2>↵
405.         <div id="address-panel-collapse6"↵
406.             data-bs-parent="#address-root"↵
407.             class="accordion-collapse collapse"↵
408.             aria-labelledby="address-heading6"↵
409.         >↵
410.             <div class="accordion-body row container justify-content-
between align-items-center">↵
411.                 <div class="col-6 address-info">↵
412.                     Kings 2482<br>↵
413.                     2350-352<br>↵
414.                     Torres Novas<br>↵
415.                     Santarém<br>↵
416.                 </div>↵
417.                 <div class="col-6 container">↵
418.                     <div class="row justify-content-end">↵
419.                         <i id="edit-address-6" class="bi bi-pencil-
square col-1 fs-4 px-0 btn edit-address-btn"></i>↵
420.                         <i id="remove-address-6" class="bi bi-x-lg
col-1 fs-4 px-0 btn remove-address-btn"></i>↵
421.                     </div>↵
422.                 </div>↵
423.             </div>↵
424.         </div>↵
425.     </div>↵
426.     <div id="address-root-10" class="accordion-item">↵
427.         <h2 class="accordion-header" id="address-heading10">↵
428.             <button↵
429.                 class="accordion-button collapsed"↵
430.                 type="button" data-bs-toggle="collapse"↵
431.                 data-bs-target="#address-panel-collapse10"↵
432.                 aria-expanded="false"↵
433.                 aria-controls="address-panel-collapse10"↵
434.                 id="address-button10">↵
435.                 6230-323, Lawn 11↵
436.             </button>↵
437.         </h2>↵
438.         <div id="address-panel-collapse10"↵
439.             data-bs-parent="#address-root"↵
440.             class="accordion-collapse collapse"↵
441.             aria-labelledby="address-heading10"↵
442.         >↵
443.             <div class="accordion-body row container justify-content-
between align-items-center">↵
444.                 <div class="col-6 address-info">↵
445.                     Lawn 11<br>↵
446.                     6230-323<br>↵
447.                     Fundação<br>↵
448.                     Castelo Branco<br>↵
449.                 </div>↵
450.                 <div class="col-6 container">↵
451.                     <div class="row justify-content-end">↵
452.                         <i id="edit-address-10" class="bi bi-pencil-
square col-1 fs-4 px-0 btn edit-address-btn"></i>↵

```



```

453.                 <i id="remove-address-10" class="bi bi-x-lg
col-1 fs-4 px-0 btn remove-address-btn"></i>↵
454.                 </div>↵
455.             </div>↵
456.         </div>↵
457.     </div>↵
458. </div>↵
459.     <div id="address-root-71" class="accordion-item">↵
460.     <h2 class="accordion-header" id="address-heading71">↵
461.         <button↵
462.             class="accordion-button collapsed"↵
463.             type="button" data-bs-toggle="collapse"↵
464.             data-bs-target="#address-panel-collapse71"↵
465.             aria-expanded="false"↵
466.             aria-controls="address-panel-collapse71"↵
467.             id="address-button71">↵
468.             asd↵
469.         </button>↵
470.     </h2>↵
471.     <div id="address-panel-collapse71"↵
472.         data-bs-parent="#address-root"↵
473.         class="accordion-collapse collapse"↵
474.         aria-labelledby="address-heading71"↵
475.     >↵
476.         <div class="accordion-body row container justify-content-
between align-items-center">↵
477.             <div class="col-6 address-info">↵
478.                 asd 123<br>↵
479.                 4415-620<br>↵
480.                 Vila Nova de Gaia<br>↵
481.                 Porto<br>↵
482.             </div>↵
483.             <div class="col-6 container">↵
484.                 <div class="row justify-content-end">↵
485.                     <i id="edit-address-71" class="bi bi-pencil-
square col-1 fs-4 px-0 btn edit-address-btn"></i>↵
486.                     <i id="remove-address-71" class="bi bi-x-lg
col-1 fs-4 px-0 btn remove-address-btn"></i>↵
487.                 </div>↵
488.             </div>↵
489.         </div>↵
490.     </div>↵
491. </div>↵
492.     <div id="address-root-72" class="accordion-item">↵
493.     <h2 class="accordion-header" id="address-heading72">↵
494.         <button↵
495.             class="accordion-button collapsed"↵
496.             type="button" data-bs-toggle="collapse"↵
497.             data-bs-target="#address-panel-collapse72"↵
498.             aria-expanded="false"↵
499.             aria-controls="address-panel-collapse72"↵
500.             id="address-button72">↵
501.             asd↵
502.         </button>↵
503.     </h2>↵
504.     <div id="address-panel-collapse72"↵
505.         data-bs-parent="#address-root"↵
506.         class="accordion-collapse collapse"↵
507.         aria-labelledby="address-heading72"↵
508.     >↵
509.         <div class="accordion-body row container justify-content-
between align-items-center">↵
510.             <div class="col-6 address-info">↵
511.                 asd 123<br>↵
512.                 4415-620<br>↵
513.                 Vila Nova de Gaia<br>↵
514.                 Porto<br>↵
515.             </div>↵
516.             <div class="col-6 container">↵
517.                 <div class="row justify-content-end">↵
518.                     <i id="edit-address-72" class="bi bi-pencil-
square col-1 fs-4 px-0 btn edit-address-btn"></i>↵
519.                     <i id="remove-address-72" class="bi bi-x-lg
col-1 fs-4 px-0 btn remove-address-btn"></i>↵
520.                 </div>↵

```

```

521.         </div>↵
522.     </div>↵
523. </div>↵
524. </div>↵
525.     <div id="address-root-73" class="accordion-item">↵
526.     <h2 class="accordion-header" id="address-heading73">↵
527.         <button↵
528.             class="accordion-button collapsed"↵
529.             type="button" data-bs-toggle="collapse"↵
530.             data-bs-target="#address-panel-collapse73"↵
531.             aria-expanded="false"↵
532.             aria-controls="address-panel-collapse73"↵
533.             id="address-button73">↵
534.             asd↵
535.         </button>↵
536.     </h2>↵
537.     <div id="address-panel-collapse73"↵
538.         data-bs-parent="#address-root"↵
539.         class="accordion-collapse collapse"↵
540.         aria-labelledby="address-heading73"↵
541.     >↵
542.         <div class="accordion-body row container justify-content-
between align-items-center">↵
543.             <div class="col-6 address-info">↵
544.                 asd 123<br>↵
545.                 4415-620<br>↵
546.                 Vila Nova de Gaia<br>↵
547.                 Porto<br>↵
548.             </div>↵
549.             <div class="col-6 container">↵
550.                 <div class="row justify-content-end">↵
551.                     <i id="edit-address-73" class="bi bi-pencil-
square col-1 fs-4 px-0 btn edit-address-btn"></i>↵
552.                     <i id="remove-address-73" class="bi bi-x-lg
col-1 fs-4 px-0 btn remove-address-btn"></i>↵
553.                 </div>↵
554.             </div>↵
555.         </div>↵
556.     </div>↵
557. </div>↵
558.     <div id="address-root-74" class="accordion-item">↵
559.     <h2 class="accordion-header" id="address-heading74">↵
560.         <button↵
561.             class="accordion-button collapsed"↵
562.             type="button" data-bs-toggle="collapse"↵
563.             data-bs-target="#address-panel-collapse74"↵
564.             aria-expanded="false"↵
565.             aria-controls="address-panel-collapse74"↵
566.             id="address-button74">↵
567.             123↵
568.         </button>↵
569.     </h2>↵
570.     <div id="address-panel-collapse74"↵
571.         data-bs-parent="#address-root"↵
572.         class="accordion-collapse collapse"↵
573.         aria-labelledby="address-heading74"↵
574.     >↵
575.         <div class="accordion-body row container justify-content-
between align-items-center">↵
576.             <div class="col-6 address-info">↵
577.                 123 123<br>↵
578.                 4415-610<br>↵
579.                 Vila Nova de Gaia<br>↵
580.                 Porto<br>↵
581.             </div>↵
582.             <div class="col-6 container">↵
583.                 <div class="row justify-content-end">↵
584.                     <i id="edit-address-74" class="bi bi-pencil-
square col-1 fs-4 px-0 btn edit-address-btn"></i>↵
585.                     <i id="remove-address-74" class="bi bi-x-lg
col-1 fs-4 px-0 btn remove-address-btn"></i>↵
586.                 </div>↵
587.             </div>↵
588.         </div>↵
589.     </div>↵

```

```

590.     </div>↵
591.     <div id="address-root-75" class="accordion-item">↵
592.     <h2 class="accordion-header" id="address-heading75">↵
593.         <button↵
594.             class="accordion-button collapsed"↵
595.             type="button" data-bs-toggle="collapse"↵
596.             data-bs-target="#address-panel-collapse75"↵
597.             aria-expanded="false"↵
598.             aria-controls="address-panel-collapse75"↵
599.             id="address-button75">↵
600.                 123↵
601.         </button>↵
602.     </h2>↵
603.     <div id="address-panel-collapse75"↵
604.         data-bs-parent="#address-root"↵
605.         class="accordion-collapse collapse"↵
606.         aria-labelledby="address-heading75"↵
607.     >↵
608.         <div class="accordion-body row container justify-content-
between align-items-center">↵
609.             <div class="col-6 address-info">↵
610.                 123 123<br>↵
611.                 4410-474<br>↵
612.                 Vila Nova de Gaia<br>↵
613.                 Porto<br>↵
614.             </div>↵
615.             <div class="col-6 container">↵
616.                 <div class="row justify-content-end">↵
617.                     <i id="edit-address-75" class="bi bi-pencil-
square col-1 fs-4 px-0 btn edit-address-btn"></i>↵
618.                     <i id="remove-address-75" class="bi bi-x-lg
col-1 fs-4 px-0 btn remove-address-btn"></i>↵
619.                 </div>↵
620.             </div>↵
621.         </div>↵
622.     </div>↵
623. </div>↵
624.     <div id="address-root-76" class="accordion-item">↵
625.     <h2 class="accordion-header" id="address-heading76">↵
626.         <button↵
627.             class="accordion-button collapsed"↵
628.             type="button" data-bs-toggle="collapse"↵
629.             data-bs-target="#address-panel-collapse76"↵
630.             aria-expanded="false"↵
631.             aria-controls="address-panel-collapse76"↵
632.             id="address-button76">↵
633.                 123↵
634.         </button>↵
635.     </h2>↵
636.     <div id="address-panel-collapse76"↵
637.         data-bs-parent="#address-root"↵
638.         class="accordion-collapse collapse"↵
639.         aria-labelledby="address-heading76"↵
640.     >↵
641.         <div class="accordion-body row container justify-content-
between align-items-center">↵
642.             <div class="col-6 address-info">↵
643.                 123 123<br>↵
644.                 4415-610<br>↵
645.                 Vila Nova de Gaia<br>↵
646.                 Porto<br>↵
647.             </div>↵
648.             <div class="col-6 container">↵
649.                 <div class="row justify-content-end">↵
650.                     <i id="edit-address-76" class="bi bi-pencil-
square col-1 fs-4 px-0 btn edit-address-btn"></i>↵
651.                     <i id="remove-address-76" class="bi bi-x-lg
col-1 fs-4 px-0 btn remove-address-btn"></i>↵
652.                 </div>↵
653.             </div>↵
654.         </div>↵
655.     </div>↵
656. </div>↵
657.     <div id="address-root-77" class="accordion-item">↵
658.     <h2 class="accordion-header" id="address-heading77">↵

```

```

659.         <button↵
660.             class="accordion-button collapsed"↵
661.             type="button" data-bs-toggle="collapse"↵
662.             data-bs-target="#address-panel-collapse77"↵
663.             aria-expanded="false"↵
664.             aria-controls="address-panel-collapse77"↵
665.             id="address-button77">↵
666.                 gsdfff↵
667.         </button>↵
668.     </h2>↵
669.     <div id="address-panel-collapse77"↵
670.         data-bs-parent="#address-root"↵
671.         class="accordion-collapse collapse"↵
672.         aria-labelledby="address-heading77"↵
673.     >↵
674.         <div class="accordion-body row container justify-content-
between align-items-center">↵
675.             <div class="col-6 address-info">↵
676.                 sadf asdf<br>↵
677.                 4415-572<br>↵
678.                 Vila Nova de Gaia<br>↵
679.                 Porto<br>↵
680.             </div>↵
681.             <div class="col-6 container">↵
682.                 <div class="row justify-content-end">↵
683.                     <i id="edit-address-77" class="bi bi-pencil-
square col-1 fs-4 px-0 btn edit-address-btn"></i>↵
684.                     <i id="remove-address-77" class="bi bi-x-lg
col-1 fs-4 px-0 btn remove-address-btn"></i>↵
685.                 </div>↵
686.             </div>↵
687.         </div>↵
688.     </div>↵
689. </div>↵
690. </div>↵
691. ↵
692. ↵
693. <a id="address-form-collapse-trigger" data-bs-toggle="collapse"
href="#address-form-collapse" role="button" aria-expanded="false"
aria-controls="address-form-collapse">↵
694. </a>↵
695. <div class="collapse" id="address-form-collapse">↵
696.     <div class="mb-5"></div>↵
697.     <form id="address-form">↵
698.         <div class="card card-body container">↵
699.             <div class="row justify-content-between">↵
700.                 <h4 class="col-6">New Address</h4>↵
701.                 <i id="close-window" class="col-2 bi bi-x-lg"></i>↵
702.             </div>↵
703.             <div class="row justify-content-center">↵
704.                 <div class="mb-3 col-12 col-lg-4">↵
705.                     <label for="address-name" class="form-label">Address
Name</label>↵
706.                     <input name="name" class="form-control" id="address-
name" placeholder="Address Name">↵
707.                 </div>↵
708.                 <div class="mb-3 col-12 col-lg-4">↵
709.                     <label for="street-name" class="form-
label">Street</label>↵
710.                     <input name="street" class="form-control" id="street-
name" placeholder="Street Name">↵
711.                 </div>↵
712.                 <div class="mb-3 col-12 col-lg-4">↵
713.                     <label for="door" class="form-label">Door</label>↵
714.                     <input name="door" class="form-control" id="door"
placeholder="1234">↵
715.                 </div>↵
716.                 <div class="mb-3 col-12 col-lg-4">↵
717.                     <label for="zip" class="form-label">↵
718.                         Zip Code↵
719.                     </label>↵
720.                     <div id="select-target-zip"></div>↵
721.                 </div>↵
722.             </div>↵
723.             <div class="mb-3 col-12 col-lg-4" data-bs-toggle="tooltip"

```

```

data-bs-placement="top" title="Choose a zip code and we will fill this
out for you">
724.         <label for="county" class="form-label">County</label>
725.         <input name="county" class="form-control" id="county"
placeholder="County" disabled readonly>
726.     </div>
727.     <div class="mb-3 col-12 col-lg-4" data-bs-toggle="tooltip"
data-bs-placement="top" title="Choose a zip code and we will fill this
out for you">
728.         <label for="district" class="form-
label">District</label>
729.         <input name="district" class="form-control"
id="district" placeholder="Distict" disabled readonly>
730.     </div>
731.     <button class="btn btn-primary mt-3 col-12 col-md-2"
type="submit">Submit</button>
732.     <input id="zip_code_id" name="zip_code_id"
style="visibility:collapse">
733. </div>
734. </div>
735. </form>
736. </div>
737.
738.
739. <div class="mb-5"></div>
740. <form>
741.     <div id="new-address" class="d-flex justify-content-center align-
items-center">
742.         <button class="btn btn-primary">Add a new address</button>
743.     </div>
744. </form>
745.
746.
747. <script>
748.     const userId = 10;
749.     const addresses = {};
750.
751.         addresses[ "1" ] = {
752.             zip_code: "4925-346",
753.             zip_code_id: "174850",
754.             street: "Emmet",
755.             door: "13",
756.             county: "Viana do Castelo",
757.             district: "Viana do Castelo",
758.             name: ""
759.         }
760.
761.         addresses[ "6" ] = {
762.             zip_code: "2350-352",
763.             zip_code_id: "152398",
764.             street: "Kings",
765.             door: "2482",
766.             county: "Torres Novas",
767.             district: "Santarém",
768.             name: ""
769.         }
770.
771.         addresses[ "10" ] = {
772.             zip_code: "6230-323",
773.             zip_code_id: "37175",
774.             street: "Lawn",
775.             door: "11",
776.             county: "Fundão",
777.             district: "Castelo Branco",
778.             name: ""
779.         }
780.
781.         addresses[ "71" ] = {
782.             zip_code: "4415-620",
783.             zip_code_id: "139864",
784.             street: "asd",
785.             door: "123",
786.             county: "Vila Nova de Gaia",
787.             district: "Porto",
788.             name: "asd"

```

```

789.     }↵
790. ↵
791.         addresses[ "72" ] = {↵
792.             zip_code: "4415-620",↵
793.             zip_code_id: "139864",↵
794.             street: "asd",↵
795.             door: "123",↵
796.             county: "Vila Nova de Gaia",↵
797.             district: "Porto",↵
798.             name: "asd"↵
799.         }↵
800. ↵
801.         addresses[ "73" ] = {↵
802.             zip_code: "4415-620",↵
803.             zip_code_id: "139864",↵
804.             street: "asd",↵
805.             door: "123",↵
806.             county: "Vila Nova de Gaia",↵
807.             district: "Porto",↵
808.             name: "asd"↵
809.         }↵
810. ↵
811.         addresses[ "74" ] = {↵
812.             zip_code: "4415-610",↵
813.             zip_code_id: "139863",↵
814.             street: "123",↵
815.             door: "123",↵
816.             county: "Vila Nova de Gaia",↵
817.             district: "Porto",↵
818.             name: "123"↵
819.         }↵
820. ↵
821.         addresses[ "75" ] = {↵
822.             zip_code: "4410-474",↵
823.             zip_code_id: "139335",↵
824.             street: "123",↵
825.             door: "123",↵
826.             county: "Vila Nova de Gaia",↵
827.             district: "Porto",↵
828.             name: "123"↵
829.         }↵
830. ↵
831.         addresses[ "76" ] = {↵
832.             zip_code: "4415-610",↵
833.             zip_code_id: "139863",↵
834.             street: "123",↵
835.             door: "123",↵
836.             county: "Vila Nova de Gaia",↵
837.             district: "Porto",↵
838.             name: "123"↵
839.         }↵
840. ↵
841.         addresses[ "77" ] = {↵
842.             zip_code: "4415-572",↵
843.             zip_code_id: "139865",↵
844.             street: "sadf",↵
845.             door: "asdf",↵
846.             county: "Vila Nova de Gaia",↵
847.             district: "Porto",↵
848.             name: "gsdfff"↵
849.         }↵
850. ↵
851.     ↵
852. </script>↵
853.     </div>↵
854. </div>↵
855. </div>    </section>↵
856. </main>↵
857. </body>↵
858. ↵
859. </html>

```

Used the HTML parser.

Total execution time 83 milliseconds.
