

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

### Checker Input

Show ☒ source ☐ outline ☐ image report Options...

Check by text input ☐ CSS

```
<!DOCTYPE html>
<html lang="en"><head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <!-- CSRF Token -->
  <meta name="csrf-token" content="p8PrkPWQ82Hb4RyiySvPSoxWWiqHtr4TKoVK5zBB">

  <title>reFurniture</title>

  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin="">
  <link href="https://fonts.googleapis.com/css2?family=DM+Serif+Display:ital@0;1&family=DM+Serif+Text:ital@0;1&display=swap" rel="stylesheet">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

### Message Filtering

- Error** Element `div` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)  
[From line 161, column 70; to line 161, column 150](#)  

```
/div></li><div id="next-page-btn" class="d-flex justify-content-center align-items-center"><i cla
```

Contexts in which element `div` may be used:

  - Where [flow content](#) is expected.
  - As a child of a [dl](#) element.

Content model for element `ul`:

  - Zero or more [li](#) and [script-supporting](#) elements.
- Error** Bad value `cart h-100` for attribute `id` on element `section`: An ID must not contain whitespace.  
[From line 338, column 1; to line 338, column 25](#)  

```
<<section id="cart h-100"><
```
- Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

[From line 336, column 7; to line 336, column 28](#)

```
er>..... <section id="content">.....
```

Document checking completed.

## Source

```
1. <!DOCTYPE html>↵
2. <html lang="en"><head>↵
3.     <meta charset="utf-8">↵
4.     <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
5.     <meta name="viewport" content="width=device-width, initial-
scale=1">↵
6.     ↵
7.     <!-- CSRF Token -->↵
8.     <meta name="csrf-token"
content="p8PrkPWQ82Hb4RyiySvPSoxWWiqHtr4TKoVK5zBB">↵
9.     ↵
10.    <title>reFurniture</title>↵
11.    ↵
12.    <link rel="preconnect" href="https://fonts.googleapis.com">↵
13.    <link rel="preconnect" href="https://fonts.gstatic.com"
crossorigin="">↵
14.    <link href="https://fonts.googleapis.com
/css2?family=DM+Serif+Display:ital@0;1&
family=DM+Serif+Text:ital@0;1&display=swap" rel="stylesheet">↵
15.    <link href="https://fonts.googleapis.com/css2?family=Alata&
display=swap" rel="stylesheet">↵
16.    <link href="http://lbaw2116.lbaw.fe.up.pt/css/product.css"
rel="stylesheet">↵
17.    ↵
18.    ↵
19.    ↵
20.    <!-- Styles -->↵
21.    <link href="http://lbaw2116.lbaw.fe.up.pt/css/app.css"
rel="stylesheet">↵
22.    <link href="http://lbaw2116.lbaw.fe.up.pt/css/error.css"
rel="stylesheet">↵
23.    <link href="http://lbaw2116.lbaw.fe.up.pt/css/utility.css"
rel="stylesheet">↵
24.    <link href="http://lbaw2116.lbaw.fe.up.pt/css/notifications.css"
rel="stylesheet">↵
25.    <link href="http://lbaw2116.lbaw.fe.up.pt/css/tabs.css"
rel="stylesheet">↵
26.    <link href="http://lbaw2116.lbaw.fe.up.pt/css/login.css"
rel="stylesheet">↵
27.    <link href="http://lbaw2116.lbaw.fe.up.pt/css/checkout.css"
rel="stylesheet">↵
28.    <link href="http://lbaw2116.lbaw.fe.up.pt/css/number.selector.css"
rel="stylesheet">↵
29.    <link href="http://lbaw2116.lbaw.fe.up.pt/css/select.css"
rel="stylesheet">↵
30.    <link href="http://lbaw2116.lbaw.fe.up.pt/css/cart.css"
rel="stylesheet">↵
31.    <link href="http://lbaw2116.lbaw.fe.up.pt/css/address.css"
rel="stylesheet">↵
32.    <link href="http://lbaw2116.lbaw.fe.up.pt/css/product.css"
rel="stylesheet">↵
33.    <link href="http://lbaw2116.lbaw.fe.up.pt/css/auxiliar.css"
rel="stylesheet">↵
34.    <link href="http://lbaw2116.lbaw.fe.up.pt/css/home.css"
rel="stylesheet">↵
35.    ↵
36.    <script>↵
37.        // Fix for Firefox autofocus CSS bug↵
38.        // See: http://stackoverflow.com/questions/18943276/html-
5-autofocus-messes-up-css-loading/18945951#18945951↵
39.    </script>↵
40.    <script>↵
```

```

41.     window.__theme = 'bs5';↵
42.     </script>↵
43.     <script src="http://lbaw2116.lbaw.fe.up.pt/js/app.js"></script>↵
44.     <script src="https://js.pusher.com/7.0/pusher.min.js" defer="">
</script>↵
45.     <script src="http://lbaw2116.lbaw.fe.up.pt/js/lib
/uniqueCheckbox.js" defer=""></script>↵
46.     <script src="http://lbaw2116.lbaw.fe.up.pt/js/lib/select.js"
defer=""></script>↵
47.     <link href="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist
/css/select2.min.css" rel="stylesheet">↵
48.     <script src="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist
/js/select2.min.js" defer=""></script>↵
49.     <link rel="stylesheet" href="http://lbaw2116.lbaw.fe.up.pt
/css/select2-bootstrap-5-theme.min.css">↵
50.     ↵
51.     <script src="http://lbaw2116.lbaw.fe.up.pt/js/ajax.js" defer="">
</script>↵
52.     <script src="http://lbaw2116.lbaw.fe.up.pt/js/notifications.js"
defer=""></script>↵
53.     <script src="http://lbaw2116.lbaw.fe.up.pt/js/axios.js" defer="">
</script>↵
54.     <script src="http://lbaw2116.lbaw.fe.up.pt/js/numberSelector.js"
defer=""></script>↵
55.     <script src="http://lbaw2116.lbaw.fe.up.pt/js/cart.js" defer="">
</script>↵
56.     <script src="http://lbaw2116.lbaw.fe.up.pt/js/search.js" defer="">
</script>↵
57.     <script src="http://lbaw2116.lbaw.fe.up.pt/js/userSearch.js"
defer=""></script>↵
58.     <script src="http://lbaw2116.lbaw.fe.up.pt/js/address.js"
defer=""></script>↵
59.     <script src="http://lbaw2116.lbaw.fe.up.pt/js/addProduct.js"
defer=""></script>↵
60. </head>↵
61. <body data-new-gr-c-s-check-loaded="8.893.0" data-gr-ext-
installed="">↵
62.     <div class="modal fade" id="errorMessage" tabindex="-1" aria-
labelledby="errorMessageTitle" aria-hidden="true">↵
63.         <div class="modal-dialog modal-dialog-centered">↵
64.             <div class="modal-content" id="errorMessageContent">↵
65.                 <div class="modal-header">↵
66.                     <h5 class="modal-title"
id="errorMessageTitle">PLACEHOLDER</h5>↵
67.                     <button type="button" class="btn-close" data-bs-
dismiss="modal" aria-label="Close">↵
68.                         </button>↵
69.                 </div>↵
70.                 <div class="modal-body" id="errorMessageBody">↵
71.                     ↵
72.                 </div>↵
73.             </div>↵
74.         </div>↵
75.     </div>↵
76.     ↵
77.     <script src="http://lbaw2116.lbaw.fe.up.pt/js/errormodal.js" defer="">
</script>↵
78.     <main>↵
79.         <header>↵
80.             <!-- Navbar -->↵
81.         <div id="alert-placeholder">↵
82.         </div>↵
83.         ↵
84.         ↵
85.         ↵
86.         <link href="http://lbaw2116.lbaw.fe.up.pt/css/alert.css"
rel="stylesheet">↵
87.         <script src="http://lbaw2116.lbaw.fe.up.pt/js/alert.js" defer="">
</script>↵
88.     <nav>↵
89.         <div class="p-3 text-center text-white">↵
90.             <div class="container">↵
91.                 <div class="row d-flex align-items-center justify-content-
between">↵
92.                     <div class="col-md-4 d-flex justify-content-center justify-

```

```

content-md-start mb-3 mb-md-0">↵
93.         <a href="http://lbaw2116.lbaw.fe.up.pt" class="ms-md-2">↵
94.         ↵
95.         </a>↵
96.     </div>↵
97. ↵
98.     <div class="col-md-4">↵
99.         <form id="search-products-form" class="d-flex input-group
w-auto my-auto mb-3 mb-md-0">↵
100.             <input id="search-products-input" autocomplete="off"
type="search" class="form-control rounded" placeholder="Search">↵
101.             </form>↵
102.         </div>↵
103. ↵
104.     <div class="col-md-4 d-flex justify-content-center justify-
content-md-end align-items-center">↵
105.         <div class="d-flex align-items-center justify-content-
between" id="header-icons">↵
106.             <div>↵
107.                 <a id="cart-dropdown" class="text-reset hidden-arrow" data-bs-
toggle="dropdown" aria-expanded="false" href="#">↵
108.                     <i class="bi bi-cart-fill" style="color: #000000; font-
size:1.5em;"></i>↵
109.                 </a>↵
110.                 <ul id="cart-dropdown-menu" class="dropdown-menu dropdown-menu-
end" aria-labelledby="cart-dropdown">↵
111.                     <li id="cart-dropdown-menu-content">↵
112.                         </li>↵
113.                 </ul>↵
114.             </div>↵
115.             <div>↵
116.                 <a href="http://lbaw2116.lbaw.fe.up.pt/users
/wishlist">↵
117.                     <i class="bi bi-bookmark-heart-fill" style="color:
#000000; font-size:1.5em;"></i>↵
118.                 </a>↵
119.             </div>↵
120.             <!-- Notification -->↵
121.             <div class="dropdown">↵
122.                 <a class="text-reset me-1 hidden-arrow" href="#"
id="notification-dropdown" data-bs-toggle="dropdown" aria-
expanded="false">↵
123.                     <i class="bi bi-bell-fill" style="color:
#000000; font-size:1.5em;"></i>↵
124.                 </a>↵
125.                 <ul id="notification-content" class="dropdown-menu
dropdown-menu-end" aria-labelledby="notification-dropdown">↵
126.                     <li style="cursor: pointer;"><div class="dropdown-
item">↵
127.                         <p class="text-center">There was an update to
your order:</p>↵
128.                         <div>↵
129.                             <h6 class="text-center">Order 1 is now <a
class="badge rounded-pill badge-decoration-none badge-shipped ">↵
130.                                 SHIPPED↵
131.                             </a></h6>↵
132.                         </div>↵
133.                     </div><div class="dropdown-divider"></div>
</li><li style="cursor: pointer;"><div class="dropdown-item">↵
134.                         <p class="text-center">There was an update to
your order:</p>↵
135.                         <div>↵
136.                             <h6 class="text-center">Order 23 is now <a
class="badge rounded-pill badge-decoration-none badge-shipped ">↵
137.                                 SHIPPED↵
138.                             </a></h6>↵
139.                         </div>↵
140.                     </div><div class="dropdown-divider"></div>
</li><li style="cursor: pointer;"><div class="dropdown-item">↵
141.                         <p class="text-center">There was an update to
your order:</p>↵
142.                         <div>↵
143.                             <h6 class="text-center">Order 23 is now <a
class="badge rounded-pill badge-decoration-none badge-processing ">↵

```

```

144.             PROCESSING↵
145.             </a></h6>↵
146.         </div>↵
147.     </div><div class="dropdown-divider"></div>
148. </li><li style="cursor: pointer;"><div class="dropdown-item">↵
    <p class="text-center">There was an update to
149. your order:</p>↵
150.     <div>↵
151.         <h6 class="text-center">Order 23 is now <a
    class="badge rounded-pill badge-decoration-none badge-paid ">↵
152.         PAID↵
153.         </a></h6>↵
154.     </div><div class="dropdown-divider"></div>
155. </li><li style="cursor: pointer;"><div class="dropdown-item">↵
    <p class="text-center">There was an update to
156. your order:</p>↵
157.     <div>↵
158.         <h6 class="text-center">Order 23 is now <a
    class="badge rounded-pill badge-decoration-none badge-created ">↵
159.         CREATED↵
160.         </a></h6>↵
161.     </div><div class="dropdown-divider"></div>
162. </li><div id="next-page-btn" class="d-flex justify-content-center
    align-items-center"><i class="bi bi-arrow-down-circle-fill btn next-
    page-search" style="font-size: 1.5em;"></i></div></ul>↵
163.     </div>↵
164.     <div class="notification-number" style="visibility:
    visible;">↵
165.         <div class="new-notif"></div>↵
166.     </div>↵
167.         <!-- User -->↵
168.         <div class="dropdown">↵
169.             <a class="text-reset d-flex align-items-center hidden-
    arrow" href="#" id="user-drodown" data-bs-toggle="dropdown" aria-
    expanded="false">↵
170.                 ↵
171.                 <h5 id="header-user-name"
    class="px-3 mt-1" style="color: #000000;">↵
172.                 Terrence↵
173.                 </h5>↵
174.             </a>↵
175.             <ul class="dropdown-menu" aria-labelledby="user-
    drodown">↵
176.                 <li><a class="dropdown-item"
    href="http://lbaw2116.lbaw.fe.up.pt/users/6">My profile</a></li>↵
177.                 <li><a class="dropdown-item"
    href="http://lbaw2116.lbaw.fe.up.pt/users/6/private">Settings</a>
    </li>↵
178.                 <li><form method="POST" class="col"
    action="http://lbaw2116.lbaw.fe.up.pt/logout">↵
179.                     <input type="hidden" name="_token"
    value="p8PrkPWQ82Hb4RyiySvPSoxWWiqHtr4TKoVK5zBB">
    <button type="submit" class="dropdown-item form-control"> Logout
    </button>↵
180.                 </form></li>↵
181.             </ul>↵
182.         </div>↵
183.     </div>↵
184. </div>↵
185. </div>↵
186. </div>↵
187. </div>↵
188. ↵
189. </nav>↵
190. ↵
191. ↵
192. <script>↵
193.     window.addEventListener("load", () => {↵
194.         const notification = document.querySelector("#notification-

```

```

dropdown i");↵
195.     const notificationNumber =
document.querySelector(".notification-number");↵
196.     const notificationContent =
document.getElementById("notification-content");↵
197. ↵
198.     let skip = 0;↵
199. ↵
200.     const removeButton = () => {↵
201.         const prev = document.getElementById("next-page-btn");↵
202.         if (prev) {↵
203.             prev.remove();↵
204.         }↵
205.     }↵
206. ↵
207.     const createButton = () => {↵
208.         const button = buildNextNotificationButton();↵
209.         button.addEventListener('click', (e) => {↵
210.             get(`/api/users/6/notifications?skip=${skip}`)↵
211.                 .then(data => {↵
212.                     handleNextRequest(data.data);↵
213.                 });↵
214.             e.stopPropagation();↵
215.         });↵
216.         notificationContent.appendChild(button);↵
217.     }↵
218. ↵
219.     function addParsed(parsed, content) {↵
220.         parsed.appendChild(getDivider());↵
221.         content.appendChild(parsed);↵
222.     }↵
223. ↵
224.     function prependParsed(parsed, content) {↵
225.         parsed.appendChild(getDivider());↵
226.         content.prepend(parsed);↵
227.     }↵
228. ↵
229.     const handleNextRequest = (data) => {↵
230.         const notifications = data.notifications;↵
231.         notifications.forEach(noti => {↵
232.             const notif = parseNotification(noti);↵
233.             addParsed(notif, notificationContent);↵
234.         });↵
235. ↵
236.         if (data.new_nots > 0) {↵
237.             notificationNumber.style.visibility = "visible";↵
238.         }↵
239. ↵
240.         skip += notifications.length;↵
241. ↵
242.         removeButton();↵
243. ↵
244.         if (skip < data.total) {↵
245.             createButton();↵
246.         }↵
247.     }↵
248. ↵
249.     const handleNewRequest = (data) => {↵
250.         const notifications = data.notifications;↵
251.         notifications.forEach((noti, idx) => {↵
252.             const item = parseNotification(noti);↵
253.             if (item) {↵
254.                 addParsed(item, notificationContent);↵
255.             }↵
256.         });↵
257. ↵
258.         skip += notifications.length;↵
259.         removeButton();↵
260. ↵
261.         if (skip < data.total) {↵
262.             createButton();↵
263.         }↵
264.     }↵
265. ↵
266. ↵

```



```

267.     get(`/api/users/6/notifications`)↵
268.         .then(data => {↵
269.             handleNewRequest(data.data)↵
270.         ↵
271.             if (data.data.new_notis > 0) {↵
272.                 notificationNumber.style.visibility = "visible";↵
273.             }↵
274.         });↵
275.     ↵
276.     ↵
277.     // Enable pusher logging - don't include this in production↵
278.     // Pusher.logToConsole = true;↵
279.     ↵
280.     const pusher = new Pusher('4c7db76f6f7fd6381f0e', {↵
281.         cluster: 'eu'↵
282.     });↵
283.     ↵
284.     const handlePusherNotification = () => {↵
285.         skip++;↵
286.         notificationNumber.style.visibility = "visible";↵
287.         try{↵
288.             const audio = new Audio('/sounds/notif.wav');↵
289.             audio.play();↵
290.         } catch (e) {↵
291.             console.log(e);↵
292.         }↵
293.     ↵
294.     }↵
295.     ↵
296.     const channelProfileEdited = pusher.subscribe("profile-
edited");↵
297.     channelProfileEdited.bind("profile-edited-6", function(data)
{↵
298.         handlePusherNotification();↵
299.         const notif = buildEditedNotifcation(data);↵
300.         prependParsed(notif, notificationContent);↵
301.     });↵
302.     ↵
303.     const channelOrderStatus = pusher.subscribe("order-status");↵
304.     channelOrderStatus.bind("order-status-6", function(data) {↵
305.         handlePusherNotification();↵
306.         const notif = buildOrderNotification(data);↵
307.         prependParsed(notif, notificationContent);↵
308.     });↵
309.     ↵
310.     const cartItemUpdated = pusher.subscribe("cart-item");↵
311.     cartItemUpdated.bind("cart-item-6", function(data) {↵
312.         handlePusherNotification();↵
313.         const notif = buildCartNotification(data);↵
314.         prependParsed(notif, notificationContent);↵
315.     });↵
316.     ↵
317.     const wishlistItemUpdated = pusher.subscribe("wishlist-
item");↵
318.     wishlistItemUpdated.bind("wishlist-item-6", function(data) {↵
319.         handlePusherNotification();↵
320.         const notif = buildWishlistNotification(data);↵
321.         prependParsed(notif, notificationContent);↵
322.     });↵
323.     ↵
324.     notification.addEventListener("click", () => {↵
325.         formDataPost(`/api/users/6/notifications/`)↵
326.             .then(data => {↵
327.                 notificationNumber.style.visibility = "hidden";↵
328.             });↵
329.     });↵
330.     ↵
331.     });↵
332.     ↵
333. </script>↵
334.     ↵
335.     </header>↵
336.     <section id="content">↵
337.         ↵
338.     <section id="cart h-100">↵

```

```

339.         <h3 class="mx-2 text-center d-block">Terrence Arpino's
Cart</h3>␣
340.         <div class="container-fluid px-md-5">␣
341.             <div class="row">␣
342.                 <div class="col-md-8">␣
343.                     <div class="card container my-3 p-0 cart-product-
container">␣
344.                         <div class="row g-6">␣
345.                             <div class="col-md-2 col-12">␣
346.                                 <a class="icon-click" href="http://lbaw2116.lbaw.fe.up.pt
/products/911">␣
347.                                     ␣
348.                                         </a>␣
349.                             </div>␣
350.                             <div class="col-md-10">␣
351.                                 <div class="card-body container-fluid w-100">␣
352.                                     <div class="row h-100">␣
353.                                         <div class="col-md-4 col-12 my-md-0 my-4 h-100">␣
354.                                             <h5 class="card-title text-center"
style="overflow: hidden; text-overflow: ellipsis;">␣
355.                                                 <a class="icon-click"
href="http://lbaw2116.lbaw.fe.up.pt/products/911">␣
356.                                                     Aaron Planter - SET OF 2 GREY␣
357.                                                         </a>␣
358.                                             </h5>␣
359.                                             <p class="card-text text-center"><small
class="text-muted">␣
360.                                                 <i class="bi bi-star">␣
361.                                                     </i>␣
362.                                                 <i class="bi bi-star">␣
363.                                                     </i>␣
364.                                                 <i class="bi bi-star">␣
365.                                                     </i>␣
366.                                                 <i class="bi bi-star">␣
367.                                                     </i>␣
368.                                                 <i class="bi bi-star">␣
369.                                                     </i>␣
370.                                                 </small></p>␣
371.                                             </div>␣
372.                                             <div id="amount" class="col-md-3 col-4 p-md-0">␣
373.                                                 <h5 class="text-center">Amount </h5>␣
374.                                                 <div class="d-flex justify-content-center"
id="cart-number-selector-911" data-id="911" data-amount="3" data-
stock="28">␣
375.                                                     ␣
376.                                                         <div id="selector-number-selector-911"
class="input-group input-group-sm number-selector">␣
377.                                                             <button class="btn btn-outline-secondary" type="button"
data-bs-toggle="tooltip"><i class="bi bi-dash-lg"></i></button>␣
378.                                                             <input id="number-selector-911" type="text" class="form-
control" value="3" data-bs-toggle="tooltip" title="">␣
379.                                                             <button class="btn btn-outline-secondary" type="button"
data-bs-toggle="tooltip"><i class="bi bi-plus-lg"></i></button>␣
380.                                                         </div></div>␣
381.                                                         </div>␣
382.                                                         <div class="col-md-3 col-4 p-md-0">␣
383.                                                             <h5 class="text-center">Price</h5>␣
384.                                                             <p class="text-center" id="cart-total-
price-911"> 134.3 €</p>␣
385.                                                         </div>␣
386.                                                         <div class="col-md-2 col-4 d-flex justify-content-
center align-items-center p-md-0">␣
387.                                                             <a class="icon-click bi bi-x-circle col-2 pe-2
text-end text-danger" id="remove-in-cart-911" style="font-size:2em">␣
388.                                                                 </a>␣
389.                                                         </div>␣
390.                                                         </div>␣
391.                                                         </div>␣
392.                                                         </div>␣
393.                                                         </div>␣
394.             </div>␣
395.         ␣

```



```

396. <script>↵
397. document.getElementById("remove-in-
    cart-911").addEventListener("click", (e) => {↵
398.     deleteRequest(`/api/users/cart/911/remove`)↵
399.     .then(response => {↵
400.         if (response.status === 200) {↵
401.             location.reload();↵
402.         }↵
403.     });↵
404. });↵
405. </script>↵
406.         <div class="d-flex align-items-center justify-content-
end"></div>↵
407.     </div>↵
408.     <div class="col-md-4 d-flex align-items-center flex-
column">↵
409.         <div class="my-4 container">↵
410.             <div class="row mx-3">↵
411.                 <h4>Order Summary</h4>↵
412.             </div>↵
413.             <br>↵
414.             <div class="row">↵
415.                 <table id="vertical-1" style="border-spacing: 2em .5em;
border-collapse: inherit;">↵
416.                     <tbody><tr id="coupon-used" style="display:none">↵
417.                         <th>Coupon Used</th>↵
418.                         <td>25%</td>↵
419.                     </tr>↵
420.                     <tr>↵
421.                         <th>Subtotal:</th>↵
422.                         <td id="order-subtotal">402.9 €</td>↵
423.                     </tr>↵
424.                 </tbody></table>↵
425.             </div>↵
426.         </div>↵
427.         <div class="my-4 w-50 d-flex align-items-center
justify-content-center">↵
428.             <form action="http://lbaw2116.lbaw.fe.up.pt/users
/checkout">↵
429.                 <button id="proceed-checkout-btn" class="btn
btn-primary w-100">Proceed to Checkout</button>↵
430.             </form>↵
431.         </div>↵
432.     </div>↵
433. </div>↵
434. </div>↵
435. </section>↵
436. ↵
437. <script>↵
438.     const outOfStock = {};↵
439. ↵
440.     window.addEventListener('load', () => {↵
441.         document.querySelectorAll("#amount div").forEach((elem) => {↵
442.             const selector = createNumberSelector({↵
443.                 id: `number-selector-${elem.dataset.id}`,↵
444.                 min: 1,↵
445.                 value: elem.dataset.amount,↵
446.                 onBlur: (target, value, prevValue) => {↵
447.                     if (value === prevValue) {↵
448.                         target.value = value;↵
449.                         return;↵
450.                     }↵
451.                     jsonBodyPost("/api/users/cart/update", {
product_id: elem.dataset.id, amount: value})↵
452.                     .then(response => {↵
453.                         if (response.status === 200) {↵
454.                             selector.validInput();↵
455.                             ↵
456.                             delete outOfStock[elem.dataset.id];↵
457.                             ↵
458.                             if(response.data.stocked &&
Object.keys(outOfStock).length === 0) {↵
459.                                 document.getElementById("proceed-
checkout-btn").disabled = false;↵
460.                             } else {↵

```

```

461.                                     document.getElementById("proceed-
checkout-btn").disabled = true;↵
462.                                     }↵
463. ↵
464.                                     target.value = value;↵
465. ↵
466.                                     document.getElementById("order-
subtotal").innerText = (parseFloat(response.data.total)).toFixed(2) +
" €";↵
467.                                     }↵
468.                                 })↵
469.                                 .catch(error => {↵
470.                                     if(error.response) {↵
471.                                         if(error.response.data) {↵
472.                                             selector.invalidInput(`Product's
stock is ${elem.dataset.stock}`);↵
473.                                     document.getElementById("proceed-
checkout-btn").disabled = true;↵
474. ↵
475.                                     outOfStock[elem.dataset.id] =
true;↵
476. ↵
477.                                     let errors = "";↵
478.                                     for(var key in
error.response.data.errors) {↵
479.                                         errors =
errors.concat(error.response.data.errors[key]);↵
480.                                         }↵
481.                                         launchSuccessAlert("Couldn't add
to the cart: " + error.response.data.message + "<br>" + errors);↵
482.                                         jsonBodyPost("/api/users
/cart/update", { product_id: elem.dataset.id, amount:
error.response.data.stock});↵
483.                                     }↵
484.                                 }↵
485.                                 });↵
486.                             }↵
487.                         });↵
488.                         document.getElementById(`cart-number-
selector-${elem.dataset.id}`).appendChild(selector);↵
489. ↵
490.                         if(parseInt(elem.dataset.amount) >
parseInt(elem.dataset.stock)) {↵
491.                             selector.invalidInput(`Product's stock is
${elem.dataset.stock}`);↵
492.                             document.getElementById("proceed-checkout-
btn").disabled = true;↵
493.                         }↵
494.                     })↵
495.                 }↵
496. </script>↵
497. ↵
498.     </section>↵
499. </main>↵
500. ↵
501. ↵
502. ↵
503. </body></html>

```

Used the HTML parser.

Total execution time 143 milliseconds.

---