

- : private + : public

Thứ

Ngày

No.

9/3

BT 1:

```
public class Person {
    private String name;
    private Date birthday;
    public void setName (String) {
        this.name = name;
    }
    public void setBirthday (Date) {
        this.birthday = birthday;
    }
    public void getDetails() {
        return "Name : " + name, "Birthday : " + birthday;
    }
}
```

```
public class Employee extends Person {
    private double salary;
    public void setSalary (double salary) {
        this.salary = salary;
    }
}
```

⑨ Override

```
public String getDetails() {
    return super.getDetails() + ", salary : " + salary;
}
```

```
public class Manager extends Person {
    private Employee assistant;
```



```
private void setAssistant (Employee) {  
    this.Assistant = assistant;  
}
```

⑨ Override

```
public String getDetails () {  
    return super.getDetails() + " Assistant";  
}
```

```
import java.util.Date;
```

```
public class Main {
```

```
    public static void main (String[] args) {
```

```
        // Up casting Employee
```

```
        person person 1 = new Employee ();
```

```
        person 1. set Name (" Nguyen van A ");
```

```
        person 1. set Birthday (new Date ());
```

```
        // Up casting Manager
```


```
        person person 2 = new Manager ();
```

```
        person 2. set Name (" Tran van B ");
```

```
        person 2. set Birthday (new Date ());
```

```
        // gọi & getDetails () :-
```


BT2:



SBT

ICICT

AXIS

getRateOfInterest () float

getRateOfInterest () float.

getRateOfInterest () float.

```
public class Bank {
```

```
    public float getRateOfInterest () {
```

```
        return 0;
```

```
    }
```

```
}
```

```
class SBT extends Bank {
```

① Override

```
    public float getRateOfInterest () {
```

```
        return 0;
```

```
    }
```

```
}
```

```
class ICICT extends Bank {
```

② Override

```
    public float getRateOfInterest () {
```

```
        return 0;
```

```
    }
```

```
}
```



```
class AXIS extends bank {
```

```
    ① Override
```

```
    public float getRateOfInterest () {
```

```
        return 9.5;
```

```
    }
```

```
}
```

```
public class Main {
```

```
    public static void main (String[] args) {
```

```
        Bank b;
```

```
        b = new SBI();
```

```
        System.out.println ("SBI Rate of Interest:");
```

```
        b.getRateOfInterest() + "%";
```

```
        c = new ICICI();
```

```
        System.out.println ("ICICI Rate of Interest:");
```

```
        c.getRateOfInterest() + "%";
```

```
        d = new AXIS();
```

```
        System.out.println ("AXIS Rate of Interest:");
```

```
        d.getRateOfInterest() + "%";
```

```
    }
```

```
}
```



```
public class NhanVien {
    protected String name;
    protected long luong;
    public NhanVien() {}

    public NhanVien(String ten) {}
        this.ten = ten;
    }

    public String loaiNhanVien() {
        return "NhanVien Thuong";
    }

    public void tinhLuong() {}

    public void xuatThongTin() {
        System.out.println("Ten: " + ten);
        System.out.println("Loai: " + loaiNhanVien());
        System.out.println("Luong: " + luong);
    }
}

class NhanVienFulltime extends NhanVien {
    private int loaiChucVu;
    private int ngayLamThem;

    public NhanVienFulltime(String ten, int ngayLamThem,
        int loaiChucVu) {
        super(ten);
        this.NgayLamThem = ngayLamThem;
    }
}
```


this.loaiChucVu = loaiChucVu;

}

⑨ Override

```
public String loaiNhanVien () {
    return "NhanVien Fulltime";
}
```

}

⑨ Override

```
public void tinhLuong () {
    if (loaiChucVu == 1) {
        luong = 20000000 + ngaylamThue *
700000;
    }
```

else {

```
    luong = 10000000 + ngaylamThue * 800000;
}
```

}

}

class NhanVienPartTime extends NhanVien {

```
    private int GioLamViec;
```

```
    public NhanVienPartTime (String tn, int gioLamViec) {
```

```
        super (tn);
```

```
        this.gioLamViec = gioLamViec;
    }
```

}

⑨ Override

```
public String loaiNhanVien () {
    return "NhanVien part time";
}
```

}

⑨ Override

public void tinhLuong() {
 luong = giaLonhuc * 100000;
 }

public class Main {

 public static void main (String [] args) {

 Nhân viên Fulltime nv1 = new Nhân viên Fulltime
 ("An", 2, 1);

 nv1.tinhLuong();

 nv1.xuatThongTin();

 System.out.println ("An, 2, 1");

 Nhân viên parttime ("Binh", 1, 80);

 nv2.tinhLuong();

 nv2.xuatThongTin();

 }