


## Laboratory 4 - Documentation

Please make a Back-up of your database before start this laboratory!

Structure that must be completed with dates (that will be generated from the script)




### Tables/ views involved

<i>3 tables</i>	<i>3 views</i>
1 PK, no FK	1 table
1 PK + FK	2 tables
2 PK	2 tables + GROUP BY

**Operations involved** - for a lot of dates (can be decided with the help of a parameter or specified directly)

Tables	Views
- DELETE - INSERT	- SELECT * FROM View_name

Let's consider the following database



The structure will be completed as:

- Table **Tables** – with the names of the tables considered (one for each category)

	TableID	Name
	1	Possibilities
	2	Teas
	3	ShopsTeas
➤	NULL	NULL

- Table **Views** – with the names of the views considered (not necessarily created on the tables considered in the table Tables, but preferable to see the time results)

	ViewID	Name
	1	View_1
	2	View_2
	3	View_3
➤	NULL	NULL

DESKTOP-ATINFLV.Lab1 - dbo.View\_1

DESKTOP-ATINFLV.Lab1 - dbo.View\_2

DESKTOP-ATINFLV.Lab1 - dbo.View\_3

- Table **Tests** – will contain at least 3 tests (one referring the delete for the table(s), one referring the insert for the table(s), one referring the select for the view(s)) – can be the name of the procedures or just suggestive names given by you). Or, you can have for each operation (delete, insert, select), also, the number of rows involved in the operations (at insert only).

	TestID	Name
	1	delete_table
	2	insert_table
...	NULL	select_view
*	NULL	NULL

or

	3	select_view
	4	delete_table_10
	5	delete_table_100
	6	delete_table_1000
	7	insert_table_10
	8	insert_table_100
...	NULL	insert_table_1000
*	NULL	NULL

or ...

For example, delete\_table\_100 refers to the fact that the delete operation will be executed for 100 rows and insert\_table\_1000 refers to the fact that the insert operation will be executed for 1000 rows.

- Table **TestViews** – will contain the combinations of the tests related only with the views (just the evaluate operation)

	TestID	ViewID
▶	3	1
	3	2
	3	3
*	NULL	NULL

where TestID=3 refer the test that has to be done for each view

To run a view you have to use the command **SELECT \* FROM View\_name.**

<pre>-- view SELECT * FROM View_1</pre>	
---	--

- Table **TestTables** – will contain the combinations of the tests related with the tables (only the operations delete and insert). The field **NoOfRows** will contain the number of rows that will be affected by that operation (delete or insert). The field **Position** will refer the order in which the tables will be consider (depending on the operation considered). (For example, we have to insert first in the table in which we have primary key, but not foreign key(s)...)
 

	TestID	TableID	NoOfRows	Position
	5	1	100	2
...	9	2	1000	3
*	NULL	NULL	NULL	NULL

...

You must have the operations tested (delete an insert) for each table.

Pay attention to the order of the tables!

- When you insert records you must insert first in the tables where you have only primary keys (and not foreign keys), and only after in the tables in which are the foreign keys (that must have the same values as the primary key for the foreign keys). For example, the order in our case is Possibilities, Teas, Shops (we considered that this is the table with the primary key – even if this table is not included in the Tables, but we need these values to insert them in the next table involved), ShopsTeas. You must insert a lot of values (not one) – so that the time of insert operation be relevant for our test. You must insert in all 3 tables considered in Tables.

Example for the table in which we have only primary key (no foreign key(s)).

```
USE Example_Lab1
GO

-- when insert on all the fields
Insert Into Possibilities VALUES (1, 'fruit', 3)
-- when insert only on specified fields
-- if the primary key is identity, you CANNOT insert on that position
Insert Into Possibilities(Type, NoOfTeas) VALUES ('green', 4)

-- the generalization will be considered here
DECLARE @NoOfRows int
DECLARE @n int
DECLARE @t VARCHAR(30)

SELECT TOP 1 @NoOfRows = NoOfRows FROM dbo.Tables WHERE ...
SET @n=1 -- first we have no row inserted

WHILE @n<@NoOfRows
BEGIN
    -- we must set a unique value for the primary key
    -- we should insert a different value for the other fields
    SET @t = 'Posibility' + CONVERT (VARCHAR(5), @n)
    -- so, we will have Posibility1, Posibility2, ...
    INSERT INTO Possibilities (Sid, Type, NoOfTeas) VALUES (@n, @t, 2)
    SET @n=@n+1
END
```

Example for the table in which we have primary key and foreign key(s)

```
-- take the value of the foreign key from the table in which is primary key and insert it on
that column
DECLARE @fk int
DECLARE @fk1 int
SELECT TOP 1 @fk = Sid FROM Possibilities WHERE ...
SELECT TOP 1 @fk1 = Iid FROM Ingredients WHERE ...
....
WHILE ...
    INSERT INTO Teas(Cid, Name, Quantity, Price, Sid, Iid) VALUES (@n, @t, 3, 2, @fk, @fk1)
....
```

Example for the table in which we have 2 primary keys

```
-- depends on the table considered
-- if are only primary keys - just insert unique values
/* if are primary keys and also foreign keys, you can use cross join, or take the values from
where are primary keys - as up */
```

```
/* pay attention to the NoOfRows - from TestTables - not all the time can be inserted
as many rows as are specified there */
```

- When you delete rows (not one row, must be many rows - as at inserted), pay attention to the order in which you take the tables. The order is opposite to the insert order. For example, first you delete from where the foreign keys are and only after from the tables where are the primary keys that are also foreign keys. Also, you can use ON CASCADE.

```
-- delete from Possibilities implies the delete from more tables
DELETE FROM ShopsTeas
DELETE FROM Teas
DELETE FROM Possibilities

-- delete in which you want to keep the records you have will contain a WHERE clause
DELETE FROM table_name WHERE...
```

To get the Date, you can use GETDATE(). You must insert in tables TestRuns, TestRunTables and TestRunViews with code.

- Table **TestRuns** – will contain the tests involved. One test must have DELETE + INSERT operations on the table(s) AND SELECT operation on the view(s). The field **Description** will contain the description of the test, **StartAt** – the date when the test start (before the Delete from the table(s) + Insert), **EndAt** – the date when the test is done (after the Select of the view(s)).
- Table **TestRunTables** – will contain the tests involved for the tables (operations of delete and insert). One test must have DELETE + INSERT operations on the table(s). The field **StartAt** will contain the date when the test start (before the Delete from the table(s)) and **EndAt** – the date when the test is done (after the Insert for the table(s)).

```
DECLARE @ds DATE()
DECLARE @de DATE()

SET @ds = GETDATE()
-- delete
-- insert
SET @de=GETDATE()

-- evaluate (select from) viwe
SET @dv=GETDATE()

-- if you want to see the difference of these 2 times, you can use DATEDIFF
Print DATEDIFF(@de, @ds)
```

- Table **TestRunViews** – will contain the tests involved for views (the select operation). One test must have SELECT operation on the view(s). The field **StartAt** will contain the date when the test start (before the Select for the view(s)) and **EndAt** – the date when the test is done (after the Select of the view(s)).

**The way that you implement the code is up to you. Please, make it short and clear.**