

Бандит

Уровень 1

```
andit0@bandit:~$ ls -la
total 24
drwxr-xr-x  2 root    root    4096 Oct 14 09:26 .
drwxr-xr-x 150 root    root    4096 Oct 14 09:29 ..
-rw-r--r--  1 root    root     220 Mar 31  2024 .bash_logout
-rw-r--r--  1 root    root    3851 Oct 14 09:19 .bashrc
-rw-r--r--  1 root    root     807 Mar 31  2024 .profile
-rw-r-----  1 bandit1 bandit0  438 Oct 14 09:26 readme
andit0@bandit:~$ cat readme
congratulations on your first steps into the bandit game!!
please make sure you have read the rules at https://overthewire.org/rules/
if you are following a course, workshop, walkthrough or other educational activity,
please inform the instructor about the rules as well and encourage them to
contribute to the OverTheWire community so we can keep these games free!

the password you are looking for is: ZjLjTmM6FvvyRnrb2rfNWOZ0Ta6ip5If
```

cat readme показала пароль к уровню 2

Уровень 2

```
bandit1@bandit:~$ ls -la
total 24
-rw-r-----  1 bandit2 bandit1   33 Oct 14 09:26 -
drwxr-xr-x  2 root    root    4096 Oct 14 09:26 .
drwxr-xr-x 150 root    root    4096 Oct 14 09:29 ..
-rw-r--r--  1 root    root     220 Mar 31  2024 .bash_logout
-rw-r--r--  1 root    root    3851 Oct 14 09:19 .bashrc
-rw-r--r--  1 root    root     807 Mar 31  2024 .profile
bandit1@bandit:~$ cat ./-
263JGJPfgU6LtdEvfgfWU1XP5yac29mFx
bandit1@bandit:~$
```

Файл назван спецсимволом

Благодаря ./ можно его прочитать

Уровень 3

```
bandit2@bandit:~$ ls -la
total 24
drwxr-xr-x  2 root    root    4096 Oct 14 09:26 .
drwxr-xr-x 150 root    root    4096 Oct 14 09:29 ..
-rw-r--r--  1 root    root     220 Mar 31  2024 .bash_logout
-rw-r--r--  1 root    root    3851 Oct 14 09:19 .bashrc
-rw-r--r--  1 root    root     807 Mar 31  2024 .profile
-rw-r-----  1 bandit3 bandit2   33 Oct 14 09:26 --spaces in this filename--
bandit2@bandit:~$ cat "spaces in this filename"
cat: 'spaces in this filename': No such file or directory
bandit2@bandit:~$ cat "--spaces in this filename--"
cat: unrecognized option '--spaces in this filename--'
Try 'cat --help' for more information.
bandit2@bandit:~$ cat "./--spaces in this filename--"
MNk8KNH3Usiio41PRUEoDFPqfxLP1Smx
bandit2@bandit:~$
```

Благодаря кавычкам и ./ можем прочесть файл который начинается со спецсимвола

Уровень 4

```
bandit3@bandit:~$ cd inhere
bandit3@bandit:~/inhere$ ls -la
total 12
drwxr-xr-x 2 root  root  4096 Oct 14 09:26 .
drwxr-xr-x 3 root  root  4096 Oct 14 09:26 ..
-rw-r----- 1 bandit4 bandit3  33 Oct 14 09:26 ...Hiding-From-You
bandit3@bandit:~/inhere$ cat "...Hiding-From-You"
cat: "...Hiding-From-You: No such file or directory
bandit3@bandit:~/inhere$ cat "...Hiding-From-You"
2WmrDFRmJIq3IPxneAaMGhap0pFhF3NJ
bandit3@bandit:~/inhere$
```

Уровень 5

```
bandit4@bandit:~$ cd inhere
bandit4@bandit:~/inhere$ ls
-file00 -file01 -file02 -file03 -file04 -file05 -file06 -file07 -file08 -file09
bandit4@bandit:~/inhere$ file ./-file00
./-file00: data
bandit4@bandit:~/inhere$ file ./-file01
./-file01: OpenPGP Public Key
bandit4@bandit:~/inhere$ file ./-file02
./-file02: OpenPGP Public Key
bandit4@bandit:~/inhere$ file ./-file03
./-file03: data
bandit4@bandit:~/inhere$ file ./-file04
./-file04: data
bandit4@bandit:~/inhere$ file ./-file05
./-file05: data
bandit4@bandit:~/inhere$ file ./-file06
./-file06: data
bandit4@bandit:~/inhere$ file ./-file07
./-file07: ASCII text
bandit4@bandit:~/inhere$ file ./-file08
./-file08: data
bandit4@bandit:~/inhere$ file ./-file09
./-file09: data
bandit4@bandit:~/inhere$ cat ./-file07
4oQYVPkxZ0OE005pTW81FB8j8lxXGUQw
```

Уровень 6

```
bandit5@bandit:~$ cd inhere
bandit5@bandit:~/inhere$ find . -type f -size 1033c
./maybehere07/.file2
bandit5@bandit:~/inhere$ cat ./maybehere07/.file2
HwasnPhtq9AVKe0dmk45nxy20cvUa6EG
```

Фильтруем по размеру 1033 байта

Уровень 7

```
bandit6@bandit:~$ find / -user bandit7 -group bandit6 -size 33c 2>/dev/null
/var/lib/dpkg/info/bandit7.password
bandit6@bandit:~$ cat /var/lib/dpkg/info/bandit7.password
morbNTDkSW6jI1Uc0ymOdMaLn01FVAaj
bandit6@bandit:~$
```

2>/dev/null — скрыть все ошибки

Уровень 8

```
bandit7@bandit:~$ grep "millionth" data.txt
millionth dfwvzFQi4mU0wfNbFOe9RoWskMLg7eEc
bandit7@bandit:~$
```

Уровень 9

```
z5EqE31wi09wq00hIfDPgoo5Dw0Etq1J  
bandit8@bandit:~$ sort data.txt | uniq -u  
4CKMh1JI91bUIZZPX0qGana14xvAg0JM  
bandit8@bandit:~$
```

uniq -u выводит только те строки, которые не имеют соседей-дубликатов

уровень 10

```
bandit9@bandit:~$ strings data.txt | grep "===="  
===== the  
===== password  
f\Z'===== is  
===== FGUW5ilLVJrxX9kMYMm1N4MgbpFMiqey  
bandit9@bandit:~$
```

Grep фильтрует строки по указанному правилу