

Leva.Framework.Sample.LocalIdentity

Web sample for Identity.Local, Identity.AspNet, Identity.Memory, and ASP.NET Core. It creates local accounts, logs in with local secrets, reads the cookie-backed principal, checks authorization, and verifies wrong-password rejection.

```
Leva.Framework.Sample.LocalIdentity
  -> Leva.Framework.Core
  -> Leva.Framework.Identity
  -> Leva.Framework.Identity.Memory
  -> Leva.Framework.Identity.Local
  -> Leva.Framework.Identity.AspNet
  -> Microsoft.AspNetCore
```

Setup shown by the sample

Program.cs

```
-> creates MemoryPrincipalStore and MemoryAuthSessionStore
-> creates LocalPrincipalServices over the memory principal store
-> creates AuthenticationService with LocalAuthenticationPolicy
-> creates AuthorizationService with BuiltInAuthorizationPolicy
-> creates local principals and password credentials
-> registers framework services in ASP.NET Core DI
-> calls AddAspNetPrincipalServices(...)
-> calls UseAuthentication() and UseAuthorization()
-> calls MapAspNetIdentityEndpoints()
-> maps /account/admin-area with RequireAuthorization("AccountManage")
```

AccountManage policy

```
-> wraps AuthorizationRequirement.Permission("account.manage")
-> lets ASP.NET Core authorization delegate the real permission check to Leva.Framework.Identity
```

Accounts

```
admin / password
  -> role: admin
  -> permission: account.manage

operator / password
  -> role: operator
  -> no account.manage permission
```

The accounts are listed here instead of on the page so the browser UI stays focused on behavior.

Behavior shown

```
anonymous principal      -> not authenticated
anonymous admin access   -> rejected with 401
operator login           -> succeeds, but admin area is rejected
admin login              -> succeeds and writes auth-session cookie
admin area after login   -> succeeds
wrong password           -> rejected with 401
logout                   -> returns to anonymous principal
```

The manual buttons show the current browser session state. They do not produce PASS/FAIL results because authentication state is intentionally stateful.

Run and expected result

```
dotnet run --project samples/Leva.Framework.Sample.LocalIdentity
```

PASS: initial principal is anonymous

PASS: anonymous admin access is rejected

PASS: operator login succeeds

PASS: operator principal is authenticated without account.manage

PASS: operator cannot access account.manage endpoint

PASS: admin login succeeds

PASS: admin principal has admin role and account.manage permission

PASS: admin principal can access account.manage endpoint

PASS: wrong password is rejected

PASS: logout returns to anonymous principal