

Leva.Framework.Sample.StorageDesk

```
1  using Leva.Framework.Sample.StorageDesk;
2
3  var builder = WebApplication.CreateBuilder(args);
4  var app = builder.Build();
5
6  // The host stays thin; StorageDeskRunner composes identity, notifications, and storage providers.
7  app.UseDefaultFiles();
8  app.UseStaticFiles(
9      new StaticFileOptions
10     {
11         OnPrepareResponse = context =>
12         {
13             // Samples change often while developing, so disable browser caching for local static
14             files.
15             context.Context.Response.Headers.CacheControl = "no-store, no-cache, must-
16             revalidate";
17             context.Context.Response.Headers.Pragma = "no-cache";
18             context.Context.Response.Headers.Expires = "0";
19         },
20     });
21 app.MapGet("/favicon.ico", () => Results.NoContent());
22
23 app.MapPost(
24     "/storagedesk/run",
25     async (CancellationToken token) =>
26     {
27         // The browser triggers the same application scenario against every storage provider.
28         var result = await StorageDeskRunner.RunAsync(token);
29         return Results.Ok(result);
30     });
31
32 app.Lifetime.ApplicationStarted.Register(() =>
33 {
34     Console.WriteLine("StorageDesk sample");
35     Console.WriteLine("Open the printed local URL and click Run storage desk checks.");
36 });
37
38 app.Run();
39
```