

## UiPath Connector

### Contents

Contents .....	1
1. Introduction.....	2
2. Package contents .....	2
3. Installing the nugget dependency .....	2
4. Activities.....	4
4.1. Submit Document.....	4
4.2. Get Document Information.....	5
4.3. Get Document Rejection .....	5
5. Conclusion .....	5

## 1. Introduction

The following documentation aims to provide you with all the knowledge required to start using the DocDigitizer connector

## 2. Package contents


This file is part of a zip file with the following contents

- Nugget package to be installed in UiPath with the DocDigitizer specific activities
- A demo project that provides coverage to submit a document, obtain the details of the document, and obtain the rejection message of a rejected document
- This file


## 3. Installing the nugget dependency

This section will provide description of the APIs needed to use v2 of DocDigitizer system


1. Open the project panel in UiPath in the project where you need to install the dependency
2. Right click and manage the dependencies




- On the manage package screen go to settings and add the location where you have extracted the nugget package




- After adding the new package source, it must be displayed in the user defined package sources section



- Now you will be able to select it on the left side of the screen and the dependency will be visible to be installed, press install, save the changes and accept the license



6. After you install it open the activity view and a new activities section will be available for your use



7. After this is business as usual

## 4. Activities

The dependency has three activities available and all of them need the value for the API Key that was supplied by our sales team.

### 4.1. Submit Document

The submit document allows you to submit a document and obtain the response.

#### Arguments:

IN **API Key** string

IN **File Path** string

OUT **Task Response** DocDigitizer.Connectors.V1.Models.TaskResponse

#### 4.2. Get Document Information

This activity closes the get document information circle and will give you the information that was extracted for the document, if for any reason the document was rejected you have to call 4.3 to know or/and store the reason why the document was rejected.

Please don't trigger this activity in intervals shorter than one minute.

**Important:** the document is only finished when the flag *reviewed* is set to **true**, the value is in [**Document Data Response**].Document.Reviewed

##### Arguments:

IN **API Key** string

IN **Document id** string

You can use the output of 4.1 to get the document id to use in this parameter

[TaskResponse].DocumentId

OUT **Document Data Response** DocDigitizer.Connectors.V1.Models.DocumentAnnotationsResponse

OUT **Document String Response** String with the original data

#### 4.3. Get Document Rejection

Finally, if for some reason your document gets rejected (rejected flag is set to **true** in the response of the previous method) you may know why invoking this activity, it's quite similar to the previous but with a different response type

##### Arguments:

IN **API Key** string

IN **Document id** string

OUT **Rejection Response** DocDigitizer.Connectors.V1.Models.RejectionResponse

### 5. Conclusion

To help you cement this knowledge an UiPath solution project is also on this project so that you can test an experiment with it and give us your feedback.