2 pages 1

```
Help
#include "stdc.h"
#include "error_msg.h"
extern char* path_sep;
int OPT(Get)(int user,Planning *pt_plan,Option *opt, Model
{
 TYPEOPT* pt=( TYPEOPT*)(opt->TypeOpt);
 (opt->Init)(opt, mod);
 if (user==TOSCREEN)
   if ((opt->Show)(user,pt_plan,opt,mod))
     do
 {
   Fprintf(TOSCREEN,"____Option:
   %s{n",opt->Name);
   ScanVar(pt_plan,user,&(pt->Maturity));
   ScanVar(pt_plan,user,&(pt->NbPayement));
   ScanVar(pt_plan,user,&(pt->Recovery));
 }
     while ((opt->Show)(user,pt_plan,opt,mod));
 return (opt->Show)(TOSCREENANDFILE,pt plan,opt,mod);
}
int OPT(FGet)(char **InputFile,int user,Planning *pt_plan,
   Option *opt, Model *mod)
{
 TYPEOPT* pt=( TYPEOPT*)(opt->TypeOpt);
 (opt->Init)(opt, mod);
 if (user==TOSCREEN)
   {
     Fprintf(TOSCREEN,"_____
   Option:%s{n",opt->Name);
```

2 pages 2

```
FScanVar(InputFile,pt plan,user,&(pt->Maturity));
      FScanVar(InputFile,pt_plan,user,&(pt->NbPayement));
      FScanVar(InputFile,pt_plan,user,&(pt->Recovery));
  return (opt->Show)(TOSCREENANDFILE,pt plan,opt,mod);
int OPT(Show)(int user,Planning *pt_plan,Option *opt,
   Model *mod)
  TYPEOPT* pt=(TYPEOPT*)(opt->TypeOpt);
  (void)(opt->Init)(opt, mod);
  Fprintf(user,"##Option:%s{n",opt->Name);
  PrintVar(pt_plan,user,&(pt->Maturity));
 PrintVar(pt_plan,user,&(pt->NbPayement));
 PrintVar(pt plan,user,&(pt->Recovery));
 return (opt->Check)(user,pt_plan,opt);
}
extern Option OPT(CreditDefaultSwap);
Option* OPT(family)[]=
 &OPT(CreditDefaultSwap),
 NULL
};
```

References