```
    Help
extern "C"{
#include  "kou1d_lim.h"
#include "enums.h"
}
#include "math/levy_fd.h"
extern "C"{

#if defined(PremiaCurrentVersion) && PremiaCurrentVersion <
     (2007+2) //The "#else" part of the code will be freely av
    ailable after the (year of creation of this file + 2)
static int CHK_OPT(FD_ImpExpUpOut)(void *Opt, void *Mod)
{
  return NONACTIVE;
}
int CALC(FD_ImpExpUpOut)(void *Opt,void *Mod,PricingMethod
    *Met)
{
  return AVAILABLE_IN_FULL_PREMIA;
}
#else

static int ImpExpUpOut(int am,double S0,NumFunc_1  *p,
    double l_up,double rebate,double T,double r,double divid,double
    sigma,double lambda,double lambdap,double lambdam,double P,
    double dx,int M,int flag_scheme,double *ptprice,double *ptdelta)
{

  double price0,delta0;
  int flag_callput,flag_stdbarrier;

  double luplog=log(l_up/S0);
  if(dx>fabs(luplog)/2.)
    dx=fabs(luplog)/2.;
  int Nl = (int)ceil(fabs(luplog)/dx);
  dx = fabs(luplog)/Nl;

  double Ar = luplog-dx;
  /*Construction of the model*/
  Kou_measure measure(lambda,lambdap,lambdam,P,sigma,dx);
  double k = 3;
```

```
double Al = log(2./3) + T*measure.espX1 - k*sqrt(T*measu
  re.varX1);

if (Al<-30) Al = -30;
int N = (int) ceil((luplog-Al)/dx);
Al = luplog - N*dx;
double K=p->Par[0].Val.V_DOUBLE;

flag_stdbarrier=2;




/*Price Computation*/
if ((p->Compute)==&Put)
  {
    flag_callput=2;
    if (flag_scheme==1)
      vector<double> u = price2(am,measure,flag_callput,
  flag_stdbarrier,r,divid,S0,K,rebate,Al,Ar,N,T,M,price0,delt
  a0);
    else
      vector<double> u = price2c(am,measure,flag_callput,
  flag_stdbarrier,r,divid,S0,K,rebate,Al,Ar,N,T,M,price0,delt
  a0);
    /*Price */
    *ptprice=price0;

    /*Delta */
    *ptdelta=delta0;
  }
else
  if ((p->Compute)==&Call)
    {
      /*Price */
      flag_callput=1;
      if (flag_scheme==1)
        vector<double> u = price2(am,measure,flag_callput
  ,flag_stdbarrier,r,divid,S0,K,rebate,Al,Ar,N,T,M,price0,de
  lta0);
      else
```

```
        vector<double> u = price2c(am,measure,flag_callp
    ut,flag_stdbarrier,r,divid,S0,K,rebate,Al,Ar,N,T,M,price0,
    delta0);
        *ptprice=price0;

        /*Delta */
        *ptdelta=delta0;
      }


  return OK;
}

int CALC(FD_ImpExpUpOut)(void *Opt,void *Mod,PricingMethod
    *Met)
{
  TYPEOPT* ptOpt=( TYPEOPT*)Opt;
  TYPEMOD* ptMod=( TYPEMOD*)Mod;
  double r,divid,limit,rebate;

  r=log(1.+ptMod->R.Val.V_DOUBLE/100.);
  divid=log(1.+ptMod->Divid.Val.V_DOUBLE/100.);
  limit=((ptOpt->Limit.Val.V_NUMFUNC_1)->Compute)((ptOpt->   Limit.Val.V_NUMFUN
  rebate=((ptOpt->Rebate.Val.V_NUMFUNC_1)->Compute)((ptOpt-
    >Rebate.Val.V_NUMFUNC_1)->Par,ptMod->T.Val.V_DATE);

  return ImpExpUpOut(ptOpt->EuOrAm.Val.V_BOOL,ptMod->S0.Val
    .V_PDOUBLE,
                  ptOpt->PayOff.Val.V_NUMFUNC_1, limit,
    rebate,ptOpt->Maturity.Val.V_DATE-ptMod->T.Val.V_DATE,r,div
    id,ptMod->Sigma.Val.V_PDOUBLE,ptMod->Lambda.Val.V_PDOUBLE,
    ptMod->LambdaPlus.Val.V_PDOUBLE,ptMod->LambdaMinus.Val.V_
    PDOUBLE,ptMod->P.Val.V_PDOUBLE,Met->Par[0].Val.V_DOUBLE,Met-
    >Par[1].Val.V_INT,Met->Par[2].Val.V_ENUM.value,&(Met->Res[
    0].Val.V_DOUBLE),&(Met->Res[1].Val.V_DOUBLE));
}

static int CHK_OPT(FD_ImpExpUpOut)(void *Opt, void *Mod)
{
  Option* ptOpt=(Option*)Opt;
  TYPEOPT* opt=(TYPEOPT*)(ptOpt->TypeOpt);
```

```
   if ((opt->OutOrIn).Val.V_BOOL==OUT)
     if ((opt->DownOrUp).Val.V_BOOL==UP)
       if ((opt->EuOrAm).Val.V_BOOL==EURO)
         if ((opt->Parisian).Val.V_BOOL==WRONG)
           return  OK;

   return WRONG;
}
#endif //PremiaCurrentVersion

static int MET(Init)(PricingMethod *Met,Option *Opt)
{
  static int first=1;

  if (first)
    {
      Met->Par[0].Val.V_PDOUBLE=0.001;
      Met->Par[1].Val.V_INT2=100;
      Met->Par[2].Val.V_ENUM.value=1;
      Met->Par[2].Val.V_ENUM.members=&PremiaEnumExpPart;
      first=0;
    }

  return OK;
}

PricingMethod MET(FD_ImpExpUpOut)=
{
  "FD_ImpExpUpOut",
  {{"Space Discretization Step",DOUBLE,{500},ALLOW},
   {"TimeStepNumber",INT2,{100},ALLOW},
   {"Explicit Part",ENUM,{100},ALLOW},
   {" ",PREMIA_NULLTYPE,{0},FORBID}},
  CALC(FD_ImpExpUpOut),
  {{"Price",DOUBLE,{100},FORBID},{"Delta",DOUBLE,{100},FORB
     ID},{" ",PREMIA_NULLTYPE,{0},FORBID}},
  CHK_OPT(FD_ImpExpUpOut),
  CHK_split,
  MET(Init)
};
```

}

References