```
Help
extern "C"{
#include "kou1d std.h"
#include "enums.h"
#include "math/levy fd.h"
extern "C"{
#if defined(PremiaCurrentVersion) && PremiaCurrentVersion <</pre>
     (2007+2) //The "#else" part of the code will be freely av
    ailable after the (year of creation of this file + 2)
static int CHK_OPT(FD_ImpExp)(void *Opt, void *Mod)
{
  return NONACTIVE;
int CALC(FD_ImpExp)(void *Opt,void *Mod,PricingMethod *Met)
  return AVAILABLE IN FULL PREMIA;
}
#else
static int ImpExp(int am, double SO, NumFunc 1 *p, double T,
    double r, double divid, double sigma, double lambda, double lambdap,
    double lambdam,double P,double dx,int M,int flag_scheme,double *
    ptprice, double *ptdelta)
₹
  double price0, delta0;
  int flag callput,flag stdbarrier;
  double rebate=0.;
  /*Construction of the model*/
  Kou measure measure(lambda,lambdap,lambdam,P,sigma,dx);
  double K=p->Par[0].Val.V_DOUBLE;;
  double k = 3;
  double Al = log(2./3) + T*measure.espX1 - k*sqrt(T*measu
    re.varX1);
  double Ar = log(2.) + r*T + k*sqrt(T*measure.varX1);
  if (A1<-30) A1 = -30;
  if (Ar>30) Ar = 30;
  int Nl = (int)ceil(-Al/dx);
  int Nr = (int)ceil(Ar/dx);
```

```
int N = Nl+Nr;
  Al = -Nl*dx;
  Ar = Nr*dx;
  if ((p->Compute) ==&Put)
    flag_callput=2;
  else /*if ((p->Compute)==&Call)*/
    flag_callput=1;
  flag_stdbarrier=1;
  /*Price Computation*/
  if (flag_scheme==1)
    vector<double> u = price2(am,measure,flag_callput,flag_ stdbarrier,r,divi
  else
    vector<double> u = price2c(am, measure, flag callput, fla
    g_stdbarrier,r,divid,S0,K,rebate,A1,Ar,N,T,M,price0,delta0)
  /*Price */
  *ptprice=price0;
  /*Delta */
  *ptdelta=delta0;
  return OK;
int CALC(FD ImpExp)(void *Opt,void *Mod,PricingMethod *Met)
 TYPEOPT* ptOpt=( TYPEOPT*)Opt;
  TYPEMOD* ptMod=( TYPEMOD*)Mod;
 double r, divid;
  r=log(1.+ptMod->R.Val.V_DOUBLE/100.);
  divid=log(1.+ptMod->Divid.Val.V DOUBLE/100.);
  return ImpExp(ptOpt->EuOrAm.Val.V_BOOL,ptMod->SO.Val.V_
```

```
PDOUBLE,
                ptOpt->PayOff.Val.V_NUMFUNC_1,ptOpt->Matu
    rity.Val.V_DATE-ptMod->T.Val.V_DATE,r,divid,ptMod->Sigma.Val
    .V_PDOUBLE,ptMod->Lambda.Val.V_PDOUBLE,ptMod->LambdaPlus.
    Val.V PDOUBLE,ptMod->LambdaMinus.Val.V PDOUBLE,ptMod->P.Val.
    V_PDOUBLE,Met->Par[0].Val.V_DOUBLE,Met->Par[2].Val.V_ENUM.
    value,Met->Par[1].Val.V_INT,&(Met->Res[0].Val.V_DOUBLE),&(
    Met->Res[1].Val.V DOUBLE));
}
static int CHK_OPT(FD_ImpExp)(void *Opt, void *Mod)
{
  if ((strcmp(((Option*)Opt)->Name, "CallEuro")==0) || (
    strcmp( ((Option*)Opt)->Name, "PutEuro")==0)||(strcmp( ((
    Option*)Opt)->Name, "CallAmer")==0) || (strcmp( ((Option*)Opt)->
    Name,"PutAmer")==0))
    return OK;
  return WRONG;
}
#endif //PremiaCurrentVersion
static int MET(Init)(PricingMethod *Met,Option *Opt)
  static int first=1;
  if (first)
    {
      Met->Par[0].Val.V_PDOUBLE=0.001;
      Met->Par[1].Val.V INT2=100;
      Met->Par[2].Val.V ENUM.value=1;
      Met->Par[2].Val.V_ENUM.members=&PremiaEnumExpPart;
      first=0;
    }
  return OK;
}
PricingMethod MET(FD_ImpExp)=
{
```

```
"FD_ImpExp",
{{"Space Discretization Step",DOUBLE,{500},ALLOW},{"TimeS tepNumber",INT2,{100},ALLOW},
    {"Explicit Part",ENUM,{100},ALLOW},
    {" ",PREMIA_NULLTYPE,{0},FORBID}},
    CALC(FD_ImpExp),
    {{"Price",DOUBLE,{100},FORBID},{"Delta",DOUBLE,{100},FORB ID},{" ",PREMIA_NULLTYPE,{0},FORBID}},
    CHK_OPT(FD_ImpExp),
    CHK_Split,
    MET(Init)
};
}
```

References