```
   Help
#include <stdlib.h>
#include  "bs1d_std.h"
#include "error_msg.h"
#define BIG_DOUBLE 1.0e6

int CALC(DynamicHedgingSimulatorPatry)(void *Opt,void *Mod,
    PricingMethod *Met,DynamicTest *Test)
{

  TYPEOPT* ptOpt=(TYPEOPT*)Opt;
  TYPEMOD* ptMod=(TYPEMOD*)Mod;
  int  type_generator,error;
  long path_number,step_number,hedge_number,i,j;
  double step_hedge,initial_stock,initial_time,stock,sell
    ing_price,delta,previous_delta;
  double cash_account,stock_account,cash_rate,stock_rate;
  double pl_sample,mean_pl,var_pl,min_pl,max_pl;
  double sigmaxsqrth;
  double r,divid, a1, u, d, pu;
  int hedgenow;

  /* Variables needed for Graphic outputs */
  double *stock_array, *pl_array, *hedge_time, *hedge_spot,
     current_mean_pl, median_pl=0.;
  double *delta_array;
  int  k,indicehedge;
  long size, size2 ;
  double current_date;

  /******** Initialization of the test's parameters *******
    */
  Test->Par[2].Val.V_LONG=Met->Par[0].Val.V_INT2;    /*
    StepNumber */
  Test->Par[3].Val.V_LONG=Met->Par[1].Val.V_INT;    /*
    HedgeNumber */

  initial_stock=ptMod->S0.Val.V_PDOUBLE;
  initial_time=ptMod->T.Val.V_DATE;

  type_generator=Test->Par[0].Val.V_INT;
```

```
path_number=Test->Par[1].Val.V_LONG;
step_number=Test->Par[2].Val.V_LONG;
current_date=ptMod->T.Val.V_DATE;
hedge_number=Test->Par[3].Val.V_LONG;
step_hedge=(ptOpt->Maturity.Val.V_DATE-ptMod->T.Val.V_DA
  TE)/(double)step_number;

r=log(1.+ptMod->R.Val.V_DOUBLE/100.);
divid=log(1.+ptMod->Divid.Val.V_DOUBLE/100.);
cash_rate=exp(r*step_hedge);
stock_rate=exp(divid*step_hedge)-1.;

sigmaxsqrth=ptMod->Sigma.Val.V_PDOUBLE*sqrt(step_hedge);

mean_pl=0.0;
var_pl=0.0;
min_pl=BIG_DOUBLE;
max_pl=-BIG_DOUBLE;

pnl_rand_init (type_generator,1,path_number);

/*Up and Down factors*/
a1= exp(step_hedge*(r-divid));
u = exp(sigmaxsqrth);
d= 1./u;

/*Risk-Neutral Probability*/
pu=(a1-d)/(u-d);

/* Graphic outputs initializations and dynamical memory
  allocutions */
current_mean_pl=0.0;
size=step_number+1;
size2=hedge_number+1;

if ((stock_array= malloc(size*sizeof(double)))==NULL)
  return MEMORY_ALLOCATION_FAILURE;
if ((pl_array= malloc(size*sizeof(double)))==NULL)
  return MEMORY_ALLOCATION_FAILURE;
if ((hedge_time= malloc(size2*sizeof(double)))==NULL)
  return MEMORY_ALLOCATION_FAILURE;
```

```
if ((hedge_spot= malloc(size2*sizeof(double)))==NULL)
  return MEMORY_ALLOCATION_FAILURE;
if ((delta_array= malloc(size*sizeof(double)))==NULL)
  return MEMORY_ALLOCATION_FAILURE;

for (k=5;k<=14;k++)
  {
    pnl_vect_resize (Test->Res[k].Val.V_PNLVECT, size);
  }
for (k=15;k<=20;k++)
  {
    pnl_vect_resize (Test->Res[k].Val.V_PNLVECT, size2);
  }

for (k=0;k<=step_number;k++) /* Time */
  Test->Res[5].Val.V_PNLVECT->array[k]=current_date+k*
  step_hedge;

/******** Trajectories of the stock ********/
for (i=0;i<path_number;i++)
  {
    /* computing selling-price and delta */
    ptMod->T.Val.V_DATE=initial_time;
    ptMod->S0.Val.V_PDOUBLE=initial_stock;
    Met->Par[2].Val.V_DOUBLE=0.;    /*currentdelta*/
    /*delta=0.;*/
    Met->Par[0].Val.V_INT2=step_number;
    hedge_number=Test->Par[3].Val.V_LONG;
    Met->Par[1].Val.V_INT=hedge_number;

    if ((error=(Met->Compute)(Opt,Mod,Met)))
{
  ptMod->T.Val.V_DATE=initial_time;
  ptMod->S0.Val.V_PDOUBLE=initial_stock;
  return error;
};
    selling_price=Met->Res[2].Val.V_DOUBLE;
    delta=Met->Res[0].Val.V_DOUBLE;
    Met->Par[2].Val.V_DOUBLE=delta;
    Met->Par[0].Val.V_INT2--;
    delta_array[0]=delta;
```

```
    hedgenow=1;

    /* computing cash_account and stock_account */
    cash_account=selling_price-delta*initial_stock;
    stock_account=delta*initial_stock;

    stock=initial_stock;
    stock_array[0]=initial_stock;
    pl_array[0]=0;
    hedge_time[0]=0.;
    hedge_spot[0]=initial_stock;
    indicehedge=1;

    /******** Dynamic Hedge ********/
    for (j=1;j<step_number;j++)
{
  previous_delta=delta;

  /* Capitalization of cash_account and yielding divid
  ends */
  cash_account*=cash_rate;
  cash_account+=stock_rate*stock_account;

  /* computing the new stock's value */
  if (pnl_rand_uni(type_generator)>pu)
    stock*=d;
  else
    stock*=u;

  /* computing the new selling-price and the new delta *
  /
  ptMod->T.Val.V_DATE=ptMod->T.Val.V_DATE+step_hedge;
  ptMod->S0.Val.V_PDOUBLE=stock;
  if ((error=(Met->Compute)(Opt,Mod,Met)))
    {
      ptMod->T.Val.V_DATE=initial_time;
      ptMod->S0.Val.V_PDOUBLE=initial_stock;
      return error;
    };
  hedgenow=Met->Res[3].Val.V_BOOL;
```

```
  if (hedgenow==0)
    {
      delta=Met->Res[0].Val.V_DOUBLE;
      Met->Par[2].Val.V_DOUBLE=delta;    /*currentdelt
  a*/
      hedge_number--;
      Met->Par[1].Val.V_INT=hedge_number;
      hedge_time[indicehedge]=ptMod->T.Val.V_DATE;
      hedge_spot[indicehedge]=stock;
      indicehedge++;
    }
  delta_array[j]=delta;
  Met->Par[0].Val.V_INT2--; /*stepnumber--*/
  /* computing new cash_account and new stock_account */
  cash_account-=(delta-previous_delta)*stock;
  stock_account=delta*stock;

  stock_array[j]=stock;
  pl_array[j]=cash_account-Met->Res[2].Val.V_DOUBLE+delt
  a*stock;

} /*j*/

    /******** Last hedge *******/
    /* Capitalization of cash_account and yielding divid
  ends */
    cash_account*=cash_rate;
    cash_account+=stock_rate*stock_account;

    /* computing the new stock's value */
    if (rand()>pu)
stock*=d;
    else
stock*=u;

    delta_array[step_number]=delta;

    /* Capitalization of cash_account and computing the
  P&L using the PayOff*/
    cash_account=cash_account-((ptOpt->PayOff.Val.V_
  NUMFUNC_1)->Compute)((ptOpt->PayOff.Val.V_NUMFUNC_1)->Par,stock)+
```

```
    delta*stock;
      pl_sample=cash_account;

      stock_array[step_number]=stock;
      pl_array[step_number]=pl_sample;

      mean_pl=mean_pl+pl_sample;
      var_pl=var_pl+SQR(pl_sample);
      min_pl=MIN(pl_sample,min_pl);
      max_pl=MAX(pl_sample,max_pl);

      /* Selection of trajectories (Spot and P&L) for graph
    ic outputs */
      if (i==0)
  {
    for (k=0; k<=step_number; k++)
      {
        Test->Res[6].Val.V_PNLVECT->array[k]=stock_array[
    k];
        Test->Res[7].Val.V_PNLVECT->array[k]=stock_array[
    k];
        Test->Res[8].Val.V_PNLVECT->array[k]=stock_array[
    k];
        Test->Res[9].Val.V_PNLVECT->array[k]=pl_array[k];
        Test->Res[10].Val.V_PNLVECT->array[k]=pl_array[k];
        Test->Res[11].Val.V_PNLVECT->array[k]=pl_array[k];
        Test->Res[12].Val.V_PNLVECT->array[k]=delta_array[
    k];
        Test->Res[13].Val.V_PNLVECT->array[k]=delta_array[
    k];
        Test->Res[14].Val.V_PNLVECT->array[k]=delta_array[
    k];
      }
    for (k=0; k<size2; k++)
      {
        Test->Res[15].Val.V_PNLVECT->array[k]=hedge_time[
    k];
        Test->Res[16].Val.V_PNLVECT->array[k]=hedge_spot[
    k];
        Test->Res[17].Val.V_PNLVECT->array[k]=hedge_time[
    k];
```

```
      Test->Res[18].Val.V_PNLVECT->array[k]=hedge_spot[
  k];
      Test->Res[19].Val.V_PNLVECT->array[k]=hedge_time[
  k];
      Test->Res[20].Val.V_PNLVECT->array[k]=hedge_spot[
  k];
    }

  median_pl=pl_sample;
}
    else
{
  current_mean_pl=mean_pl/i;
  if (pl_sample==min_pl)
    {
      for (k=0; k<=step_number; k++)
  {
    Test->Res[6].Val.V_PNLVECT->array[k]=stock_array[k]
  ;
    Test->Res[9].Val.V_PNLVECT->array[k]=pl_array[k];
    Test->Res[12].Val.V_PNLVECT->array[k]=delta_array[
  k];
  }
      for (k=0; k<size2; k++)
  {
    Test->Res[15].Val.V_PNLVECT->array[k]=hedge_time[k]
  ;
    Test->Res[16].Val.V_PNLVECT->array[k]=hedge_spot[k]
  ;
  }
    }
  else if (pl_sample==max_pl)
    {
      for (k=0; k<=step_number; k++)
  {
    Test->Res[7].Val.V_PNLVECT->array[k]=stock_array[k]
  ;
    Test->Res[10].Val.V_PNLVECT->array[k]=pl_array[k];
    Test->Res[13].Val.V_PNLVECT->array[k]=delta_array[
  k];
  }
```

```
      for (k=0; k<size2; k++)
  {
    Test->Res[17].Val.V_PNLVECT->array[k]=hedge_time[k]
  ;
    Test->Res[18].Val.V_PNLVECT->array[k]=hedge_spot[k]
  ;
  }
    }
  else if (SQR(pl_sample-current_mean_pl) < SQR(median_
  pl-current_mean_pl))
    {
      median_pl=pl_sample;
      for (k=0; k<=step_number; k++)
  {
    Test->Res[8].Val.V_PNLVECT->array[k]=stock_array[k]
  ;
    Test->Res[11].Val.V_PNLVECT->array[k]=pl_array[k];
    Test->Res[14].Val.V_PNLVECT->array[k]=delta_array[
  k];
  }
      for (k=0; k<size2; k++)
  {
    Test->Res[19].Val.V_PNLVECT->array[k]=hedge_time[k]
  ;
    Test->Res[20].Val.V_PNLVECT->array[k]=hedge_spot[k]
  ;
  }
    }
}
  } /*i*/

free(stock_array);
free(pl_array);
free(hedge_time);
free(hedge_spot);
free(delta_array);

mean_pl=mean_pl/(double)path_number;
var_pl=var_pl/(double)path_number-SQR(mean_pl);

Test->Res[0].Val.V_DOUBLE=mean_pl;
```

```
  Test->Res[1].Val.V_DOUBLE=var_pl;
  Test->Res[2].Val.V_DOUBLE=min_pl;
  Test->Res[3].Val.V_DOUBLE=max_pl;
  Test->Res[4].Val.V_DOUBLE=median_pl;

  ptMod->T.Val.V_DATE=initial_time;
  ptMod->S0.Val.V_PDOUBLE=initial_stock;

  return OK;
}


static int TEST(Init)(DynamicTest *Test,Option *Opt)
{
  static int first=1;
  int i;

  if (first)
    {
      Test->Par[0].Val.V_INT=0;            /* Random     Generator */
      Test->Par[1].Val.V_LONG=1;        /* PathNumber */
      Test->Par[2].Val.V_LONG=100;     /* StepNumber */
      Test->Par[3].Val.V_LONG=5;       /*hedgenumber*/
      Test->Par[4].Vtype=PREMIA_NULLTYPE;

      for ( i=5 ; i<=20 ; i++ )
        {
          Test->Res[i].Val.V_PNLVECT = pnl_vect_create (0);
        }
      Test->Res[21].Vtype=PREMIA_NULLTYPE;

      first=0;
    }

  return OK;
}
int CHK_TEST(testpatry)(void *Opt, void *Mod, Pricing
    Method *Met)
{
  if ( (strcmp( Met->Name,"TR_PatryMartini")==0))
    return OK;
```

```
  else
    return WRONG;
}

DynamicTest MOD_OPT(testpatry)=
{
  "bs1d_std_testpatry",

  {{"RandomGenerator",INT,{100},ALLOW},
   {"PathNumber",LONG,{100},ALLOW},
   {" ",PREMIA_NULLTYPE,{0},FORBID}},

  CALC(DynamicHedgingSimulatorPatry),

  {{"Mean_P&l",DOUBLE,{100},FORBID},
   {"Var_P&l",DOUBLE,{100},FORBID},
   {"Min_P&l",DOUBLE,{100},FORBID},
   {"Max_P&l",DOUBLE,{100},FORBID},
   {"Median_P&l",DOUBLE,{100},FORBID},

   {"Time",PNLVECT,{100},FORBID},
   {"Stockmin",PNLVECT,{0},FORBID},
   {"Stockmax",PNLVECT,{0},FORBID},
   {"Stockmean",PNLVECT,{0},FORBID},
   {"PLmin",PNLVECT,{0},FORBID},
   {"PLmax",PNLVECT,{0},FORBID},
   {"PLmean",PNLVECT,{0},FORBID},
   {"deltamin",PNLVECT,{0},FORBID},
   {"deltamax",PNLVECT,{0},FORBID},
   {"deltamean",PNLVECT,{0},FORBID},
   {"HedgeTimemin",PNLVECT,{0},FORBID},
   {"HedgeSpotmin",PNLVECT,{0},FORBID},
   {"HedgeTimemax",PNLVECT,{0},FORBID},
   {"HedgeSpotmax",PNLVECT,{0},FORBID},
   {"HedgeTimemean",PNLVECT,{0},FORBID},
   {"HedgeSpotmean",PNLVECT,{0},FORBID},

   {" ",PREMIA_NULLTYPE,{0},FORBID}},
  CHK_TEST(testpatry),
  CHK_ok,
  TEST(Init)
```

```
};
```

References