```
Help
extern "C"{
#include "mer1d lim.h"
#include "enums.h"
#include "math/levy fd.h"
extern "C"{
#if defined(PremiaCurrentVersion) && PremiaCurrentVersion <</pre>
     (2007+2) //The "#else" part of the code will be freely av
    ailable after the (year of creation of this file + 2)
static int CHK OPT(FD ImpExpDownOut)(void *Opt, void *Mod)
  return NONACTIVE;
int CALC(FD_ImpExpDownOut)(void *Opt,void *Mod,Pricing
    Method *Met)
  return AVAILABLE_IN_FULL_PREMIA;
}
#else
static int ImpExpDownOut(int am,double S0,NumFunc_1 *p,
    double l_down,double rebate,double T,double r,double divid,
    double sigma, double lambda, double mu, double gamma2, double dx,
    int M,int flag_scheme,double *ptprice,double *ptdelta)
{
  double price0, delta0;
  int flag_callput,flag_stdbarrier;
  /*Construction of the model*/
  double delta=sqrt(gamma2);
  double ldownlog=log(l_down/S0);
  if(dx>fabs(ldownlog)/2.)
    dx=fabs(ldownlog)/2.;
  int Nl = (int)ceil(fabs(ldownlog)/dx);
  dx = fabs(ldownlog)/N1;
  double Al = ldownlog+dx;
```

```
Merton measure measure(mu,delta,lambda,sigma,dx);
double k = 3;
double Ar = log(2.) + r*T + k*sqrt(T*measure.varX1);
if (Ar>30) Ar = 30;
int N = (int) ceil((Ar-ldownlog)/dx);
Ar = 1downlog + N*dx;
double K=p->Par[0].Val.V DOUBLE;
flag_stdbarrier=3;
/*Price Computation*/
if ((p->Compute) ==&Put)
  {
    flag_callput=2;
    if (flag scheme==1)
      vector<double> u = price2(am, measure, flag_callput,
  flag_stdbarrier,r,divid,S0,K,rebate,A1,Ar,N,T,M,price0,delt
  a0);
    else
      vector<double> u = price2c(am,measure,flag_callput,
  flag_stdbarrier,r,divid,S0,K,rebate,A1,Ar,N,T,M,price0,delt
  a0);
    /*Price */
    *ptprice=price0;
    /*Delta */
    *ptdelta=delta0;
  }
else
  if ((p->Compute) == &Call)
    {
      /*Price */
      flag callput=1;
      if (flag_scheme==1)
        vector<double> u = price2(am,measure,flag_callput
  ,flag stdbarrier,r,divid,S0,K,rebate,Al,Ar,N,T,M,price0,de
  1ta0);
      else
```

```
vector<double> u = price2c(am, measure, flag callp
    ut,flag stdbarrier,r,divid,S0,K,rebate,Al,Ar,N,T,M,price0,
    delta0);
        *ptprice=price0;
        /*Delta */
        *ptdelta=delta0;
  return OK;
}
int CALC(FD_ImpExpDownOut)(void *Opt,void *Mod,Pricing
    Method *Met)
{
  TYPEOPT* ptOpt=( TYPEOPT*)Opt;
  TYPEMOD* ptMod=( TYPEMOD*)Mod;
  double r,divid,limit,rebate;
  r=log(1.+ptMod->R.Val.V DOUBLE/100.);
  divid=log(1.+ptMod->Divid.Val.V_DOUBLE/100.);
  limit=((ptOpt->Limit.Val.V_NUMFUNC_1)->Compute)((ptOpt->
                                                               Limit.Val.V_NUMFUN
  rebate=((ptOpt->Rebate.Val.V NUMFUNC 1)->Compute)((ptOpt-
    >Rebate.Val.V_NUMFUNC_1)->Par,ptMod->T.Val.V DATE);
  return ImpExpDownOut(ptOpt->EuOrAm.Val.V BOOL,ptMod->SO.
    Val. V PDOUBLE,
                       ptOpt->PayOff.Val.V_NUMFUNC_1, limi
    t,rebate,ptOpt->Maturity.Val.V_DATE-ptMod->T.Val.V_DATE,r,
    divid,ptMod->Sigma.Val.V PDOUBLE,ptMod->Lambda.Val.V PDOUB
    LE,ptMod->Mean.Val.V PDOUBLE,ptMod->Variance.Val.V PDOUBLE,
    Met->Par[0].Val.V DOUBLE,Met->Par[1].Val.V INT,Met->Par[2].
    Val.V_ENUM.value,&(Met->Res[0].Val.V_DOUBLE),&(Met->Res[1].
    Val.V DOUBLE));
}
static int CHK_OPT(FD_ImpExpDownOut)(void *Opt, void *Mod)
  Option* ptOpt=(Option*)Opt;
  TYPEOPT* opt=(TYPEOPT*)(ptOpt->TypeOpt);
```

```
if ((opt->OutOrIn).Val.V BOOL==OUT)
    if ((opt->DownOrUp).Val.V_BOOL==DOWN)
      if ((opt->EuOrAm).Val.V_BOOL==EURO)
        if ((opt->Parisian).Val.V BOOL==WRONG)
          return OK;
  return WRONG;
#endif //PremiaCurrentVersion
static int MET(Init)(PricingMethod *Met,Option *Opt)
  static int first=1;
  if (first)
    {
      Met->Par[0].Val.V_PDOUBLE=0.001;
      Met->Par[1].Val.V INT2=100;
      Met->Par[2].Val.V_ENUM.value=1;
      Met->Par[2].Val.V_ENUM.members=&PremiaEnumExpPart;
      first=0;
    }
  return OK;
}
PricingMethod MET(FD ImpExpDownOut)=
  "FD ImpExpDownOut",
  {{"Space Discretization Step", DOUBLE, {500}, ALLOW}, {"TimeS
    tepNumber", INT2, {100}, ALLOW},
   {"Explicit Part", ENUM, {100}, ALLOW},
   {" ",PREMIA NULLTYPE, {0}, FORBID}},
  CALC(FD ImpExpDownOut),
  {{"Price",DOUBLE,{100},FORBID},{"Delta",DOUBLE,{100},FORB
    ID},{" ",PREMIA_NULLTYPE,{0},FORBID}},
  CHK OPT(FD ImpExpDownOut),
  CHK split,
  MET(Init)
```

5 pages 5;

References

}