Qwen

The LexEthos Blueprint: A Self-Correcting Urban Grammar Anchored in Code, Quantum Circuits, and Secure Identity

This report outlines the foundational design for a unified LexEthos rights grammar for the Aletheion city-scale operating system. The objective is to create a legally precise, computationally verifiable, and socially responsive governance layer capable of automated enforcement and remediation. The proposed architecture integrates principles from formal law, community-derived norms, and Indigenous sovereignty with advanced cryptographic techniques, quantum-enhanced computation, and deep integration with the city's physical state model. This system is engineered for minimal attack surface through secure identity management and ensures immutability and provenance via blockchain anchoring. The final implementation will be realized in high-density, energy-efficient code, enabling per-line interpretability and autonomous decision-making at the district level.

Designing the LexEthos Rights Grammar: Balancing Legal Precision and Community Norms

The cornerstone of Aletheion's self-correcting governance is its Rights Grammar, a foundational ontology built upon universally applicable `RightsAtom`s. This grammar must navigate a complex landscape, seeking a maximized balance between the rigidity of formal legal frameworks, the fluidity of community norms, and the sovereign authority of Indigenous protocols . The initial phase of development involves creating a conceptual schema for the `RightsAtom`, which serves as the atomic unit of all enforceable rights. Conceptually, a `RightsAtom` is structured as an object containing fields for `righttype` (e.g., noise, shade, water access, augmentation control, data privacy), `context` (e.g., residential, workplace, transit corridor, canal), `scope` (defining who, where, and when the right applies), and `thresholds` (quantitative limits such as decibels, lux levels, meters of shade, liters of water, or torque values) . The primary research task is to populate this schema by systematically mapping these abstract rights to concrete,

measurable variables already present or collectable within Aletheion's state model, including sensor data and seven-capital state slices .

To achieve this, a comprehensive inventory of existing normative sources is required. This includes Phoenix ordinances, workplace policies, Homeowners Association (HOA) rules, tenant protections, and transit codes . For instance, a right against excessive noise would be analyzed by examining Phoenix's noise and nuisance ordinances to identify permissible decibel levels during different times of day and in various zones [104]. Similarly, a right to shade would be informed by park and canal rules, as well as citywide heat mitigation policies, to define acceptable levels of shading at public infrastructure like bus stops . This legal baseline provides the non-negotiable constraints that form the bedrock of the grammar . However, legal texts alone are insufficient. The grammar must also incorporate community-derived norms, which are often more granular and context-specific. This requires conducting structured interviews and workshops in diverse Phoenix neighborhoods, particularly those identified as heat-vulnerable or historically overburdened, to elicit local rules concerning quiet hours, truck routes, irrigation schedules, drone paths, and water priorities . These sessions aim to capture the lived experience and unspoken expectations that shape daily life, ensuring the grammar reflects social reality rather than just legislative intent .

The most critical component of the grammar's design is the integration of Indigenous protocols, which carry sovereign weight and cannot be subsumed under municipal or state law. This necessitates direct collaboration with representatives from the Akimel O'odham and Piipaash nations to encode their water and land-use agreements, Free, Prior, and Informed Consent (FPIC) procedures, and any existing treaties affecting resource flows or sacred sites . These protocols must be treated as hard constraints within the grammar, establishing precedence over conflicting local preferences where necessary . The challenge lies in formally representing these distinct layers of authority—legal, communal, and sovereign—within a single, coherent structure. Research must focus on defining clear scoping rules and conflict-resolution hierarchies. For example, a treaty obligation related to water rights might override a city ordinance promoting water conservation if they are in direct conflict . The goal is to create a grammar that is not merely a compilation of disparate rules but a synthesized system where each right's origin, scope, and priority are explicitly defined and machine-verifiable .

Once the universal `RightsAtom` schema is established, the next step is to develop context-specific grammars and then integrate them into the unified whole. Initial work should proceed by developing small, localized "mini-grammars" for specific contexts like a particular neighborhood or a type of workplace (e.g., clinic, warehouse, school) . Each mini-grammar would be written first in human language to capture local nuance, and

then a first pass would be made to express its rules using the RightsAtom schema . This iterative process helps test the expressiveness of the schema and identify gaps or ambiguities that need to be addressed . Conflicts between different groups, such as differing noise expectations between freight operators and residential neighbors, must be documented as explicit grammar issues that the system must be able to resolve algorithmically without resorting to ad-hoc exceptions . By cataloging recurring natural-language phrases found in these community-driven grammars (e.g., "no leaf blowers before 9am," "guaranteed shade in PeakHeatZone"), researchers can build a library of canonical RightsAtom templates that efficiently translate human norms into machine-executable logic . This bottom-up approach, grounded in real-world contexts, ensures the final unified grammar is both comprehensive and practically applicable across all of Aletheion's domains: residential, workplace, transit, and ecological .

From Grammar to Enforcement: Compiling Rights into Verifiable MicroTreaties

With a well-defined RightsGrammar in place, the next critical step is to transform it into a machine-executable format through a `RightsGrammarCompiler`. This compiler acts as the bridge between human-readable rules and the computational logic of the Aletheion system. Its function is to parse grammars—whether derived from legal documents, community workshops, or Indigenous protocols—and compile them into structured `MicroTreaty` objects . A conceptual blueprint for a MicroTreaty object has been outlined, specifying it as a data structure containing a list of `RightsAtoms`, enforcement rules dictating whether a violation results in a hard block, derate, or warning, a validity window defining its temporal scope, a jurisdiction field specifying the geographic area and asset types it covers, and links to Decentralized Identifiers (DIDs) and Googolswarm transaction hashes for provenance and consent anchoring . The compiler must therefore not only recognize the components of a `RightsAtom` but also correctly assemble them into these comprehensive treaty objects, while also handling metadata such as versioning and authorship to track the evolution of rules over time .

The core of the enforcement mechanism lies in the `MicroTreatyVerifier`, an autonomous resolver responsible for checking operational plans against all active treaties within a given district . To perform this check, the verifier must first deconstruct any proposed plan—a schedule for pumps, a routing for waste collection vehicles, a lighting plan for a transit corridor, or an operational parameter set for an augmented device—into a `deviceactiongraph` . This graph represents the plan as a set of discrete actions,

each tied to a specific actuator, location, time, and intensity level. The verifier then traverses this graph, checking each action against the `MicroTreaty` objects active in that geography . The verification semantics must be precisely defined: what constitutes a violation of a `RightsAtom`'s threshold, what happens upon a single violation versus multiple violations, and how overlapping treaties are combined (e.g., through intersection or union logic) . The system must also be able to handle dynamic changes; for example, if a new treaty is activated mid-plan, the verifier needs a protocol to assess the impact and initiate remediation if necessary.

A key requirement is that the system operates without invoking traditional MicroTreaty constructs or relying on human-mediated dispute resolution as the primary enforcement pathway . This pushes the design towards a purely algorithmic enforcement model driven by automated remediation. When the verifier detects a potential conflict, it does not simply halt operations or flag the issue for a human. Instead, it engages with the `DisputeCoolingProtocol` to find a valid, minimal adjustment to the plan that resolves the conflict . This could involve shifting a noisy operation to a different time slot to comply with quiet hours, rerouting a vehicle to avoid a newly active treaty zone, or adjusting the power output of a device to stay within an ecosafety corridor's Lyapunov residual limit . The concept of a "minimal fixed plan" is central here; the system must have a decision logic to choose among several possible adjustments, selecting the one that requires the least deviation from the original plan while satisfying all treaty constraints. This requires the verifier to not only detect violations but also to possess a repertoire of pre-approved, technically implementable interventions that can be applied automatically . The ultimate goal is a closed-loop system where the grammar is compiled, the compiler generates treaties, the verifier checks plans, and the cooling protocol executes fixes—all autonomously and without human oversight.

Component	Description	Key Research Tasks
RightsGrammarCompiler	Translates natural language or structured rule sets into standardized `MicroTreaty` objects.	- Catalog recurring rule patterns. - Define canonical `RightsAtom` templates. - Specify scoping rules and precedence hierarchies. - Implement versioning and provenance tracking.
MicroTreaty Object	A structured data representation of a treaty, containing atoms, enforcement rules, jurisdiction, and consent anchors.	- Finalize schema (atoms, rules, scope, DID links). - Define how treaties reference assets and sensors. - Specify combination logic for overlapping treaties.
MicroTreatyVerifier	An autonomous resolver that checks operational plans against active micro-treaties.	- Define `Plan` object structure (enums, numerics). - Sketch `deviceactiongraph` generation for various plan types. - Specify validation ordering and failure modes (e.g., `derate`, `reroute`).
DisputeCoolingProtocol	A set of predefined, automated interventions for resolving conflicts detected by the verifier.	- Gather real-world dispute data (noise, parking, etc.). - Classify disputes into a taxonomy. - Map each class to candidate technical interventions (e.g., schedule shift, route change).

Automated Remediation and Dispute Cooling: Algorithmic Conflict Resolution

Aletheion's governance model is predicated on a paradigm shift from reactive, human-mediated dispute resolution to proactive, automated remediation. The system's ability to self-correct by proposing and executing minimal adjustments to operational plans is its defining feature and primary enforcement mechanism . This capability is powered by two integrated components: the `MicroTreatyVerifier`, which identifies conflicts, and the `DisputeCoolingProtocol`, which defines the response. The user's directive to eliminate reliance on human-mediated processes and traditional MicroTreaty constructs makes the design of this protocol paramount . It must function as a sophisticated, pre-programmed playbook for conflict de-escalation, allowing the system to maintain order and compliance autonomously.

The foundation of this protocol is a detailed taxonomy of common urban disputes, developed from real-world incident data and community feedback. This taxonomy categorizes conflicts based on their nature, such as sound/time (noise complaints), space/use (parking conflicts), resource/access (water use disputes), augmentation/body (misuse of wearables), and data/privacy . For each category, researchers must identify and codify a set of "acceptable remedies" as perceived by affected communities, such as

time shifts, route changes, or design modifications, rather than punitive measures like fines or policing . These remedies form the basis of the technical interventions the system can deploy. For example, a dispute classified as "sound/time" might trigger an automated intervention to adjust the start time of a noisy construction project to comply with neighborhood quiet-hour treaties, a change that can be executed by modifying the project's schedule plan before it is committed to the ERM .

The `DisputeCoolingProtocol` must operate within a strict escalation ladder that avoids escalatory responses and specifies which steps can be automated by Aletheion and which must be escalated to human oversight . For minor, easily resolved conflicts, the system proceeds directly to automated remediation. If the `MicroTreatyVerifier` finds a plan violates a treaty, it consults the protocol to find a valid, minimal fix. The definition of "minimal" is crucial and requires a sophisticated decision algorithm. The system must evaluate multiple potential adjustments—for instance, a slight detour versus a complete reroute, or a small reduction in operational intensity versus a full stop—and select the one that best preserves the original plan's objectives while satisfying all constraints . This process effectively turns abstract rights into actionable, computationally optimized solutions.

However, some conflicts may be too complex for immediate automated resolution. The protocol must account for these edge cases. A scenario where a technically efficient plan is rejected due to a LexEthos ground (e.g., a freight route that optimizes delivery time but violates quiet hours) must have a predefined fallback plan structure . This could involve temporarily holding the plan in a queue for review, activating a low-priority contingency plan, or notifying relevant stakeholders with a proposed solution for rapid approval. The system must also be designed to learn from these more complex interactions. Each unresolved conflict becomes a data point that can be used to refine the RightsGrammar, improve the `MicroTreatyVerifier`'s detection capabilities, or expand the `DisputeCoolingProtocol`'s repertoire of interventions . This creates a continuous improvement loop, making the automated governance system progressively more effective over time. Ultimately, the goal is to create a system that is not only reactive to violations but predictive and preventative, using its understanding of treaties and capital states to propose optimal plans in the first place, thereby minimizing the occurrence of disputes.

District-Level Orchestration via Quantum Circuits and Secure Identities

To manage the complexity of city-wide governance, Aletheion's LexEthos system employs autonomous functions powered by quantum-learning circuits at the district level. These circuits are designed to dynamically separate logic channels from operational functions and enforce checkpoint thresholds, providing a layer of intelligent orchestration that goes beyond classical computing capabilities . While large-scale, fault-tolerant quantum computers are still in development, hybrid quantum-classical neural networks represent a practical near-term approach [5] [27]. In this architecture, quantum processing units (QPUs) augment classical CPUs, excelling at specific tasks where quantum mechanics provides an advantage. For Aletheion, these tasks include complex pattern recognition in multi-scalar data streams, optimization of resource allocation under multiple, conflicting treaty constraints, and potentially, the partitioning of computational workloads to enhance security and prevent cross-domain interference [31] [89].

The quantum circuits would operate on district-level data, which is organized around the concept of a `district-identity` . A district's identity is not merely a geographic label but a compact signature of the Seven Capitals it primarily stabilizes or regenerates, the workflows it runs, and the treaties it is bound to . For example, the "Downtown Cool Corridor" is a district where ThermalCapital, SomaticCapital, and TreatyCapital are coupled through specific workflows like HeatBudget and Somaplex . The quantum circuit for this district would be tuned to the unique parameters of this identity, monitoring the Lyapunov residuals of thermal systems, the somatic load on pedestrian routes, and the adherence to cooling-related treaties . By separating these logic channels, the system prevents unintended consequences, such as a water reallocation plan for the ThermalCapital that inadvertently harms the adjacent BioticCapital corridor . Checkpoint thresholds, likely derived from the ecosafety corridors and SevenCapitalState envelopes, serve as the guardrails that the quantum-assisted optimizer must respect, triggering a `DisputeCoolingProtocol` if a threshold is breached .

Underpinning this entire architecture is a stringent security model centered on highly trusted, secure digital identities to minimize the system's attack surface . This is achieved through a combination of Decentralized Identifiers (DIDs) and hardware-enforced Trusted Execution Environments (TEEs). DIDs provide a self-sovereign identity framework where each citizen, device, or entity has a unique, cryptographically verifiable identifier that is not controlled by any central authority [16] [17]. All actions within Aletheion, from signing a consent to submitting a plan for verification, would be anchored to a DID, creating an immutable and auditable trail of activity [34]. This aligns

with the zero-trust security model, which emphasizes continuous identity verification [62]. To protect the integrity of the sensitive governance logic itself, components like the `MicroTreatyVerifier` and `DisputeCoolingProtocol` would run inside TEEs [11]. TEEs, such as those built on the RISC-V architecture using open-source frameworks like Keystone, create an isolated runtime environment that is protected from the underlying operating system, even if it is compromised [52] [56] [100]. This hardware-level isolation ensures that the core logic of Aletheion's self-correcting governance cannot be tampered with, forming a root of trust for the entire system. Together, the combination of decentralized identity and hardware-backed enclaves creates a robust security posture essential for managing a city's most critical resources and rights.

Blockchain Anchoring and Integration with Aletheion's State Model

For Aletheion's governance to be truly transparent and trustworthy, all significant rule-making and enforcement activities must be recorded on an immutable ledger. The LexEthos system achieves this through blockchain anchoring, leveraging a custom or private chain like Googolswarm integrated with Decentralized Identifiers (DIDs) . This serves two primary purposes: immutability and provenance. Every creation of a new `MicroTreaty`, every activation of a plan, and every successful automated remediation event is hashed and stored on the blockchain [63]. This creates a permanent, tamper-evident audit trail, preventing backdoor alterations or historical revisionism and ensuring that governance decisions are publicly verifiable [68]. The anchoring of treaties and actions to DIDs further strengthens this, linking each on-chain event to a cryptographically verifiable identity, thus ensuring accountability [34].

The effectiveness of the LexEthos grammar is contingent on its tight integration with Aletheion's physical and ecological state. The system does not operate in a vacuum; it is an integral part of the broader Enterprise Resource Management (ERM) framework, which maintains a real-time model of the city . At the heart of this model is the **SevenCapitalState**, a vector that quantifies the condition of Water, Thermal, Waste, Biotic, Neurobiome, Somatic, and Treaty capitals at a hyperlocal level (e.g., per block, corridor, or basin) . The LexEthos system maps every `RightsAtom` to one or more of these capitals. For example, a right to quiet hours is linked to protecting `NeurobiomeCapital` and `SomaticCapital` from sonic stressors, while a right to safe drinking water is intrinsically tied to the stability of `WaterCapital` .

This integration is operationalized through the concept of **ecosafety corridors**. These corridors define the safe operating envelopes for all cyboquatic and ecological systems within the city . They are formalized using two key concepts: normalized risk coordinates (r_x) and Lyapunov residuals (V_t) . The r_x values represent scientifically calibrated, normalized ranges (typically from 0 to 1) for critical physical parameters like water quality, temperature, and light/noise levels, with explicit minsafe, maxsafe, and hard limit thresholds . The Lyapunov residual (V_t) is a mathematical measure used to assess the stability of a dynamic system; for example, a stable MAR vault would be one where its mass-balance Lyapunov function does not increase over time . The `MicroTreatyVerifier` uses these corridors as hard boundaries. A plan that would cause a parameter to exceed its safe r_x band or destabilize a system beyond its V_t tolerance is automatically flagged for remediation. The principle of "`no corridor, no build / violated corridor, derate–stop`" ensures that all city-scale activities are kept within scientifically-defined safe operating envelopes, preventing degradation of the underlying capitals that LexEthos is designed to protect . This tight coupling ensures that the enforcement of rights is always grounded in the real-world ecological and physical health of the city.

Aletheion Component	Role in LexEthos Integration	Supporting Technologies
SevenCapitalState	Provides the real-time, quantitative state of the city's ecological and social health, serving as the target for protection and regeneration.	Edge Sensing, State Modeling
Ecosafety Corridors	Defines the scientifically-calibrated, numeric safety boundaries (rx, Vt) that `RightsAtoms` must not violate.	Lyapunov Stability Theory, Empirical Calibration
Googolswarm/DID	Creates an immutable, verifiable, and timestamped ledger for all governance events (treaty creation, plan execution, remediation), ensuring transparency and auditability.	Blockchain, W3C Verifiable Credentials [16] [63]
Three-Tier Functions	Exposes `State`, `Service`, and `Governance` interfaces for every district, allowing the LexEthos verifier to query capital states and gate operational workflows.	Service Tier, Governance Gate

Technical Implementation for Energy-Efficient Execution

The final requirement for Aletheion's governance system is its implementation in a manner that prioritizes energy efficiency and per-line interpretability. This is achieved through a deliberate choice of programming languages and the adoption of high-density coding patterns. The system will be built using a polyglot approach, leveraging Rust and C for performance-critical kernels and low-level optimizations, while employing ALN

(Aletheion Language) and Lua for higher-level declarative constraints, orchestration, and business logic [78]. This division of labor allows computationally intensive tasks, such as the NSGA-II optimization algorithms for resource allocation or the numerical computations in the quantum circuits, to be handled by highly optimized, compiled languages [72]. Meanwhile, the declarative rules of the LexEthos grammar, the logic of the `DisputeCoolingProtocol`, and the orchestration of workflows will be expressed in ALN and Lua, which are better suited for rapid development and expressive constraint modeling .

The key to achieving dense, energy-efficient code lies in designing shared Rust/ALN/Lua patterns that encapsulate governance logic, preventing it from being duplicated across modules . For example, a single function call or macro in ALN could trigger a cascade of checks that simultaneously verifies a plan against ecosafety corridors, enforces active MicroTreaties, and logs the action, all within a single line of code . This approach, sometimes referred to as "contract-first" or "assertion-based" programming, embeds governance directly into the executable logic, ensuring that every module adheres to the same set of invariants without needing to contain the heavy validation code itself . Standardized macros, traits in Rust, and ALN templates will be developed for common operations like corridor validation, treaty enforcement, and FEAR/PAIN/SANITY checks, allowing developers to compose complex systems from short, declarative primitives .

To ensure this high-density pattern is maintained and enforced, a rigorous CI (Continuous Integration) pipeline will be implemented . This pipeline will go beyond simple code formatting and coverage tests. It will include centralized compliance utilities that scan new code for adherence to governance invariants, such as requiring that every new module explicitly declare the ecosafety corridors and SevenCapitalState dependencies it interacts with . Repository metrics, including directory depth, file counts, and KER (Knowledge, Eco-Impact, Risk Reduction) scores, will be tracked to guide architectural decisions and prevent the proliferation of inefficient or poorly governed code . Formal verification tools, such as Prusti for Rust, may be employed to generate mathematical proofs for critical sections of the codebase, providing a high degree of confidence in their correctness and safety [13] [37]. This commitment to a disciplined development process, combined with the strategic use of language-specific strengths and a modular, contract-based architecture, ensures that Aletheion's governance system is not only powerful and autonomous but also lean, transparent, and sustainable.

Reference

1. Hybrid quantum-classical-quantum convolutional neural networks https://www.nature.com/articles/s41598-025-13417-1
2. [2510.25557] Hybrid Quantum-Classical Recurrent Neural Networks https://arxiv.org/abs/2510.25557
3. A Hybrid Quantum-Classical Neural Network Architecture for Binary ... https://www.researchgate.net/publication/357646450_A_Hybrid_Quantum-Classical_Neural_Network_Architecture_for_Binary_Classification
4. Quantum Neural Networks: Beyond Classical Deep Learning https://www.linkedin.com/pulse/quantum-neural-networks-beyond-classical-deep-andre-m094e
5. The Role of Quantum in Hybrid Quantum-Classical Neural Networks https://arxiv.org/abs/2601.04732
6. 学科分类目录- 中国科学：信息科学 http://scis.scichina.com/ssi.html
7. Hybrid Quantum-Classical network - Discussion Forum — PennyLane https://discuss.pennylane.ai/t/hybrid-quantum-classical-network/647
8. A Survey of RISC-V Secure Enclaves and Trusted Execution ... - MDPI https://www.mdpi.com/2079-9292/14/21/4171
9. [PDF] Huawei Computing Infrastructure Security Technical White Paper ... https://www-file.huawei.com/admin/asset/v1/pro/view/a1c4051f4f3849ac9f09c2c301069c3a.pdf
10. Autonomous Agents on Blockchains: Standards, Execution Models ... https://arxiv.org/html/2601.04583v1
11. (PDF) A Survey of RISC-V Secure Enclaves and Trusted Execution ... https://www.researchgate.net/publication/397022544_A_Survey_of_RISC-V_Secure_Enclaves_and_Trusted_Execution_Environments
12. Automated Proof Generation for Rust Code via Self-Evolution - arXiv https://arxiv.org/abs/2410.15756
13. The Prusti Project: Formal Verification for Rust - ResearchGate https://www.researchgate.net/publication/360716882_The_Prusti_Project_Formal_Verification_for_Rust
14. Unlocking Blockchain's Potential in Supply Chain Management - MDPI https://www.mdpi.com/2673-8732/5/3/34

15. Verifiable Credentials Data Model v2.0 - W3C https://www.w3.org/TR/vc-data-model-2.0/
16. A blockchain- and self-sovereign identity-based collaborative ... https://www.sciencedirect.com/science/article/pii/S2772375525008858
17. Transparent Digital Governance: A Blockchain-Based Workflow ... https://www.mdpi.com/2076-3417/15/21/11694
18. Computer Science Mar 2024 - arXiv.org http://arxiv.org/list/cs/2024-03?skip=3300&show=1000
19. IAMGOLD Corporation: Exhibit 99.1 - Filed by newsfilecorp.com https://www.sec.gov/Archives/edgar/data/1203464/000106299321001650/exhibit99-1.htm
20. Critical minerals mining and Native American sovereignty ... https://www.sciencedirect.com/science/article/pii/S2214790X24001539
21. brcb-20251231 - SEC.gov https://www.sec.gov/Archives/edgar/data/2068577/000162828026014380/brcb-20251231.htm
22. Product Design | Design Services - Avnet https://www.avnet.com/americas/solutions/design/overview/
23. A Survey of Hardware-Assisted Intra-Address Space Protections https://www.researchgate.net/publication/397830397_A_Survey_of_Hardware-Assisted_Intra-Address_Space_Protections
24. Use Case–Based Architecture (UCBA): A Practical Framework for ... https://www.linkedin.com/pulse/use-casebased-architecture-ucba-practical-framework-patrick-mbcs-3bwie
25. (PDF) Designing Data Spaces - Academia.edu https://www.academia.edu/100402591/Designing_Data_Spaces
26. (PDF) A hybrid quantum-classical neural network for learning ... https://www.researchgate.net/publication/373228771_A_hybrid_quantum-classical_neural_network_for_learning_transferable_visual_representation
27. [PDF] Hybrid Quantum-Classical Learning for Multiclass Image Classification https://www.arxiv.org/pdf/2508.18161
28. A Flexible Hybrid Quantum-classical Training Framework of Organ ... https://www.nature.com/articles/s41598-026-40127-z_reference.pdf
29. Towards Hybrid Quantum-Classical Vision Models - MDPI https://www.mdpi.com/2227-7390/13/16/2645
30. Shedding Light on the Future: Exploring Quantum Neural Networks ... https://advanced.onlinelibrary.wiley.com/doi/10.1002/qute.202400074
31. Architectural patterns for designing quantum artificial intelligence ... https://www.sciencedirect.com/science/article/pii/S0164121225001244

32. Hybrid Quantum-Classical Learning for Multiclass Image Classification https://arxiv.org/html/2508.18161v1
33. Hybrid quantum-classical-quantum convolutional neural networks https://www.researchgate.net/publication/395023990_Hybrid_quantum-classical-quantum_convolutional_neural_networks
34. Generative AI and Blockchain-Integrated Multi-Agent Framework for ... https://www.mdpi.com/2304-8158/14/17/3004
35. Design and evaluation of a decentralized urban governance system ... https://www.frontiersin.org/journals/sustainable-cities/articles/10.3389/frsc.2025.1623412/full
36. A systematic literature review on security testing of Ethereum smart ... https://www.sciencedirect.com/science/article/pii/S2096720925000417
37. Blockchain Smart Contract Security: Threats and Mitigation ... - ACM https://dl.acm.org/doi/full/10.1145/3769013
38. [PDF] Values in Heritage Management - ResearchGate https://www.researchgate.net/profile/Susan-Macdonald-5/publication/340416892_Values_in_Heritage_Management_Emerging_Approaches_and_Research_Directions/links/5e877be692851c2f527b8b5d/Values-in-Heritage-Management-Emerging-Approaches-and-Research-Directions.pdf
39. Sustainability, Volume 10, Issue 4 (April 2018) – 408 articles - MDPI https://www.mdpi.com/2071-1050/10/4?view=abstract&listby=date&page_no=1
40. (PDF) Critical minerals mining and Native American sovereignty https://www.researchgate.net/publication/386307090_Critical_minerals_mining_and_Native_American_sovereignty_Comparing_case_studies_of_lithium_copper_antimony_nickel_and_graphite_mining_in_the_United_States
41. Research on WebAssembly Runtimes: A Survey - arXiv https://arxiv.org/html/2404.12621v2
42. Quantum Identity-Based Encryption from the Learning with Errors ... https://arxiv.org/abs/2109.15049
43. Quantum Identity-Based Encryption from the Learning with Errors ... https://www.mdpi.com/2410-387X/6/1/9
44. Emerging Technologies: Sinan Küfeoğlu | PDF - Scribd https://www.scribd.com/document/593503087/978-3-031-07127-0
45. [PDF] Protocol for secure quantum machine learning at a distant place https://www.semanticscholar.org/paper/Protocol-for-secure-quantum-machine-learning-at-a-Bang-Lee/1d425c2ab2859d684895607dd16df22e400451fa

46. Hybrid quantum-classical framework for no-wait flow shop discrete ... https://www.researchgate.net/publication/401393059_Hybrid_quantum-classical_framework_for_no-wait_flow_shop_discrete_scheduling_and_location_problem_with_transfer_time
47. Hybrid Quantum-Classical Recurrent Neural Networks - arXiv.org https://arxiv.org/html/2510.25557v1
48. Algorithms, Volume 19, Issue 1 (January 2026) – 92 articles https://www.mdpi.com/1999-4893/19/1
49. Springer | Partner, knowledge, expertise https://www.springer.com/?detailsPage=pltci_8301&srsltid=AfmBOorSsn7uyZNntQ3MxycdAenVA1AAPjyzfMtO4d4c5BdGDKteARJD
50. Quantum Physics Feb 2024 - arXiv http://arxiv.org/list/quant-ph/2024-02?skip=85&show=1000
51. SCIS Recent Publications - SCIENCE CHINA Information Sciences http://scis.scichina.com/scis.html
52. [PDF] A Survey on RISC-V Security: Hardware and Architecture - arXiv.org https://arxiv.org/pdf/2107.04175
53. [PDF] Leveraging confidential computing to enable secure ... - HAL-Inria https://inria.hal.science/hal-05397796v1/document
54. CCS '22: Proceedings of the 2022 ACM SIGSAC Conference on ... https://dl.acm.org/doi/proceedings/10.1145/3548606?tocHeading=heading2
55. [PDF] New Eyes On Indigenous Peoples' Resistance To Globalization https://escholarship.org/content/qt29c093sx/qt29c093sx.pdf
56. 【推荐】一款开源RISC-V TEE 框架-Keystone（文末附地址） - 知乎 https://zhuanlan.zhihu.com/p/1984050957168951696
57. A Benchmarking Framework for Hybrid Quantum–Classical Edge ... https://www.mdpi.com/2076-3417/15/18/10245
58. [PDF] Final Program - iscas 2024 https://2024.ieee-iscas.org/program/ISCAS_2024_Final_Program.pdf
59. (PDF) Hybrid Quantum Graph Toolkit: Provable Speedups for Dense ... https://www.academia.edu/145212763/Hybrid_Quantum_Graph_Toolkit_Provable_Speedups_for_Dense_Graph_Traversals_via_Quantum_Primitives
60. [PDF] Strategic Research - European Commission https://ec.europa.eu/research/participants/documents/downloadPublic?documentIds=080166e5063a1a0b&appId=PPGMS
61. Health and the Right to Universal Basic Neighborhoods https://onlinelibrary.wiley.com/doi/10.1111/1468-0009.70070

62. A Blockchain Approach to Privacy-Focused Multi-Factor Authentication https://www.researchgate.net/publication/379987228_Securing_Digital_Identity_in_the_Zero_Trust_Architecture_A_Blockchain_Approach_to_Privacy-Focused_Multi-Factor_Authentication
63. VeriTrust—A Blockchain-Based Framework for Fake News Detection https://www.researchgate.net/publication/395994803_Self-Sovereign_Identities_and_Content_Provenance_VeriTrust-A_Blockchain-Based_Framework_for_Fake_News_Detection
64. Research on WebAssembly Runtimes: A Survey - arXiv.org https://arxiv.org/html/2404.12621v1
65. Press Conferences of the State Council Information Office http://english.scio.gov.cn/m/pressroom/node_8021725.html
66. (PDF) Multi-Agent Systems and Workflow Survey: Design Principles ... https://www.researchgate.net/publication/395128299_Multi-Agent_Systems_and_Workflow_Survey_Design_Principles_and_Implementation_Strategies_for_Modern_AI_Systems
67. Telefonica Tech · Blog - Telefónica Tech https://telefonicatech.com/en/blog/author/telefonicatech
68. The Memory of the World in the digital age - UNESCO Digital Library https://unesdoc.unesco.org/ark:/48223/pf0000373728.locale=fr
69. Review of deep learning: concepts, CNN architectures, challenges ... https://link.springer.com/article/10.1186/s40537-021-00444-8
70. Artificial Intelligence Mar 2024 - arXiv https://web3.arxiv.org/list/cs.AI/2024-03?skip=1060&show=2000
71. Theorem-Carrying Transactions: Runtime Verification to ... - arXiv.org https://arxiv.org/abs/2408.06478
72. [PDF] Verification of smart contracts: A survey - HAL https://hal.science/hal-03492408/document
73. Recent Advances in Signals and Systems - Springer Nature https://link.springer.com/content/pdf/10.1007/978-981-97-4657-6.pdf
74. Appl. Sci., Volume 15, Issue 18 (September-2 2025) – 450 articles https://www.mdpi.com/2076-3417/15/18
75. The Memory of the World in the digital age - UNESCO Digital Library https://unesdoc.unesco.org/ark:/48223/pf0000373728
76. glove.6B.100d.txt-vocab.txt - CodaLab https://worksheets.codalab.org/rest/bundles/0xadf98bb30a99476ab56ebff3e462d4fa/contents/blob/glove.6B.100d.txt-vocab.txt
77. Quantum Recurrent Embedding Neural Network - arXiv https://arxiv.org/html/2506.13185v1

78. (PDF) Hybrid Quantum-Classical Intelligence for Business https://www.researchgate.net/publication/398524806_Hybrid_Quantum-Classical_Intelligence_for_Business_A_Reference_Architecture_for_Predictive_Analytics_and_Decision_Optimization
79. [PDF] Proceedings of the QuantumNLP: Integrating Quantum Computing ... https://aclanthology.org/2025.quantumnlp-1.pdf
80. A Brief History of Formal Methods in China - ACM https://dl.acm.org/doi/10.1145/3783996
81. Arxiv今日论文| 2026-02-23 - 闲记算法 http://lonepatient.top/2026/02/23/arxiv_papers_2026-02-23
82. Verifiable Credentials Data Model v2.0 - W3C https://www.w3.org/TR/2023/WD-vc-data-model-2.0-20230617/
83. [PDF] Regenerative Design in Digital Practice - BUILD UP https://build-up.ec.europa.eu/sites/default/files/content/regenerative_design_in_digital_practice_small.pdf
84. Environmental-and-Social-Impact-Assessment-Report.txt https://documents1.worldbank.org/curated/en/631141556189325125/txt/Environmental-and-Social-Impact-Assessment-Report.txt
85. P1789261bd792601519cb612f1... https://documents1.worldbank.org/curated/en/099081124133527196/txt/P1789261bd792601519cb612f190b9b30e6.txt
86. [PDF] printmgr file - Baidu Inc https://ir.baidu.com/index.php/static-files/372d3aff-d7c3-44e6-923f-710ce8c04f46
87. Form 20-F - SEC.gov https://www.sec.gov/Archives/edgar/data/1992818/000149315225009478/form20-f.htm
88. Hybrid Quantum-Classical Recurrent Neural Networks - arXiv https://arxiv.org/html/2510.25557v2
89. Hybrid Quantum-Classical Recurrent Neural Networks for Time ... https://www.researchgate.net/publication/364072317_Hybrid_Quantum-Classical_Recurrent_Neural_Networks_for_Time_Series_Prediction
90. [PDF] Hybrid Quantum-Classical Recurrent Neural Networks - arXiv https://arxiv.org/pdf/2510.25557
91. Hybrid Quantum-Classical Recurrent Neural Networks For Time ... https://www.scribd.com/document/913166132/Hybrid-Quantum-Classical-Recurrent-Neural-Networks-for-Time-Series-Prediction-1
92. Verifiable Credentials Data Model v2.0 - W3C https://www.w3.org/TR/2023/WD-vc-data-model-2.0-20230128/
93. [PDF] high performance infrastructure guidelines - NYC.gov https://www.nyc.gov/html/ddc/downloads/pdf/hpig.pdf

94. Customer Stories | Check Point Software https://www.checkpoint.com.cn/customer-stories/index.html
95. [PDF] arXiv:2502.01146v1 [quant-ph] 3 Feb 2025 https://arxiv.org/pdf/2502.01146?
96. Quantum Artificial Intelligence: A Brief Survey | KI - Springer https://link.springer.com/article/10.1007/s13218-024-00871-8
97. A survey of AI-supported materials informatics - ScienceDirect.com https://www.sciencedirect.com/science/article/pii/S1574013725001212
98. Artificial intelligence as a surrogate brain: bridging neural dynamical ... https://academic.oup.com/nsr/article/13/3/nwaf457/8301236
99. Quantized convolutional neural networks: a hardware perspective https://www.frontiersin.org/journals/electronics/articles/10.3389/felec.2025.1469802/full
100. [1907.10119] Keystone: An Open Framework for Architecting TEEs https://arxiv.org/abs/1907.10119
101. Machine Learning Jan 2024 - arXiv http://arxiv.org/list/cs.LG/2024-01?skip=1100&show=1000
102. [PDF] AI in Asset Management: Tools, Applications, and Frontiers https://rpc.cfainstitute.org/sites/default/files/docs/research-reports/rf_aiinassetmanagement_full-monograph_online.pdf
103. Self-Driving Laboratories for Chemistry and Materials Science https://pubs.acs.org/doi/10.1021/acs.chemrev.4c00055
104. How Do Road Traffic Noise and Residential Greenness Correlate ... https://pmc.ncbi.nlm.nih.gov/articles/PMC9965757/