Qwen

Engineering Coexistence: A Multi-Layered, City-Scale Strategy for Non-Lethal Bed Bug Management

Sensory Ecology and Behavioral Response Mapping

The development of a non-lethal, ecologically responsible bed bug deterrent system hinges on a precise understanding of the insect's sensory ecology and the behavioral responses elicited by various environmental cues [25] [50]. The foundational premise of this research is not to issue a direct command to the insect, but rather to engineer an environment that alters its decision-making architecture, making alternative habitats more favorable than human dwellings [88] [112]. This approach requires deconstructing the bed bug's sophisticated, multi-modal sensory toolkit to identify which signals can be manipulated to create a biased behavioral landscape [115]. The provided expert synthesis correctly identifies carbon dioxide (CO_2), body heat, and human skin odors as the primary sensory drivers of host-seeking behavior, while dismissing unproven methods like ultrasonic repellers [25]. A detailed analysis of these core modalities reveals their synergistic roles and provides a clear roadmap for signal-based intervention.

Carbon dioxide serves as the principal long-range attractant for bed bugs, initiating the search for a host from a distance [25]. Studies have shown that CO_2 is significantly more attractive to bed bugs than heat alone, acting as a powerful beacon that triggers and sustains host-seeking activity [25] [26]. In one experiment, traps baited with CO_2 captured more bed bugs than those using only heat or a chemical lure, underscoring its potency as a primary signal [27] [28]. The detection of CO_2 plumes likely occurs through specialized receptors located in the antennal sensilla, which gate the activation of host-seeking behavior [100]. Given this critical role, any effective repellent strategy must incorporate mechanisms to disrupt, dilute, or neutralize the CO_2 exhaled by humans near sleeping areas. The challenge lies in managing these gradients without compromising indoor air quality to a point that affects human occupants, a balance that requires careful engineering of airflow and mixing technologies [5].

While CO_2 initiates the journey, body heat acts as a crucial short-range orientation cue that guides the bed bug's final approach to the host [1]. Unlike the long-range effect of CO_2, the ability to detect and orient towards heat collapses over very short distances, typically centimeters [1]. Bed bugs exhibit a strong preference for temperatures around 28–38 °C, which corresponds closely to human body temperature [54] [160]. However, some studies suggest that even higher temperatures, up to 43 °C, can remain attractive, indicating a broader thermal sensitivity range [27]. The lethal temperature for adult bed bugs is approximately 48.3 °C, and exposure to temperatures above 45 °C for about 95 minutes is sufficient to cause mortality [87]. Therefore, a successful deterrent system would employ thermal masking techniques to keep surfaces and ambient air around a bed below the optimal attraction range, while simultaneously creating sharp, localized heat sources at designated decoy nodes to act as irresistible targets [87]. This differential manipulation of thermal gradients is central to redirecting bed bug movement.

Human skin odors function as a synergistic third component, working in concert with CO_2 and heat to guide bed bugs with remarkable precision [50]. A blend of compounds, including lactic acid and 1-octen-3-ol, creates a complex olfactory signature that confirms the presence of a suitable host [50] [51]. Interestingly, the behavioral response to these odors is context-dependent; host odors attract unfed bed bugs but can repel recently fed individuals, suggesting a feedback mechanism that helps regulate population distribution based on feeding status [51]. The addition of CO_2 to host odors has been shown to enhance the behavioral responses of bed bugs, further cementing the synergy between these cues [51]. This complexity implies that a deterrent system could employ two strategies: first, releasing spatial repellents like DEET or other synthetic volatiles into the air to create an unappealing "no-host" bubble around beds; and second, deploying potent synthetic skin odor blends at decoy nodes to create a "meta-host" that is more attractive than diffuse human signals [31]. The use of advanced pattern recognition systems powered by machine learning could allow for the identification and deployment of unique odor signatures, enhancing the specificity of both repellent and attractant signals [81] [94].

In contrast to these well-established sensory modalities, certain popularly marketed pest control methods have been empirically debunked. Commercial ultrasonic devices, often promoted as a simple solution to drive pests away, have been tested directly against bed bugs and found to have no discernible effect on their distribution [10]. In controlled arenas, female bed bugs were just as likely to be present in zones where the ultrasonic device was active as in zones where it was turned off, providing strong evidence that bed bugs either cannot detect these frequencies or do not interpret them as relevant ecological information . This finding validates the need to focus research and

development efforts on biologically grounded sensory manipulation rather than relying on technologically simplistic solutions that lack a scientific basis.

Beyond these canonical cues, there exists a frontier of exploration involving low-level electromagnetic (EM) fields and vibrations. While no data exists specifically for bed bugs, preliminary studies on other insects like German cockroaches suggest that EM fields, particularly those associated with noise signals, can influence movement patterns . Experiments have shown that coils driven with alternating current (AC) or fluctuating direct current (DC) fields at frequencies between 20–2000 Hz can alter cockroach locomotion, demonstrating that EM fields can serve as a behavioral lever in some insect species . This opens a speculative but potentially powerful avenue for creating a supplementary "neurological" deterrent layer. The goal would be to discover a frequency, amplitude, or modulation type that bed bugs perceive as a "non-nest" or "disturbance" signal, thereby biasing them away from treated areas [33] [166]. However, this remains a high-risk, high-reward area of research that necessitates extensive, species-specific behavioral and neurophysiology work before any hardware implementation can be considered safe and effective [163]. Any such field would have to be rigorously tested to ensure it operates far below established human safety thresholds, such as those recommended by the International Commission on Non-Ionizing Radiation Protection (ICNIRP), which sets limits at 5.0 kV/m for electric fields and 100 μT for magnetic fields at 50 Hz [119][120]. Furthermore, the potential for unintended effects on other urban fauna, including pollinators and beneficial insects, must be thoroughly assessed to maintain ecological neutrality [18] [24].

Sensory Modality	Role in Bed Bug Behavior	Primary Effect	Potential for Manipulation
Carbon Dioxide (CO_2)	Long-range host detection and initiation of host-seeking behavior [25] [26].	Strong Attraction	High: Dilution, scrambling, and neutralization of CO_2 plumes near sleeping areas.
Body Heat	Short-range orientation and final approach to the host [1] [160].	Attraction (Optimal 28–38 °C) [27] [160].	High: Thermal masking around beds; targeted heating at decoy nodes.
Human Odor	Synergistic confirmation of host suitability and fine-scale guidance [50] [51].	Attraction (Unfed) / Repulsion (Fed) [51].	High: Creation of unappealing odor spaces near beds; potent artificial lures at decoys.
Ultrasonic Sound	Not a relevant ecological cue for host-seeking.	No significant effect observed [10].	Low: Not a viable primary deterrent modality.
Low-Level EM Fields	Not naturally perceived as a key cue; potential for experimental induction of avoidance [163].	Unknown; may be repellent, attractive, or neutral [33].	Exploratory: Requires extensive screening and safety validation.

Ultimately, the most promising path forward involves a multi-modal approach that combines the proven efficacy of CO_2, heat, and odor manipulation with cautious

exploration of novel EM fields. By mapping the bed bug's complete sensory response landscape, it becomes possible to construct a deterrent system that doesn't harm the insect but instead fundamentally changes its habitat choice, guiding it toward humane, engineered alternatives.

Multi-Layered System Architecture for Smart Infrastructures

To address the user's goal of a city-scale deterrent system, a multi-layered architectural framework is essential, moving beyond individual smart-home devices to a coordinated network embedded within municipal infrastructure [97] [106]. This architecture must be capable of operating at three distinct scales: the micro-environment of the individual dwelling, the meso-environment of the building or neighborhood block, and the macro-environment of the entire smart city. Each layer plays a specific role in the overall strategy of redirection, forming a cohesive system that manages bed bug populations humanely and strategically . The core principle of this architecture is the creation of a biased Markov field for bed bug movement, where transition probabilities toward human sleeping areas are systematically reduced, while probabilities toward designated decoy nodes are increased .

At the lowest level, the **Smart Home Layer**, the objective is to establish a non-hostile "repellent bubble" around sleeping areas. This layer focuses on passive and active measures to neutralize the immediate sensory cues that attract bed bugs. One key strategy is the manipulation of airflow and gas gradients using quiet, integrated ventilation systems [1] . These systems would work to mix and dilute the concentrated plumes of exhaled CO_2 and the subtle micro-convective heat currents generated by a human body, effectively blurring the sensory signature of the occupant [5] . This approach makes it difficult for a bed bug to pinpoint the location of a person once it enters the room. Complementing this is thermal masking, which involves maintaining the external apparent temperature of furniture and walls near the bed below the bed bug's preferred attraction range of ~28–38 °C [160]. This can be achieved through the use of specialized materials or active cooling elements that absorb and dissipate radiant heat. A third component of this layer is the deployment of spatial repellents. Rather than applying toxic chemicals to surfaces, this method uses controlled-release cartridges to introduce safe, non-toxic volatile compounds—such as DEET or other identified repellents—into the air currents surrounding the bed [177]. The result is an invisible olfactory barrier that biases

the insect's path away from the sleeping zone without requiring direct contact with a harmful substance.

The second layer, the **Building/Borough Layer**, introduces the counterpoint to the repellent bubble: the attractive decoy node. These nodes are strategically placed in non-residential or semi-public urban microhabitats, such as basements, utility shafts, perimeter walls, or service tunnels, where the presence of bed bugs poses minimal risk to human populations . Each decoy node functions as a "super-host," engineered to be more attractive than the diffuse and weakened signals emanating from a home. These units integrate the validated attractants identified in the sensory ecology analysis: they feature controlled CO_2 release mechanisms, precisely regulated heating elements set to an attractive temperature (e.g., 38–43 °C), and synthetic skin odor dispensers [26] [86] . The trap design itself can also be optimized; for instance, offering tight, dark crevices can leverage the bed bug's innate shelter-seeking behavior, encouraging them to enter and aggregate within the decoy module [144]. These nodes serve a dual purpose. First, they actively draw bed bugs away from living quarters, reducing the pressure on residential deterrent systems. Second, they act as continuous monitoring stations, providing valuable data on local infestation levels, population dynamics, and seasonal fluctuations, which can feed back into the city-wide management strategy [152].

The highest level of the architecture is the **City-Wide Fabric**, which orchestrates the entire system through a networked intelligence platform. This represents the true "smart city" aspect of the project, integrating data from thousands of homes and decoy nodes across the urban landscape [97] [135]. This fabric relies on a dense network of IoT sensors—including thermal, chemical (gas), and acoustic sensors—to monitor conditions in real-time [82] [83] [96] . Machine learning algorithms process this data to model bed bug movement patterns and infestation risks, allowing the system to dynamically adjust its signals. For example, if sensor data indicates a surge in bed bug activity in a particular apartment building, the deterrent signals in nearby homes could be intensified, and adjacent decoy nodes could be programmed to increase their attractiveness temporarily. This adaptive control is crucial for maintaining system efficacy over time and responding to changing environmental conditions, such as shifts in ambient temperature or humidity, which can influence insect behavior [3] . The city-wide fabric also serves as a platform for public health surveillance, aggregating anonymized data to identify hotspots and inform targeted interventions, all while adhering to strict privacy protections to build public trust [123].

This multi-layered architecture is designed not only for technical efficiency but also for strategic resilience. By decentralizing the attractive force into numerous decoy nodes, the

system avoids concentrating bed bug populations in a single, vulnerable location. This distributed approach enhances stability and reduces the risk of catastrophic failure. Furthermore, the integration of monitoring capabilities transforms the system from a simple deterrent into a comprehensive management tool, providing insights that can lead to more effective policies and long-term control strategies. The ultimate vision is a symbiotic relationship between technology and urban design, where the built environment itself becomes an active participant in managing vector-borne challenges in a humane and sustainable manner [23] [154]. This structure ensures that the system is scalable, adaptable, and aligned with the overarching goals of ecological responsibility and social equity.

Technological Hardware and Control Systems Integration

The realization of the proposed multi-layered deterrent system depends on the seamless integration of diverse hardware components and intelligent control systems within the existing framework of smart-city infrastructure [78] [93]. The hardware must be capable of generating, manipulating, and sensing the specific environmental parameters—CO_2, heat, odor, and potentially EM fields—that dictate bed bug behavior. The design must prioritize energy efficiency, reliability, and compatibility with building automation systems to ensure broad, equitable, and sustainable deployment [97].

At the heart of the hardware suite are the **actuators** responsible for generating the deterrent and attractant signals. For CO_2 manipulation, this involves low-power gas sensors to monitor ambient levels and solenoid valves or diffusers to precisely release CO_2 at decoy nodes [79] [80]. To neutralize CO_2 near beds, the system would integrate with or augment existing HVAC systems, utilizing quiet fans or directed airflow nozzles to create turbulent mixing that dilutes and disperses the gas plume [1]. For thermal manipulation, the hardware would include thin-film heating elements and thermoelectric coolers. These can be embedded in headboards, baseboards, and wall panels to create either thermal masking fields (by keeping surfaces cool) or attractive heat sources at decoy nodes [87]. The control firmware would manage these elements based on real-time temperature data and pre-programmed schedules, aligning activity with periods of human occupancy and bed bug nocturnal activity . The delivery of olfactory signals would rely on arrays of micro-fluidic dispensers or solid-state vaporizers containing

cartridges of synthetic attractants or repellents [81]. These systems would be triggered by the central control unit to create specific odor gradients in targeted areas.

Complementing the actuators are the **sensors** that provide the input for the control system. A robust network of sensors is critical for both system operation and environmental monitoring. Gas sensors, particularly those sensitive to CO_2, would be deployed throughout the urban environment to map host-seeking plumes and assess the efficacy of repellent measures [79]. Thermal cameras and infrared arrays could monitor heat signatures to verify the performance of masking and attracting systems and to detect unusual thermal anomalies that might indicate infestation hotspots [42]. Acoustic sensors, sensitive to the faint scraping sounds made by crawling bed bugs, could provide an additional layer of detection, especially for monitoring inside walls and voids [57]. For the exploratory EM field component, the hardware would consist of carefully calibrated coils capable of generating low-level, controlled electromagnetic fields across a wide spectrum of frequencies and amplitudes . The output of all these sensors would be transmitted via a reliable communication protocol, such as ZigBee or KNX, to a local gateway and ultimately to the central city-wide management platform [78] [82].

The **control systems** form the brain of the architecture, orchestrating the actions of the hardware based on data inputs and predefined logic. At the smart-home level, a dedicated controller would manage the repellent bubble, adjusting airflow, thermal output, and odor dispersion in response to occupancy sensors and time-of-day schedules. This local controller would communicate with a building-level aggregator, which in turn feeds data to the city-wide fabric. The central platform would run sophisticated algorithms, including machine learning models trained on historical and real-time data, to predict bed bug movements and optimize the global deterrent strategy [91] [152]. This system would enable adaptive control, where the intensity and configuration of signals are dynamically adjusted to respond to emerging threats or changing environmental conditions. Fault detection and diagnostics would be a core function, automatically flagging malfunctioning hardware or anomalous data patterns for maintenance crews, ensuring the long-term reliability of the network [148]. The entire system would be governed by APIs and telemetry standards, allowing for interoperability with other municipal services, such as housing authority databases and public health departments, facilitating a coordinated response to infestations [127].

Finally, the integration of this system into **smart-city infrastructure** requires a holistic approach that considers power, connectivity, and physical installation. The hardware must be designed for low power consumption to minimize the load on the electrical grid and reduce operational costs. Energy harvesting techniques, such as capturing waste heat

or ambient RF energy, could supplement power needs for sensors and low-power actuators [75]. Physical installation would need to be minimally invasive, leveraging existing conduits and building systems wherever possible to reduce disruption and cost. For example, thermal elements could be retrofitted into standard baseboard heaters, and CO_2 dispensers could be integrated into HVAC ductwork. Collaboration with building managers, property owners, and municipal authorities will be critical to navigate the complexities of installing and maintaining such a distributed system across a diverse urban landscape [113][126]. The ultimate success of the technological implementation will depend on creating a modular, scalable, and resilient network that is both technically proficient and logistically feasible for widespread deployment.

Validation of Non-Lethality and Human-Centric Design

A cornerstone of the research goal is the development of a truly non-lethal deterrent system, defined by zero or minimal physiological stress to bed bugs and absolute safety for human inhabitants [7] [8]. Validating this dual constraint requires a rigorous, multi-faceted testing protocol that extends beyond entomological assays to encompass human factors, safety science, and comfort studies. Success cannot be measured by mortality rates but must be defined by a reduction in nuisance behaviors (like biting) and the successful redirection of insect populations, all while ensuring the system is benign to human health and comfortable for long-term occupancy [169].

The validation of non-lethality begins with controlled laboratory experiments designed to quantify the physiological and behavioral responses of bed bugs to the proposed signals. Standardized behavioral assays, such as Y-tube olfactometers, still-air arenas, and refuge-choice setups, will be used to measure key metrics under controlled stimuli [115]. The primary success indicators will be the absence of mortality and overt signs of distress or knockdown . Researchers will look for behavioral endpoints indicative of redirection rather than harm, such as hesitation, indecision, probing without feeding, and retreat from an area despite the presence of conflicting or ambiguous cues [52]. Sublethal stress responses are a particular concern, as stress can negatively affect insect metabolism and behavior [60]. Exposure to sublethal heat, for instance, has been shown to trigger the emission of alarm pheromones and elicit evasive movement in nearby bed bugs, which could paradoxically increase their dispersal and aggression [29] [52]. Therefore, a key part of validation will be to screen signal parameters to find configurations that induce behavioral change without triggering these stress pathways. This involves systematic

mapping of responses to combinations of heat, CO_2, and odor to identify "ambiguous" or "conflicting" cue scenarios that lead to indecision and abandonment of a target niche .

Parallel to entomological validation, a comprehensive program of human factors and safety assessment is paramount. The deployment of any new technology in living environments demands stringent adherence to health and safety guidelines. Human-subject studies will be conducted to evaluate the acceptability of the system's outputs. This includes sensory acceptability testing for any odors released, ensuring they are either undetectable or pleasant at all times [94]. Airflow patterns will be measured to confirm they do not create uncomfortable drafts or violate established sound transmission standards (STC ratings) [124]. Thermal emissions will be monitored to ensure they remain within comfortable ambient ranges and do not create localized hot spots that could pose a burn risk or discomfort [87]. All results will be benchmarked against established building codes and public health standards [125].

Special attention must be paid to the exploratory use of low-level electromagnetic fields. While intended to be harmless, public perception and scientific uncertainty regarding EMF exposure require a precautionary approach. Extensive biomedical monitoring will be conducted during human trials to track any potential physiological effects of chronic exposure to the targeted EM fields [77]. The system's EM output will be strictly capped at levels far below the international safety limits set by bodies like ICNIRP, which recommends a maximum magnetic field exposure of 100 μT (at 50 Hz) for the public [120]. Risk models will be developed to analyze potential impacts, and all data collection will be performed under strict ethical oversight to protect participant welfare [123]. The goal is to achieve a state of "technological invisibility," where the system's operation is imperceptible to humans, functioning seamlessly in the background without introducing any new health risks or sensory annoyances.

The validation process will culminate in closed-environment and semi-field trials. Prototype systems will be installed in controlled apartments or test chambers populated with known, marked bed bug colonies [173]. Volunteer human sleepers will occupy these units under strict ethical protocols, allowing researchers to measure the real-world effectiveness of the deterrents [134]. Key metrics will include the number of bed bug bites per sleeper per night, visual counts of bugs in the sleeping area versus decoy nodes, and video tracking analysis of bed bug movement paths [161][162]. Crucially, these trials will also involve continuous monitoring of bed bug survival and reproduction rates to provide quantitative proof of the system's non-lethal nature [55]. Data from these trials will be used to iterate and refine the signal parameters and hardware designs, creating a feedback loop that drives the system toward its ultimate goal of being both highly

effective and completely benign. Only after passing these rigorous stages of validation can the system be considered ready for broader piloting and eventual deployment.

Social Equity and Ecological Neutrality in Urban Deployment

The successful and sustainable deployment of a city-scale bed bug deterrent system is contingent upon its explicit design to uphold dual imperatives: social equity and ecological neutrality. The user's directive to avoid displacing infestation burdens onto vulnerable human populations is not merely a moral consideration but a critical systemic requirement for the project's viability [10] [65]. Similarly, the mandate for zero or minimal harm to insects means the system must be purely behavioral, avoiding lethality and minimizing any sublethal stress that could have cascading effects on the urban ecosystem . Integrating these principles into the governance, policy, and operational framework of the system is as important as its technical development.

The primary social equity challenge is preventing "burden-shifting," a scenario where the removal of bed bugs from affluent residential buildings inadvertently concentrates them in less protected environments, such as homeless shelters, public housing, or other marginalized communities [15] [108]. Evidence suggests that bed bug reporting and infestation prevalence can be linked to socioeconomic factors, highlighting the vulnerability of certain populations [10] [11]. A purely technical solution that ignores this dynamic is destined to fail, as it could exacerbate existing social inequities and face public opposition. Therefore, the system's policy framework must include binding requirements that ensure equitable protection across the urban fabric. This involves mandating that all publicly funded housing, shelters, and community facilities receive the same level of deterrent technology as private residences, funded through municipal budgets or state-level initiatives [63] [125]. The Plan for a Strong and Just City explicitly aims to create an inclusive economy and healthy communities, a philosophy that must extend to vector management strategies [65]. Furthermore, the city-wide data collected by the system's monitoring nodes must be used to proactively identify and support vulnerable neighborhoods, informing resource allocation and targeted prevention programs rather than serving as a basis for punitive measures against landlords or tenants [64] [170].

From an ecological perspective, the system's non-lethal nature is a defining feature. Its success will be measured by behavioral redirection, not population suppression through

mortality [169]. This approach respects the principle of ecological neutrality, aiming to manage a pest species without disrupting the broader urban food web. However, this does not mean the system is entirely without ecological risk. The introduction of novel stimuli, particularly low-level electromagnetic fields, warrants careful assessment of potential non-target effects [119]. Before widespread deployment, extensive field studies must be conducted to evaluate the impact of the deterrent signals on other urban-dwelling arthropods, including pollinators, predatory insects, and decomposers [18] [24]. The goal is to develop signals that are highly specific to bed bug sensory systems, minimizing collateral disruption. This could involve exploiting unique frequency sensitivities or response thresholds that are specific to Cimex lectularius.

A forward-looking strategy to reinforce ecological responsibility is the concept of urban "bed bug sinks" . Instead of simply relocating bugs to unoccupied urban spaces, which carries the risk of establishing new, hard-to-manage populations, this approach proposes creating controlled, contained environments designed to safely accommodate relocated insects . These could take the form of specially designed structures or wildlife-support features that house a warm-blooded, non-endangered host species under controlled conditions, accepting a certain parasite load as part of a managed micro-ecosystem . This shifts the paradigm from unbounded extermination to directed coexistence, where the city actively manages parasite flows rather than attempting to eradicate them entirely. Such an approach requires careful ethical and regulatory oversight to ensure animal welfare and prevent unintended consequences, but it offers a path toward a more nuanced and ecologically integrated solution. Ultimately, the governance of this system must be transparent, collaborative, and adaptive, involving entomologists, engineers, urban planners, public health officials, and community representatives to ensure that the final solution is not only technologically advanced but also socially just and environmentally responsible.

Phased Research and Development Roadmap

Achieving the ambitious goal of a non-lethal, city-scale bed bug deterrent system requires a structured, evidence-based research and development (R&D) program. The following phased roadmap synthesizes the most critical steps, moving logically from foundational scientific inquiry to large-scale socio-technical validation. This plan is designed to mitigate risks, ensure progress is grounded in empirical data, and align the technical development with the core ethical constraints of non-lethality and social equity. Each

phase builds upon the previous one, culminating in a deployable system that is both effective and responsibly governed.

Phase 1: Foundational Problem Definition and Literature Synthesis. This initial phase establishes the formal scope, goals, and constraints of the project. It involves a deep literature review focused on three core areas: (a) the sensory biology and host-seeking behavior of bed bugs, (b) the efficacy of known repellents and attractants, and (c) prior attempts at EM/sound-based behavioral manipulation in insects . Concurrently, this phase will define the operational metrics for success, which will be centered on behavioral outcomes rather than mortality. Key metrics will include reduced incidence of bed bug bites, decreased density in monitored sleeping areas, increased occupation of decoy nodes, and the absence of measurable physiological stress or mortality in controlled insect cohorts [7] [169]. This phase concludes with a formal problem definition document that anchors the entire project in current scientific knowledge and clearly articulates the non-lethal, ecologically neutral, and socially equitable design principles.

Phase 2: Assay Design and Candidate Signal Screening. Building on the foundational research, this phase focuses on designing standardized behavioral assays to test hypotheses about bed bug responses to various stimuli. This includes setting up Y-tube olfactometers, still-air arenas, and refuge-choice experiments to systematically evaluate candidate deterrent and attractant signals [115]. The primary task is to screen a wide array of potential signals, starting with established modalities like CO_2, heat, and odor. This involves creating controlled gradients and temporal patterns to identify parameter combinations that reliably produce approach, hesitation, or retreat behaviors . A parallel effort will begin to explore candidate "neurological" signals, running initial assays with low-level electromagnetic and vibration fields inspired by work on other insects, always ensuring exposures remain far below human safety thresholds . The output of this phase is a prioritized list of the most promising signal candidates and a validated set of experimental protocols.

Phase 3: Mapping Response to Canonical Cues. This phase delves deeper into the most promising modalities—primarily CO_2, heat, and odor. Using the factorial experimental designs developed in Phase 2, researchers will conduct comprehensive mapping studies to understand how bed bugs integrate these cues. The focus will be on identifying "ambiguous" or "conflicting" cue combinations that induce behavioral indecision and retreat without causing overt signs of distress or knockdown . For example, researchers might test the effect of presenting conflicting thermal and CO_2 signals or rapidly fluctuating heat combined with a constant odor source. This phase is critical for discovering the stable, non-lethal "keep-out" signal recipes that will form the basis of the

deterrent system. Data from this phase will be used to generate predictive models of bed bug movement under various sensory conditions.

Phase 4: Exploratory Modalities and Neurophysiological Investigation. If Phase 2 yields positive preliminary results, this phase will dedicate resources to exploring the potential of low-level EM fields and vibrations. This is a high-risk, high-reward endeavor that requires a dedicated screening protocol. A broad space of frequencies, amplitudes, and modulations will be tested in behavioral assays to identify any regimes that consistently bias bed bug movement away from a zone without increasing mortality or stress [33] [166]. Concurrently, neurophysiology experiments will be initiated to investigate which sense organs (e.g., antennae, tarsi) respond to these fields, helping to elucidate the underlying mechanism of any observed behavioral effects [88]. The goal is to determine whether these fields act as a probabilistic cue or a direct neuromodulatory signal, and to establish a firm scientific basis for their use.

Phase 5: Multimodal Signal Synthesis and Arena Testing. With validated signal candidates from Phases 3 and 4, this phase focuses on combining them into composite, multimodal deterrent signals. These composite signals will be tested in arena setups that more accurately simulate room geometry, incorporating realistic night-time temperature and airflow conditions . The objective is to discover stable configurations where bed bugs consistently choose decoy refuges or alternate routes over paths leading to "bed" surrogates. This phase will also begin the initial stages of hardware prototyping, translating the most effective signal recipes into rudimentary electronic and mechanical components.

Phase 6: Prototype Node and System Design. Drawing on the successful signal configurations from Phase 5, this phase translates the findings into concrete hardware prototypes. This includes designing "repellent" nodes for integration into bed frames, headboards, and baseboards, as well as attractive decoy nodes for placement in non-residential areas . The design will incorporate controllable CO_2 release, heating elements, odor cartridges, and EM field-generating coils if validated. Simultaneously, developers will create the control firmware and application programming interfaces (APIs) needed to orchestrate the nodes, enabling adaptive control based on occupancy, time of day, and data from the city-wide sensor network . This phase produces functional, bench-top prototypes ready for rigorous testing.

Phase 7: Closed-Environment and Semi-Field Trials. This phase moves the prototypes out of the lab and into real-world settings. Initial trials will be conducted in controlled apartments or test chambers equipped with volunteer human sleepers under strict ethical oversight [173]. The primary objectives are to measure the system's effectiveness in

reducing bed bug-human contact and to confirm its non-lethal nature by tracking bug survival and reproduction. Data from these trials will be used to iterate on the signal parameters and hardware placement. Following successful lab tests, semi-field trials will be conducted in actual buildings (e.g., hotels, apartment complexes) with known infestations to validate performance in a more complex and variable environment [173].

Phase 8: Human Factors, Safety, and Comfort Validation. Throughout the R&D process, but with special focus in this phase, a comprehensive program of human-subject studies will be executed. This includes sensory acceptability testing for odors and airflow, sleep-quality assessments, and biomedical monitoring for any potential effects from EM or chemical exposures [138]. All data will be analyzed against established health and safety standards to ensure the system is fully compliant and comfortable for long-term, 24/7 occupancy [120]. The results of these studies are critical for gaining public acceptance and regulatory approval.

Phase 9: Smart-City Integration, Policy Coupling, and Governance. The final phase addresses the large-scale, societal implementation of the system. This involves developing the integration patterns for municipal smart-city platforms, including telemetry standards for infestation and movement data, and APIs for connecting with housing and public-health systems [64] [127]. Critically, this phase will develop the governance protocols and policy recommendations necessary to ensure the system promotes social equity and prevents burden-shifting [10] [65]. This includes drafting regulatory guidance to embed the non-lethal, ecology-respecting design constraints into building and health codes, and modeling citywide parasite flows to specify requirements for protecting vulnerable populations . This final phase ensures that the technical solution is woven into a coherent, ethical, and sustainable urban management strategy.

Reference

1. Bed Bugs (Hemiptera, Cimicidae): A Global Challenge for ... https://pdfs.semanticscholar.org/29bb/f5eeef914c4e82d8adb90d7676371f2f0c1a.pdf
2. (PDF) Bed bug infestation https://www.researchgate.net/publication/235363900_Bed_bug_infestation
3. The climate crisis and healthcare: What do infection ... - PMC https://pmc.ncbi.nlm.nih.gov/articles/PMC10428152/

4. an assessment of major research gaps in solar radiation ... https://www.frontiersin.org/journals/climate/articles/10.3389/fclim.2025.1507479/full
5. Exhaled CO2 as a COVID-19 Infection Risk Proxy for Different ... https://pubs.acs.org/doi/abs/10.1021/acs.estlett.1c00183
6. Essex Hope Site, Jamestown, New York - NY.Gov https://extapps.dec.ny.gov/data/DecDocs/907015/Work%20Plan.HW.907015.2022-05-10.PDI_WP.pdf
7. Household perception and infestation dynamics of bedbugs ... https://pmc.ncbi.nlm.nih.gov/articles/PMC9674637/
8. application to the American Housing Survey - Springer Nature https://link.springer.com/article/10.1186/s12940-022-00866-8
9. (PDF) Prevalence of Bedbugs Infestation, Crowding and ... https://www.researchgate.net/publication/343200248_Prevalence_of_Bedbugs_Infestation_Crowding_and_Awareness_Level_Among_Government_Boarding_Secondary_School_Students_in_Moshi_Urban_Tanzania
10. Predicting hotspots of unsheltered homelessness using ... https://www.sciencedirect.com/science/article/pii/S1353829224000959
11. Associations Between Bed Bugs and Mental Illness Among ... https://pmc.ncbi.nlm.nih.gov/articles/PMC8198719/
12. Housing Risk Factors of Four Tropical Neglected Diseases https://www.mdpi.com/2414-6366/7/7/143
13. Achieving socio-economic resilience in neighborhood ... https://www.sciencedirect.com/science/article/pii/S2590123025003512
14. Resilience and Equity in a Time of Crises https://www.mdpi.com/1660-4601/18/16/8420
15. Pathways between people, wildlife and environmental justice ... https://besjournals.onlinelibrary.wiley.com/doi/full/10.1002/pan3.10793
16. English Word List - Mark Goadrich https://mark.goadrich.com/courses/csci270s18/data/english2.txt
17. John Loomis | IDEAS/RePEc https://ideas.repec.org/f/c/plo357.html
18. Urban insect bioarks of the 21st century https://www.sciencedirect.com/science/article/am/pii/S2214574523000251
19. Ecological Solutions and Evidence Volume 6, Issue 4 https://besjournals.onlinelibrary.wiley.com/toc/26888319/2025/6/4
20. Topic: Arthropod Biodiversity: Ecological and Functional ... https://www.mdpi.com/2075-4450/15/10/766
21. Insects in temperate urban parks face stronger selection ... https://pmc.ncbi.nlm.nih.gov/articles/PMC11333530/

22. Urban biodiversity is affected by human-designed features ... https://www.nature.com/articles/s44284-024-00126-5
23. Optimizing plant species composition of green roofs ... - Springer https://link.springer.com/article/10.1007/s11252-024-01657-4
24. Pesticides and Pollinators https://agr.wa.gov/departments/pesticides-and-fertilizers/pesticides/pesticides-and-pollinators
25. Bed bug (Heteroptera: Cimicidae) attraction to pitfall traps ... https://pubmed.ncbi.nlm.nih.gov/19736771/
26. A carbon dioxide, heat and chemical lure trap for the ... https://pubmed.ncbi.nlm.nih.gov/19499616/
27. A carbon dioxide, heat and chemical lure trap for the ... https://www.researchgate.net/publication/26269706_A_carbon_dioxide_heat_and_chemical_lure_trap_for_the_bedbug_Cimex_lectularius
28. (PDF) A carbon dioxide, heat and chemical lure trap for the ... https://www.academia.edu/24622439/A_carbon_dioxide_heat_and_chemical_lure_trap_for_the_bedbug_Cimex_lectularius
29. Lethal and sublethal heat-exposure of bed bugs (Cimex lectularius L ... https://pmc.ncbi.nlm.nih.gov/articles/PMC11014846/
30. (PDF) Lethal and sublethal heat-exposure of bed bugs (Cimex ... https://www.researchgate.net/publication/379781479_Lethal_and_sublethal_heat-exposure_of_bed_bugs_Cimex_lectularius_L_causes_alarm_pheromone_emission_and_elicits_a_movement_response_in_nearby_recipients
31. Behavioral Responses of the Common Bed Bug to Essential Oil ... https://www.academia.edu/127685168/Behavioral_Responses_of_the_Common_Bed_Bug_to_Essential_Oil_Constituents
32. Insects, Volume 16, Issue 9 (September 2025) – 121 articles - MDPI https://www.mdpi.com/2075-4450/16/9
33. Exposure to extremely low frequency electromagnetic fields alters ... https://pmc.ncbi.nlm.nih.gov/articles/PMC5093409/
34. (PDF) On-site airborne pheromone sensing - ResearchGate https://www.researchgate.net/publication/248397169_On-site_airborne_pheromone_sensing
35. أخبار كلية التربية النوعية - أخبار كلية التربية النوعية https://newszuedueg.yolasite.com/
36. Insect Reproduction PDF | PDF | Ovary - Scribd https://www.scribd.com/document/400826469/Insect-Reproduction-pdf
37. Spatial variation in housing construction material in low ... - PMC https://pmc.ncbi.nlm.nih.gov/articles/PMC11654929/

38. Community resilience and stroke outcomes in older adults https://www.frontiersin.org/journals/public-health/articles/10.3389/fpubh.2025.1700006/full
39. New York State Climate Impacts Assessment Chapter 04 ... https://nyaspubs.onlinelibrary.wiley.com/doi/full/10.1111/nyas.15200
40. Synthetic and Natural Insecticides: Gas, Liquid, Gel and Solid ... https://pmc.ncbi.nlm.nih.gov/articles/PMC8305526/
41. Bed Bugs (Hemiptera, Cimicidae): A Global Challenge for ... https://www.researchgate.net/publication/372370186_Bed_Bugs_Hemiptera_Cimicidae_A_Global_Challenge_for_Public_Health_and_Control_Management
42. An optical system to detect, surveil, and kill flying insect ... https://www.nature.com/articles/s41598-024-57804-6
43. Chemical, biological, radiological, and nuclear decontamination https://pmc.ncbi.nlm.nih.gov/articles/PMC3148627/
44. [PDF] BRONX RIVER - INTERMUNICIPAL WATERSHED MANAGEMENT ... https://dos.ny.gov/system/files/documents/2025/03/2024-bronx-river-iwmp-update.pdf
45. C. D. Caldwell Songliang Wang Editors https://link.springer.com/content/pdf/10.1007%2F978-981-15-8836-5.pdf
46. 2025: Scenarios of U.S. and Global Society Reshaped by ... https://www.researchgate.net/profile/Andy-Hines/publication/41090843_2025_Scenarios_of_US_and_Global_Society_Reshaped_by_Science_and_Technology/links/5c8dd5e292851c1df9463327/2025-Scenarios-of-US-and-Global-Society-Reshaped-by-Science-and-Technology.pdf
47. Battery Park City Sustainability Plan Progress Report - NY.Gov https://media.bpca.ny.gov/wp-content/uploads/2024/09/25225032/BPC-Sustainability-Progress-Report-Sept.-2024.pdf
48. CITY ENVIRONMENTAL QUALITY REVIEW TECHNICAL ... https://www.nyc.gov/assets/oec/technical-manual/2025_ceqr_technical_manual.pdf
49. Mating Disruption by Vibrational Signals: State of the Field and ... https://www.researchgate.net/publication/337638656_Mating_Disruption_by_Vibrational_Signals_State_of_the_Field_and_Perspectives
50. [PDF] Bed Bug (Heteroptera: Cimicidae) Attraction to Pitfall Traps ... https://www.semanticscholar.org/paper/e7abd7d3db7c5009b50af7782ad05cdec67abf2b
51. Bed bug preferences for host odor or aggregation ... https://pubmed.ncbi.nlm.nih.gov/41090433/

52. Lethal and sublethal heat-exposure of bed bugs (Cimex ... https://pubmed.ncbi.nlm.nih.gov/38609415/
53. Effect of heat on bed bug trap efficacy when CO2 is present. https://www.researchgate.net/figure/Effect-of-heat-on-bed-bug-trap-efficacy-when-CO2-is-present_fig6_258382943
54. Responses of the bed bug, Cimex lectularius, to temperature ... https://www.researchgate.net/publication/40034773_Responses_of_the_bed_bug_Cimex_lectularius_to_temperature_extremes_and_dehydration_Levels_of_tolerance_rapid_cold_hardening_and_expression_of_heat_shock_proteins
55. (PDF) Temperature stress deteriorates bed bug (Cimex lectularius ... https://www.researchgate.net/publication/323761472_Temperature_stress_deteriorates_bed_bug_Cimex_lectularius_populations_through_decreased_survival_fecundity_and_offspring_success
56. Behavioral Responses of the Common Bed Bug to Essential Oil ... https://www.mdpi.com/2075-4450/12/2/184
57. (PDF) Acoustic Indicators for Targeted Detection of Stored Product ... https://www.researchgate.net/publication/47728423_Acoustic_Indicators_for_Targeted_Detection_of_Stored_Product_and_Urban_Insect_Pests_by_Inexpensive_Infrared_Acoustic_and_Vibrational_Detection_of_Movement
58. Impact of plant monoterpenes on insect pest management and ... https://www.sciencedirect.com/science/article/pii/S2405844024151511
59. Pervasive sublethal effects of agrochemicals on insects at ... https://www.researchgate.net/publication/385216734_Pervasive_sublethal_effects_of_agrochemicals_on_insects_at_environmentally_relevant_concentrations
60. [EPUB] Neural Code for Ambient Heat Detection in Elaterid Beetles - Frontiers https://www.frontiersin.org/journals/behavioral-neuroscience/articles/10.3389/fnbeh.2020.00001/epub
61. How Insects Balance Reproductive Output and Immune Investment https://www.mdpi.com/2075-4450/16/3/311
62. Integrative Analysis of Transcriptomics and Proteomics for ... - PMC https://pmc.ncbi.nlm.nih.gov/articles/PMC11855015/
63. New York State Disadvantaged Communities Barriers and ... https://climate.ny.gov/-/media/Project/Climate/Files/21-35-NY-Disadvantaged-Communities-Barriers-and-Opportunities-Report.pdf
64. Considering multiple governance levels in epidemiologic ... https://pmc.ncbi.nlm.nih.gov/articles/PMC9896379/

65. The Plan for a Strong and Just City https://www.nyc.gov/html/onenyc/downloads/pdf/publications/OneNYC.pdf
66. Chapter 6: Cities, settlements and key infrastructure https://www.ipcc.ch/report/ar6/wg2/chapter/chapter-6/
67. (PDF) Modelling and Mapping Urban Vulnerability Index against ... https://www.researchgate.net/publication/369080892_Modelling_and_Mapping_Urban_Vulnerability_Index_against_Potential_Structural_Fire-Related_Risks_An_Integrated_GIS-MCDM_Approach
68. vulnerability analysis of the 2010 floods in Lomé, Togo - Frontiers https://www.frontiersin.org/journals/climate/articles/10.3389/fclim.2023.1281433/full
69. ICARST-2025 https://www.iaea.org/sites/default/files/25/04/cn_332_boa.pdf
70. Sustainability, Volume 16, Issue 14 (July-2 2024) https://www.mdpi.com/2071-1050/16/14
71. New York State Great Lakes Wind Energy Feasibility Study https://www.nyserda.ny.gov/-/media/Project/Nyserda/Files/About/Publications/Energy-Analysis-Technical-Reports-and-Studies/GLWEFS/22-12i-GLWEFS-Environmental-Study.pdf
72. Environmental Assessment Sourcebook - World Bank Document https://documents1.worldbank.org/curated/en/415971468137388990/pdf/multi-page.pdf
73. Generating Clear Vibrotactile Cues with a Magnet ... https://journals.sagepub.com/doi/10.1089/soro.2021.0184
74. Infrasound and Human Health: Mechanisms, Effects ... https://www.mdpi.com/2076-3417/16/3/1553
75. Environmental impacts of 5G - European Parliament https://www.europarl.europa.eu/RegData/etudes/STUD/2021/690021/EPRS_STU%282021%29690021_EN.pdf
76. Wearable technologies for assisted mobility in the real world https://pmc.ncbi.nlm.nih.gov/articles/PMC12689786/
77. Electromagnetic Hypersensitivity - an overview https://www.sciencedirect.com/topics/medicine-and-dentistry/electromagnetic-hypersensitivity
78. Evaluating IoT sensors and KNX protocol for monitoring ... https://www.frontiersin.org/journals/built-environment/articles/10.3389/fbuil.2025.1688582/full
79. Intelligent Gas Sensors: From Mechanism to Applications - PMC https://pmc.ncbi.nlm.nih.gov/articles/PMC12567656/
80. Low Power Gas Sensors: From Structure to Application https://pubs.acs.org/doi/10.1021/acssensors.4c01642

81. A Comprehensive Review on Sensor-Based Electronic ... https://www.mdpi.com/1424-8220/25/14/4437
82. AIoT-Enabled Data Management for Smart Agriculture https://ieeexplore.ieee.org/iel8/6287639/10820123/11030575.pdf
83. Toward Integrated Large-Scale Environmental Monitoring ... https://pdfs.semanticscholar.org/08f7/397b20eb7e5b8fb129bc5449296753d568fb.pdf
84. Draft CPC Ver. 3.0 Explanatory Notes https://unstats.un.org/unsd/classifications/Meetings/UNCEISC2024_2nd/Session7_Bk2_CPC3_Exp_Notes_1Nov2024.pdf
85. (PDF) Bed bug, Cimex lectularius, aversion to smooth surfaces https://www.researchgate.net/publication/267521344_Bed_bug_Cimex_lectularius_aversion_to_smooth_surfaces
86. A carbon dioxide, heat and chemical lure trap for the bedbug, Cimex ... https://www.semanticscholar.org/paper/A-carbon-dioxide%2C-heat-and-chemical-lure-trap-for-Anderson-Ferrandino/08cda02b90979c07b2f32a24617eff30c6b64f10
87. Temperature and Time Requirements for Controlling Bed Bugs ... https://www.mdpi.com/2075-4450/2/3/412
88. (PDF) Insect Neurobiology: From Sensory System to Behavior https://www.researchgate.net/publication/373715654_Insect_Neurobiology_From_Sensory_System_to_Behavior
89. Regulatory Mechanisms in Insect Feeding - Springer Link https://link.springer.com/content/pdf/10.1007/978-1-4615-1775-7.pdf
90. SICB 2016 Annual Meeting Abstracts January 3-7, 2016, Portland ... https://www.jstor.org/stable/pdf/26370093.pdf
91. Version 2024 - Intelligent World - 2030 https://www-file.huawei.com/-/media/corp2020/pdf/giv/2024/intelligent_world_2030_2024_en.pdf
92. ieee - sensors 2025 https://confcats-siteplex.s3.us-east-1.amazonaws.com/sensors25/SENSORS_2025_Program_Final_f10d3b0e4f.pdf
93. Artificial Intelligence Technology in the Agricultural Sector https://ieeexplore.ieee.org/iel7/6287639/10005208/09999442.pdf
94. Research on the Smellscape of Urban Block Space https://www.mdpi.com/2071-1050/14/15/9184
95. Advancing climate-resilient livestock systems - PMC - NIH https://pmc.ncbi.nlm.nih.gov/articles/PMC12907504/
96. Sensors, Volume 25, Issue 16 (August-2 2025) – 335 articles https://www.mdpi.com/1424-8220/25/16
97. Green Internet of Things (GIoT): Applications, Practices, ... https://ieeexplore.ieee.org/iel7/6287639/9312710/09361680.pdf

98. [PDF] Tagungsband Entomologentagung - ResearchGate https://www.researchgate.net/profile/Roland-Muehlethaler/publication/264326540_Entomologentagung_vom_21-24_Marz_2011_in_Berlin_Abstracts/links/5416d93d0cf2fa878ad42efd/Entomologentagung-vom-21-24-Maerz-2011-in-Berlin-Abstracts.pdf
99. [PDF] APPENDIX 2 – Titles of all Records Retrieved from Pubmed Using ... https://prd-tsn-main-api.s3.amazonaws.com/article/567746bf-ddb6-41cf-8363-6641b9346e2d.pdf
100. Antennal sensilla essential for off-host aggregation behavior by bed ... https://www.researchgate.net/publication/267888209_Antennal_sensilla_essential_for_off-host_aggregation_behavior_by_bed_bugs_Cimex_lectularius
101. Appl. Sci., Volume 15, Issue 23 (December-1 2025) – 505 articles https://www.mdpi.com/2076-3417/15/23
102. [PDF] Book of Abstracts - International Atomic Energy Agency https://www.iaea.org/sites/default/files/20/12/cn-279_book_of_abstracts.pdf
103. Effect of valerian extract (Valerian officinalis) and density on ... https://www.academia.edu/82472649/Effect_of_valerian_extract_Valerian_officinalis_and_density_on_performance_egg_quality_and_stress_indicators_of_Japanese_quail_hens
104. [PDF] Strengthening Resilience to Climate Change https://climate-advisory-board.europa.eu/reports-and-publications/20260217_adaptation-report.pdf/@@download/file
105. [PDF] MEDIUM TERM SOCIO-ECONOMIC POLICY FRAMEWORK - FAOLEX https://faolex.fao.org/docs/pdf/jam216945.pdf
106. [PDF] Smart Sustainable Cities Profile: Almaty - UNECE https://unece.org/sites/default/files/2023-09/Inf%20doc%202%20SSCP%20Almaty%20v270923.pdf
107. [PDF] NATIONAL ADAPTATION PLAN (NAP) REPUBLIC OF INDONESIA https://unfccc.int/sites/default/files/resource/NAP_Indonesia__2025__.pdf
108. [PDF] Green Development and Climate Adaptation for Urban and Rural ... https://cciced.eco/wp-content/uploads/2024/09/cciced-sps-adaptation-2024.pdf
109. Insects, Volume 16, Issue 8 (August 2025) – 123 articles https://www.mdpi.com/2075-4450/16/8
110. Insect Science: Early View - Wiley Online Library https://onlinelibrary.wiley.com/toc/17447917/0/0?journalRedirectCheck=true
111. Grapholita molesta - an overview | ScienceDirect Topics https://www.sciencedirect.com/topics/agricultural-and-biological-sciences/grapholita-molesta
112. Primitive Social Action - eScholarship https://escholarship.org/uc/item/3589943c

113. Design Consultant Guide https://www.nyc.gov/assets/ddc/downloads/publications/guides-manuals/Design_Consultant_Guide_2025.pdf

114. The Economist: November 2023 Insights | PDF https://www.scribd.com/document/717015634/The-Economist-USA-November-18-2023

115. Electrophysiologically and behaviourally active semiochemicals ... https://pmc.ncbi.nlm.nih.gov/articles/PMC7067832/

116. Behavioral Responses of the Common Bed Bug, Cimex lectularius ... https://www.mdpi.com/2075-4450/8/3/83

117. Bed bugs, Cimex lectularius L., exhibiting metabolic and target site ... https://pubmed.ncbi.nlm.nih.gov/32828373/

118. Tracking bed bugs (Cimex lectularius): a study of the effect of ... https://pubmed.ncbi.nlm.nih.gov/22996447/

119. Effects of non-ionizing electromagnetic fields on flora and fauna, part ... https://www.researchgate.net/publication/351938285_Effects_of_non-ionizing_electromagnetic_fields_on_flora_and_fauna_part_1_Rising_ambient_EMF_levels_in_the_environment

120. [PDF] 11 Impact Assessment & Mitigation - Documents & Reports https://documents1.worldbank.org/curated/en/099100724174036618/pdf/P1786851798b88081192a8167b31556ecc2.pdf

121. news_vocab_sorted.txt https://www.cs.cmu.edu/afs/cs.cmu.edu/academic/class/15122-s14/www/14-interfaces/news_vocab_sorted.txt

122. Vocab Nytimes | PDF | Nature https://www.scribd.com/document/499100987/Vocab-nytimes

123. [PDF] environmental and social impact assessment https://documents1.worldbank.org/curated/en/245451581310161362/pdf/Environmental-and-Social-Impact-Assessment.pdf

124. [PDF] Version 8 - Government of Alberta https://www.alberta.ca/system/files/custom_downloaded_images/infra-technical-design-requirements.pdf

125. (PDF) Housing law and health outcomes - ResearchGate https://www.researchgate.net/publication/396002809_Housing_law_and_health_outcomes

126. [DOC] P511300-430215ac-b52f-4eec-a1d5-41c3c1a09249.docx https://documents1.worldbank.org/curated/en/099020526105541270/P511300-430215ac-b52f-4eec-a1d5-41c3c1a09249.docx

127. [PDF] Meeting Program - Ministry of Ecology and Environment http://english.mee.gov.cn/Events/Special_Topics/AGM_1/2010AGM/proceedings/201605/P020160524220226080685.pdf

128. Green Roofs in Landscape Design Guide | PDF - Scribd https://www.scribd.com/document/972808349/Green-Roofs-in-Sustainable-Landscape-Design-Steven-L-Cantor-Forew

129. [PDF] Michigan Amphibian & Reptile Best Management Practices https://herp-atlas.s3.amazonaws.com/uploads/2023/05/Michigan-Amphibian-Reptile-Best-Management-Practices-2nd-Edition.pdf

130. Landscape Architecture and Envi - Joshua Zeunert PDF - Scribd https://www.scribd.com/document/431453780/Landscape-Architecture-and-Envi-Joshua-Zeunert-pdf

131. Behavioral Responses of the Common Bed Bug, Cimex lectularius ... https://pubmed.ncbi.nlm.nih.gov/28786920/

132. [PDF] ISCE2015 - International Society of Chemical Ecology Stockholm ... https://core.ac.uk/download/43381650.pdf

133. Int. J. Mol. Sci., Volume 26, Issue 17 (September-1 2025) – 644 articles https://www.mdpi.com/1422-0067/26/17

134. ICCET 2022 - Proceedings Release v1 - Scribd https://www.scribd.com/document/739747940/ICCET-2022-Proceedings-Release-v1

135. Future Access Enablers for Ubiquitous and Intelligent Infrastructures https://link.springer.com/content/pdf/10.1007/978-3-030-23976-3.pdf

136. The Agriculture - June 2023 - Flipbook by NamFarmers.com https://fliphtml5.com/igkqp/lehn/The_Agriculture_-_June_2023/

137. (PDF) Temperature−Dependent Immune Investment in Insects https://www.academia.edu/53000935/Temperature_Dependent_Immune_Investment_in_Insects

138. Insect Behavior - Springer https://link.springer.com/content/pdf/10.1007/978-90-481-2389-6.pdf

139. Urban Bird Treaty Program - ArcGIS StoryMaps https://storymaps.arcgis.com/stories/a440e0355a8946458045966938961523

140. [PDF] 16th European Bat Research Symposium Tarragona, Catalonia ... https://www.researchgate.net/profile/Oleg-Shcherbakov-3/publication/385456521_2024_EBRS_abstracts_booklet_v01/links/67250e80db208342dee45299/2024-EBRS-abstracts-booklet-v01.pdf

141. Essential Entomology | PDF | Insects | Biology - Scribd https://www.scribd.com/document/714696495/Essential-Entomology

142. Int. J. Mol. Sci., Volume 21, Issue 1 (January-1 2020) – 370 articles https://www.mdpi.com/1422-0067/21/1

143. (PDF) HACCP & IPM - Academia.edu https://www.academia.edu/6754798/HACCP_and_IPM

144. [PDF] XVIII. International Plant Protection Congress - ResearchGate https://www.researchgate.net/profile/Jaka-Razinger/publication/281346177_Agronomic_evaluation_of_IPM_strategies_in_European_winter-wheat_and_maize_production/links/58eb6d1b4585153b60c95e19/Agronomic-evaluation-of-IPM-strategies-in-European-winter-wheat-and-maize-production.pdf
145. Mortality, fecundity and development among bed bugs (Cimex ... https://pmc.ncbi.nlm.nih.gov/articles/PMC5396144/
146. [PDF] Poultry Science - ResearchGate https://www.researchgate.net/profile/Diego-Martinez-31/publication/318205409_Correcting_bone_morphometry_values_for_body_weight_differences/links/6142aab47d081355ccef0afd/Correcting-bone-morphometry-values-for-body-weight-differences.pdf
147. [PDF] 11β,21-Dihydroxy-4- pregnene-3,20-dione - ResearchGate https://www.researchgate.net/profile/Cody-Freas/publication/379150276_Arthropod_Cognition/links/66008f5df3b56b5b2d29cb94/Arthropod-Cognition.pdf
148. [PDF] BIBE - 218341 TABLE OF CONTENTS - AWS https://imlive.s3.amazonaws.com/Federal%20Government/ID867773048933584171840065291280746947 61/BIBE%20218341%20FINAL%20COMPILED%20SPECS%20-%20COMPLETE.pdf
149. [PDF] Impacts of Antibiotic-Resistant Bacteria - Princeton University https://www.princeton.edu/~ota/disk1/1995/9503/9503.PDF
150. Stepping up Europe's 2030 climate ambition - European Union https://eur-lex.europa.eu/legal-content/EN/TXT/HTML/?uri=CELEX:52020SC0176
151. English Text (1.42 MB) - Open Knowledge Repository - World Bank https://openknowledge.worldbank.org/bitstreams/1b159c08-fdf7-53d3-9494-b57a01512517/download
152. Using Integrated City Data and Machine Learning to Identify ... - PMC https://pmc.ncbi.nlm.nih.gov/articles/PMC8781224/
153. [PDF] Green Jobs: - International Labour Organization https://www.ilo.org/sites/default/files/wcmsp5/groups/public/@dgreports/@dcomm/documents/publication/wcms_098504.pdf
154. [PDF] Promoting Nature-based Solutions and Sustainable Infrastructure in ... https://unece.org/sites/default/files/2025-11/NbS%202515391E_WEB.pdf
155. [PDF] EL GÉNERO CULICOIDES (DIPTERA: CERATOPOGONIDAE) EN ... https://www.researchgate.net/profile/Mikel-Gonzalez-2/publication/270509975_Doctoral_Thesis_of_Mikel_A_Gonzalez_The_genus_Culicoides_DipteraCeratopogonidae_in_the_Basque_Country_Northern_Spain/links/

54ac3dcc0cf23c69a2b78dde/Doctoral-Thesis-of-Mikel-A-Gonzalez-The-genus-Culicoides-DipteraCeratopogonidae-in-the-Basque-Country-Northern-Spain.pdf

156. Symposia and Poster Presentations - jstor https://www.jstor.org/stable/pdf/30166361.pdf
157. (Chatli, Manish Kumar PDF | PDF | Animal Slaughter | Livestock https://www.scribd.com/document/491148444/Chatli-Manish-Kumar-pdf
158. [PDF] Micron - Response to Public Comments on Natural Resource Permits https://dec.ny.gov/sites/default/files/2025-12/resptopubcoms_micronnatresourcepermits.pdf
159. [PDF] STANDARD HIGHWAY SPECIFICATIONS VOLUME II of II - NYC.gov https://www.nyc.gov/assets/ddc/downloads/publications/infrastructure/Standard%20Highway%20Specs%20August%201%202015%20Vol%202.pdf
160. The Responses of the Bed Bug (Cimex Lectularius L.) to Heat ... https://www.proquest.com/dissertations-theses/responses-bed-bug-cimex-lectularius-l-heat/docview/2838329539/se-2?%20accountid=12154
161. Behavioral Responses of the Common Bed Bug, Cimex lectularius ... https://www.researchgate.net/publication/319016883_Behavioral_Responses_of_the_Common_Bed_Bug_Cimex_lectularius_to_Insecticide_Dusts
162. Behavioral Responses of the Common Bed Bug, Cimex lectularius ... https://pmc.ncbi.nlm.nih.gov/articles/PMC5620703/
163. Biological effects of electromagnetic fields on insects https://pubmed.ncbi.nlm.nih.gov/37990587/
164. Temperature stress deteriorates bed bug (Cimex lectularius ... https://pmc.ncbi.nlm.nih.gov/articles/PMC5851602/
165. Chronic electromagnetic field exposure decreases HSP70 ... https://www.researchgate.net/publication/11546724_Chronic_electromagnetic_field_exposure_decreases_HSP70_levels_and_lowers_cytoprotection
166. Electromagnetic field exposure (50 Hz) impairs response to ... https://pmc.ncbi.nlm.nih.gov/articles/PMC5966488/
167. Responses of the bed bug, Cimex lectularius, to ... https://pubmed.ncbi.nlm.nih.gov/19941608/
168. https://escholarship.org/oai?verb= ... https://escholarship.org/uc/oai?verb=ListRecords&set=ucr_etd&metadataPrefix=oclc_dc
169. Bedbugs - HPD https://www.nyc.gov/site/hpd/services-and-information/bedbugs.page
170. Spatial exploration of the CDC's Social Vulnerability Index and heat ... https://pmc.ncbi.nlm.nih.gov/articles/PMC9345528/

171. [PDF] Remedial Action Work Plan - NY.Gov https://extapps.dec.ny.gov/data/DecDocs/C203134/Application.BCP.C203134.2020-02-28.Appendx%20G-Draft%20Remedial%20Action%20Work%20Plan.pdf

172. Energies, Volume 15, Issue 15 (August-1 2022) – 450 articles - MDPI https://www.mdpi.com/1996-1073/15/15

173. Inventory - NYU https://www.nyu.edu/abu-dhabi/academics/inventory.html

174. Latest articles - MDPI https://www.mdpi.com/latest_articles

175. TheAgriculture July-2024) | PDF | Agriculture | Zinc Oxide - Scribd https://www.scribd.com/document/790724961/TheAgriculture-July-2024

176. [PDF] New York State Department of State - NY.Gov https://dos.ny.gov/january-7-2026vol-xlviii-issue-1

177. [PDF] suffolk county department of public works division of vector control https://www.suffolkcountyny.gov/Portals/0/formsdocs/planning/CEQ/2019/Project_Info_for_CEQ_Oct_16_2019Mtg.pdf

178. [PDF] ESCR-EIS-Chapter-10.0-Response-to-Comments-on-the ... - NYC.gov https://www.nyc.gov/assets/escr/downloads/pdf/FEIS/ESCR-EIS-Chapter-10.0-Response-to-Comments-on-the-DEIS.pdf