From Vibration to Value: A Physics-Anchored Framework for Governing Pollinator and Predator Contributions Through Techgician Integration

The objective of this research is to develop a comprehensive framework for quantifying the biophysical services provided by bees, wasps, and arachnids, grounding their "reason to exist" in measurable ecological contributions rather than human preference. This report details a methodology for establishing physics-anchored metrics—such as pollination mass, pest biomass removed, and toxin use avoided—and integrating these quantifiable flows into transparent, adaptive governance protocols. The proposed architecture prioritizes fairness by conditioning external human and machine power solely on verifiable positive impacts, while simultaneously enforcing an absolute, non-negotiable boundary protecting inner mental freedom. This is achieved through a hybrid model for species-specific weights, which are anchored in scientific consensus but refined dynamically through a non-punitive learning mechanism known as Errority. The framework is designed for practical implementation through a hardware-first approach, leveraging sensor networks and specialized software to generate the empirical data required for governance.

The Biophysical Service Quantification Engine

At the core of this framework lies a strict, sequential methodology for measuring the tangible contributions of bees, wasps, and arachnids. This process begins not with evaluation but with rigorous, physics-anchored quantification of biophysical flows. These measurements must be derived exclusively from ecological observations and sensor data, deliberately excluding any reference to the internal states, behaviors, or consciousness of the organisms themselves. This ensures that the foundation of the entire governance structure is built upon a shared, objective reality of physical outputs. Four primary categories of service flow have been identified as essential for this quantification engine: pollination mass and seed set, pest biomass removal, avoided toxin application, and exergy per unit of service. Each of these metrics provides a distinct lens through which to assess the stability contribution of these critical arthropod groups.

Pollination mass and subsequent seed set represent one of the most well-documented ecosystem services provided by bees and wasps [29] [31]. However, moving beyond simple visitation counts requires more sophisticated measurement techniques. The efficiency of pollen transfer per pollinator visit is a crucial metric, with studies indicating that wild bees can be more effective per-visit than managed honeybees [34]. Direct measurement of seed set outcomes following controlled pollination events provides a definitive measure of success [28]. Technological advancements offer powerful tools for this quantification. Computer vision and deep learning algorithms, such as the Polytrack algorithm, can automatically track multiple insects between flowers, creating detailed pollination network maps [37]. Furthermore, automated systems using computer vision and machine learning can analyze the pollen loads carried by individual bees, authenticating the plant origin and providing a direct link between foraging activity and the biomass of nectar and pollen collected [33] [36]. Mass spectrometry approaches can further refine this by identifying unique chemical signatures in pollen samples, allowing for highly accurate attribution of pollination events to specific plant species [118][120].

For predatory arachnids and certain wasp species, the primary service is the regulation of pest populations through biomass removal [57] [58]. Field studies have documented significant pest consumption rates, with some areas showing prey biomass collection exceeding 10 kg per hectare [57] [115]. While direct collection and weighing of prey remains near nests or webs offers a baseline measurement, it is labor-intensive and disruptive. More innovative, non-invasive methods are required for continuous monitoring. The architecture of a spider's web is a key determinant of its predation efficiency [45]. Advanced techniques like stereo vibrometry, which uses video cameras to create a non-contact method for analyzing vibrational signals transmitted through spiderwebs, allow for the detection and localization of prey capture events [89] [90]. By analyzing the in-plane vibrations caused by an insect's impact, researchers can determine the location and potentially the size of the prey [91]. This technology enables a continuous, real-time assessment of a spider's predatory service without disturbing the web or the spider itself. Similarly, radio telemetry can be used to study the movement patterns of larger predators, linking them to areas of high pest pressure [60].

The third category of service flow is the avoidance of toxic chemical applications. This represents a negative flow, quantifying harm prevented rather than benefit created. It can be modeled using established methodologies for pesticide risk assessment. For instance, the hazard load (HL) of a pesticide is often calculated based on the amount applied relative to the body weight of the target organism [5]. By correlating observed biological control services (i.e., pest biomass removed) with reductions in reported pest pressure, it becomes possible to calculate the volume of pesticides that were not applied. Research has shown that implementing dynamic economic thresholds for pest management, which take into account the presence and efficacy of natural enemies, consistently leads to reduced insecticide application compared to static, calendar-based spraying schedules [51] [54]. This reduction is a direct quantifiable outcome of the pest control services provided by arthropods.

Finally, the concept of exergy per unit of service introduces a thermodynamic dimension to the evaluation. Drawing from the work of ecologists like Howard T. Odum, exergy is defined as the "useful" energy within a system that must be dissipated to sustain it [26]. In this context, it serves as a metric for thermodynamic efficiency. An action that results in a large amount of toxin being avoided—a process with a high inherent exergy cost—would be considered highly valuable if it was achieved with minimal energy expenditure. Conversely, an action with low pest control efficacy but a high energetic cost would score poorly. This metric moves beyond simple mass balances to incorporate the energetic investment required to achieve an ecological outcome, providing a more nuanced understanding of efficiency. The development of an energy analysis method encompassing the entire farm system is a step toward quantifying these flows, though a standardized method for calculating the exergy of a biological service remains an area for further research [93].

Metric Category	Key Quantifiable Flows	Measurement Technologies & Methods	Supporting Context
Pollination Mass & Seed Set	Pollen transfer efficiency, seed set, crop yield increase, pollen source identification	Computer vision (Polytrack), automated pollen load identification (CV/ML), mass spectrometry, hyperspectral LiDAR [33] [37] [117] [118]	Over 85% of global crops depend on animal pollination; declines directly impact yields [29] [35]; citrus production relies on pollination for ~60% of yield [31].
Pest Biomass Removed	Prey biomass captured, prey species composition, pest population suppression	Stereo vibrometry of spiderwebs, web tension load cells, molecular analysis of gut contents, trap data correlation [89] [97] [155]	Wild bees and wasps contribute significantly to ecosystem services in agricultural areas [40]; parasitoid wasps reduce insecticide needs [53].
Toxin Use Avoided	Reduction in pesticide/ fertilizer volume applied, lower chemical load in environment	Dynamic economic threshold modeling, correlation of pest control service with reduced spray events [5] [51] [54]	Pesticides have significant environmental impacts; reducing their use benefits soil health and water quality [11] [27].
Exergy Per Unit of Service	Energetic cost of action vs. ecological benefit gained, thermodynamic efficiency	Emergy accounting (Odum), design-energy-exergy-economy-environment (4E) analysis [26] [94]	Exergy represents 'useful' energy in an ecosystem; emergy measures total available energy used to create a component [26].

An Errority-Refined Governance Architecture

Once the biophysical flows are rigorously quantified, they must be translated into a governance architecture that is both robustly fair and adaptively intelligent. This architecture is built upon two primary components: EcoAdmissible polytopes, which define hard constraints on actions, and NanoKarma operators, which condition external permissions on ecological accountability. Central to this system's integrity is a hybrid model for species-specific weights, which are anchored in scientific evidence but refined over time through a non-punitive learning process called Errority.

EcoAdmissible polytopes formalize the concept of a safety envelope for environmental stressors [38]. Mathematically, a multi-species service polytope can be defined as $P_{\text{service}}{=}x|A_{\text{service}}x{\leq}b_{\text{service}}$, where the vector 'x' represents a set of potential human or machine actions (e.g., deploying machinery, applying fertilizer, constructing habitat corridors), and the axes of the constraint vector 'b' represent the quantified biophysical services [38]. These axes could include metrics like kilograms of pollination service rendered, kilograms of pest biomass removed, liters of toxins avoided, and reductions in thermal or chemical exposure relevant to neural health. Any proposed action 'x' that would cause the system's output vector to fall outside the boundaries defined by A_{service} and b_{service} is deemed non-admissible, regardless of who proposes it. This mathematical formulation makes the rules impersonal and inherently resistant to corruption, greed, or control capture, as the system's validity depends only on whether the action violates the established ecological envelope [38]. This directly operationalizes the principle that freedom to act in a landscape is conditional on not collapsing the viability of the co-governed lifeforms within it.

Complementing the hard constraints of the polytope is the NanoKarma operator, which translates physical flows into a stream of permissions governing external power. The core equation, $K_i{=}\lambda_i\beta_iM_i$, suggests a mechanism where various flows (M_i) are weighted and scaled to produce a personal ecological Karma stream [38]. In this framework, negative pollutant mass flows (e.g., avoided toxins) and other beneficial services (e.g., pollination mass) are treated as "ecological credits." An action that avoids a large amount of toxin, for example, would generate a significant negative value for pollutants, translating into a positive Karma credit. Conversely, an action that leads to excessive pesticide use would register as a large positive pollutant mass, resulting in a Karma debit. The right to deploy a machine, control an infrastructure node, or access certain resources would then be gated by whether an individual's accumulated Karma stream (K_{person}) meets a predefined threshold [38]. This creates a direct, transparent link between external freedom and ecological accountability, ensuring that expanded power is earned through verifiable positive impact on the shared reality floor of biophysical services.

A critical innovation in this architecture is the treatment of species-specific weights. These weights, such as a bee-neural-freedom multiplier or a pest-control-value multiplier for parasitoid wasps, are not static. They follow a hybrid model. Initially, these weights must be anchored in public, peer-reviewed science. Bee-centric weights, for example, could be informed by published pollinator risk assessments, biodiversity importance rankings, and findings from environmental neuroethics that link toxin exposure to neurological damage in insects [22] [102]. These initial values are policy choices, not secret physics, and must be transparently documented to allow for debate and future revision [38] .

However, the system's true strength lies in its ability to learn and adapt. Every real-world observation that reveals a flaw in the current weighting scheme constitutes an "Errority" event [38] . For instance, if a new pesticide application corridor is mathematically "BeeAdmissible" but still leads to colony collapse, this failure registers as an Errority event [38] . This structured error record, containing the discrepancy between the model's prediction and the actual outcome, triggers a review process. The weights and polytope boundaries are recalibrated to better reflect the real needs of the ecosystem. This ensures the governance model remains accountable to actual ecological dynamics instead of becoming frozen in outdated ideology. Crucially, Errority events are non-punitive; they do not lead to sanctions against the person or entity involved. Instead, they serve as invaluable research data that tightens the safety envelopes and refines the weights, making the entire system fairer and more effective over time [38] . This transforms even harmful or failed actions into useful inputs for collective learning, preventing them from being erased or used to justify domination.

Hardware-First Implementation via Techgician Integration

The theoretical framework of biophysical quantification and adaptive governance must be grounded in tangible, real-world implementation. The user's directive emphasizes a hardware-first approach, where concrete, low-intrusion sensor designs provide the foundational data for the entire system. This data is then processed by specialized software frameworks, creating a closed-loop system where creative projects generate verifiable evidence that, in turn, refines the governance model itself. This section outlines the proposed hardware designs and software logic, collectively forming the "Techgician" integration layer.

The hardware-first imperative prioritizes the development of sensor nodes and monitoring systems that are unobtrusive and safe for the target wildlife. For bees and wasps, this builds upon the existing field of smart beehive monitoring [20] [71]. While many current systems focus on internal hive parameters like temperature, humidity, and weight [15] [18], the proposed framework requires enhancements. A key addition would be the integration of multi-spectral cameras for remote surveillance of hive entrances to quantify foraging trips [1] [39]. Combining this with audio sensors allows for the classification of incoming and outgoing bees, distinguishing between pollen-bearing workers and drones [21] [142]. An even more advanced sensor could detect flying insects by analyzing disruptions in the atmospheric electric field, offering a way to monitor foraging activity over a wider area [141].

For arachnids, the most innovative hardware proposals involve non-contact vibration sensing. A platform utilizing stereo vibrometry, employing two synchronized video cameras, can create a three-dimensional map of a spiderweb's vibrations without physical contact [89] [90]. This allows for the continuous, passive monitoring of prey capture events, enabling the calculation of a "Predator Service Index" based on the frequency and amplitude of impacts detected on the web [45]. Another promising avenue is the adaptation of industrial web tension sensors [97] [99] into compact, low-power devices that can be mounted on a single silk thread of a web to provide direct force measurements during an impact event [98]. Beyond direct predator monitoring, hardware can also be designed to protect them. For example, enclosure designs for sensor nodes could incorporate features that deter accidental destruction by curious wasps or spiders, and mounting patterns could be engineered to avoid disrupting flight paths or web-building sites.

All sensor nodes must operate within a broader environmental context. Therefore, a standard hardware Bill of Materials (BOM) would include sensors for local weather conditions, such as Wet-Bulb Globe Temperature (WBGT), light levels, air quality (PM, VOCs), and water quality if deployed near aquatic habitats [126] [148]. This contextual data is essential for calibrating the biophysical service flows, as factors like heat stress can directly impact foraging performance and hive weight gain [16] [88].

On top of this hardware foundation, a Rust/JS software stack provides the necessary logic for processing data, performing governance checks, and facilitating user interaction.

Rust crates would be ideal for computationally intensive tasks requiring high performance and memory safety, such as real-time audio filtering for hive acoustics [21], computer vision pipelines for tracking insects [37], and the core calculations for validating actions against the EcoAdmissible polytope. JavaScript frameworks could power the user-facing dashboards, visualizing the KER (Data Quality, Eco-Benefit, Risk) scores and providing an interface for logging observations .

A central function of this software layer would be the generation of "PollinatorPredatorSigns," which are structured data shards summarizing daily observations . Each sign would contain metrics like pollination index, predator service index, and exergy consumed, alongside risk indicators like WBGT and pesticide drift alerts . To make these logs verifiable and useful for training data, every sign would be stamped with a hex-encoded ALNDIDBostrom record, capturing technical usefulness (T), programmatic effectiveness (P), risk-of-harm (R), and code-value (C) scores . This creates a permanent, auditable trail of impact. AI chatbots, guided by a router that identifies intents related to pollinators and predators (`PollinatorPredatorCorridor`), can then suggest concrete micro-projects based on this logged data—for example, suggesting a change in behavior if the logged KER scores indicate a net negative impact . This feedback loop is designed to boost user enthusiasm by making their creative experiments tangible and impactful, demonstrating how their actions directly contribute to refining the system's fairness.

Component Type	Description	Example Implementations	Purpose
Sensor Hardware	Low-intrusion devices for measuring biophysical flows and environmental context.	IoT Hive Monitors (Weight, Temp, Acoustics) [15] [18], Multi-spectral Cameras [1], Stereo Vibrometry Platforms [89], Atmospheric Electric Field Sensors [141], Web Tension Load Cells [97] [99].	Generate ground-truth, objective data on pollination, predation, and environmental stressors.
Software Frameworks	High-performance (Rust) and UI (JS) libraries for data processing and governance logic.	Rust crates for acoustic filtering [21], CV pipelines [37], and polytope validation; JS dashboards for KER score visualization .	Process raw sensor data into service indices, perform governance checks, and provide a user interface.
Data Shards	Structured, verifiable records of daily observations and experiments.	`PollinatorPredatorSign2026v1` shard containing Pollination/Predator Indices, KER scores, WBGT, and hex-stamped ALNDIDBostrom records .	Create an auditable, machine-readable log of impact for use in Errority events and system refinement.
AI Router & Project Creativity	Intelligent routing of user queries to trigger hardware/software project suggestions.	`EcoIntent::PollinatorPredatorCorridor` routing to GitHub searches for sensor BOMs, Rust crate seeds, and dashboard templates .	Spark creative problem-solving by connecting abstract concepts to concrete, buildable projects.

The Rights-First Boundary: Neurorights and Inviolate Inner Freedom

While the framework's primary focus is on quantifying external, observable biophysical actions, its ethical foundation rests upon the absolute protection of inner mental freedom. This is operationalized through the concept of "Neurorights," which defines an inviolable inner domain that no governance algorithm, including those for Circular Economy Impact Modeling (CEIM) or NanoKarma, may ever access or score [38]. This strict separation of the inner, non-computable domain of thought and consciousness from the outer, computable domain of action is the bedrock of fairness, ensuring that accountability for ecological impact never devolves into control over the mind.

Neuroethics, an interdisciplinary field examining the ethical implications of neuroscience, provides the conceptual basis for these rights [104]. Core neuroethical principles include cognitive liberty, mental privacy, mental integrity, and psychological continuity [104]. Cognitive liberty encompasses the freedom of thought and the autonomy to form one's own beliefs and intentions [104]. Mental privacy is the right to keep one's thoughts and feelings confidential, free from unwarranted intrusion [104]. Mental integrity protects an individual's right to have their mental processes remain unimpaired, while psychological continuity safeguards the ongoing sense of self over time [104]. In the context of this framework, these rights are extended to all lifeforms whose welfare is factored into the governance model, including bees, wasps, and arachnids, reflecting a less anthropocentric focus [102].

This extension of rights is made technically feasible through the concept of a "NeuroEcoIdentityManifest" [38]. This manifest, bound to a user's Decentralized Identifier (DID), would be a machine-readable document encoding the fundamental, immutable principles of the system. It would explicitly state the inviolability of the inner neurorights polytope, separating these invariants from the outer, computable mathematics of CEIM and NanoKarma [38]. No neural data, brain scans, or any other proxy for internal mental states would ever be permitted to enter the computational models that track emissions, waste, and ecological credits [38]. The limitations of current neuroimaging technologies like fMRI further reinforce this boundary; due to their low signal-to-noise ratio, spatial smearing, and extreme sensitivity to motion, they cannot currently be used to covertly read the unconstrained propositional thoughts of an unwilling subject, making fears of remote mindreading unfounded [104]. The framework's design choice goes beyond technological limitations, establishing a principled, non-negotiable boundary.

The enforcement of this boundary is twofold: philosophical and technical. Philosophically, the system is designed so that external power is conditioned *only* on external, verifiable actions. Your freedom to act is tied to your demonstrated ecological accountability, not to the content of your thoughts or the state of your mind [38]. Technically, this is enforced by the very structure of the data pipeline. Raw sensory input —images, sounds, vibration data, mass readings—is fed into the system. Only after this data is processed through physical models to derive metrics like "pollen transferred" or "pest biomass removed" does it enter the governance equations. The intermediate steps are purely physical, and the final outputs are discrete, quantifiable units of service, not proxies for internal states. This design prevents the system from ever collaterally using mental content as a hidden control variable or deceptive output, as explicitly forbidden in the research goal [38].

Even the Errority mechanism, designed for learning from failure, operates strictly within the outer domain. An Errority event is triggered when there is a discrepancy between the model's prediction of an outcome and the actual physical result. For example, if a proposed land-use change is predicted to be within the BeeAdmissible polytope but results in a sharp decline in local pollinator populations, the error is in the physical measurement, not in the hypothetical thoughts of the pollinators. The corrective action involves refining the mathematical model—adjusting the weights or reshaping the polytope—to better align with the observed physical reality [38]. This ensures that the system learns from its mistakes without ever needing to interrogate or judge the inner world of any sentient being. Sanctions, therefore, always remain attached to external permissions and actions, never to existence or mental content [38]. This rigorous separation guarantees that the pursuit of ecological fairness does not come at the cost of fundamental freedoms.

Synthesis and Strategic Implications for Ecological Governance

This research culminates in a comprehensive, multi-layered framework for establishing a fair and scientifically grounded basis for the existence of bees, wasps, and arachnids within a technologically mediated society. The framework's strategic value lies in its synthesis of four critical pillars: a physics-anchored biophysical service quantification engine, an Errority-refined governance architecture, a hardware-first implementation protocol, and a non-negotiable rights-first boundary. Together, these elements propose a radical shift in ecological governance—from one based on subjective valuation and moral appeals to one founded on objective, measurable, and verifiable contributions to planetary stability.

The first pillar establishes the quantitative foundation. By focusing on conserved mass, energy, and information flows, the framework defines a "reason to exist" in terms of tangible biophysical services: pollination mass, pest biomass removed, toxins avoided, and thermodynamic efficiency (exergy) [5] [26] [29] [57]. This measurement-first approach, enabled by a hardware-first "Techgician" integration, grounds the entire system in shared, objective reality, insulated from human preference or sentiment . The second pillar integrates these physical metrics into a governance architecture of EcoAdmissible polytopes and NanoKarma operators. The polytopes provide rigid, impersonal safety envelopes based on measurable outcomes, while the Karma stream conditions external power on ecological accountability, creating a direct link between freedom of action and positive environmental impact [38].

The third and fourth pillars introduce the system's adaptive intelligence and ethical guardrails. The hybrid model for species-specific weights, anchored in scientific literature but refined through the non-punitive Errority mechanism, ensures the governance model evolves with new data, preventing it from becoming dogma [38]. Simultaneously, the explicit and technically enforced boundary of neurorights guarantees that this entire complex system of measurement and governance never infringes upon the inviolable inner domain of thought and consciousness for any lifeform under its purview [38] [104]. This dual emphasis on adaptive learning and absolute rights creates a system that is both intelligent and ethically sound.

The strategic implication of this framework is profound. It provides a blueprint for a governance model where fairness is defined not by equal outcomes, but by equal adherence to a transparent, physics-anchored set of rules. External permissions expand for those who demonstrate a greater capacity to generate positive biophysical flows, while the inner freedom of all participants remains protected. The "Techgician" project serves as the crucial bridge, transforming this abstract theory into a tangible, participatory practice where citizens become co-creators of the data that refines their own governance. This creates a powerful feedback loop of creativity, measurement, and learning. However, significant challenges remain. Further research is needed to standardize exergy accounting for biological services, to develop reliable conversion factors from spiderweb vibrations to prey biomass, and to validate the mathematical rules governing the Errority-driven weight adjustments. Establishing robust global baselines for healthy ecosystem service levels will also require massive, coordinated data collection efforts. Ultimately, the success of this framework depends on the successful execution of its hardware-first implementation, which will provide the essential ground-truth data needed to calibrate and validate the entire theoretical structure. This is not merely a computational exercise; it is a call to build a new kind of technology—one that acts as a mirror, reflecting our own place and responsibility within the intricate web of biophysical life.

Reference

1. Studying collective animal behaviour with drones and computer vision https://besjournals.onlinelibrary.wiley.com/doi/full/10.1111/2041-210X.70128
2. Physiological Diversity in Insects: Ecological and Evolutionary ... https://pmc.ncbi.nlm.nih.gov/articles/PMC2638997/
3. Social insects and beyond: The physics of soft, dense invertebrate ... https://journals.sagepub.com/doi/10.1177/26339137221123758
4. Bald eagle search algorithm: a comprehensive review with its ... https://www.tandfonline.com/doi/full/10.1080/21642583.2024.2385310
5. Orchard systems offer low-hanging fruit for low-carbon, biodiversity ... https://academic.oup.com/bioscience/advance-article/doi/10.1093/biosci/biae140/7997959
6. Red-Billed Blue Magpie Optimizer for Modeling and Estimating the ... https://www.mdpi.com/2673-3293/6/3/27
7. Swarm intelligence techniques and their applications in fog/edge ... https://link.springer.com/article/10.1007/s10462-025-11351-2
8. Experimental reduction of land use increases invertebrate ... https://www.sciencedirect.com/science/article/pii/S1439179125000738
9. Food webs for three burn severities after wildfire in the Eldorado ... https://pmc.ncbi.nlm.nih.gov/articles/PMC9262949/
10. Arthropod abundance is most strongly driven by crop and semi ... https://www.sciencedirect.com/science/article/pii/S016788092400416X
11. (PDF) Pesticides: Environmental Impacts and Management Strategies https://www.researchgate.net/publication/260310385_Pesticides_Environmental_Impacts_and_Management_Strategies
12. Quantifying the economic cost of invertebrate pests to New ... https://rsnz.onlinelibrary.wiley.com/doi/10.1080/00288233.2018.1478860

13. A framework for better sensor-based beehive health monitoring https://www.sciencedirect.com/science/article/pii/S0168169923002946
14. [PDF] Machine Learning and Computer Vision Techniques in Bee ... - arXiv https://arxiv.org/pdf/2208.00085
15. Digital Transformation of Beekeeping through the Use of a Decision ... https://www.mdpi.com/2076-3417/12/21/11179
16. Foraging trip duration of honeybee increases during a poor air ... https://pmc.ncbi.nlm.nih.gov/articles/PMC7882926/
17. Hyperspectral lidar for monitoring high-resolution activity patterns of ... https://link.springer.com/article/10.1186/s40317-024-00372-3
18. Beemon: An IoT-based beehive monitoring system - ResearchGate https://www.researchgate.net/publication/354529199_Beemon_An_IoT-based_beehive_monitoring_system
19. A systems‐based approach to the environmental risk assessment of ... https://efsa.onlinelibrary.wiley.com/doi/10.2903/j.efsa.2021.6607
20. Buzzing with Intelligence: A Systematic Review of Smart Beehive ... https://pmc.ncbi.nlm.nih.gov/articles/PMC12431418/
21. Dynamic noise filtering for multi-class classification of beehive audio ... https://www.sciencedirect.com/science/article/pii/S0957417422018681
22. (PDF) The Economics of Valuing Ecosystem Services and Biodiversity https://www.researchgate.net/publication/303444184_The_Economics_of_Valuing_Ecosystem_Services_and_Biodiversity
23. Modelling the bioeconomy: Emerging approaches to address policy ... https://www.sciencedirect.com/science/article/pii/S0959652621039767
24. Sustainability, Volume 17, Issue 19 (October-1 2025) – 447 articles https://www.mdpi.com/2071-1050/17/19
25. [PDF] Interdependence of Biodiversity and Development Under Global ... https://www.cbd.int/doc/publications/cbd-ts-54-en.pdf
26. Systems Analysis - an overview | ScienceDirect Topics https://www.sciencedirect.com/topics/agricultural-and-biological-sciences/systems-analysis
27. [PDF] Cross-Chapter Boxes and Cross-Working Group Boxes - IPCC https://www.ipcc.ch/report/ar6/wg2/downloads/report/IPCC_AR6_WGII_CCB-CWGB_Compilation.pdf
28. [PDF] Standard methods for pollination research with Apis mellifera 2.0 https://core.ac.uk/download/pdf/619387833.pdf
29. Crop production in the USA is frequently limited by a lack of pollinators https://pmc.ncbi.nlm.nih.gov/articles/PMC7423660/

30. [PDF] Pollination of cultivated plants in the tropics https://openknowledge.fao.org/server/api/core/bitstreams/1de25fa0-6792-4c2b-8e93-3c8aa521f08c/content
31. Animal pollination contributes to more than half of citrus production https://pmc.ncbi.nlm.nih.gov/articles/PMC11437169/
32. A Smart Sensor-Based Measurement System for Advanced Bee ... https://www.mdpi.com/1424-8220/20/9/2726
33. Automated identification of honey bee pollen loads for field‐applied ... https://pmc.ncbi.nlm.nih.gov/articles/PMC12489280/
34. Relationships between stigmatic pollen loads deposited by hand ... https://www.researchgate.net/figure/Relationships-between-stigmatic-pollen-loads-deposited-by-hand-applied-bees-and_fig3_283892908
35. [PDF] Research Progress on Efficient Pollination Technology of Crops https://pdfs.semanticscholar.org/3f4d/f6d96b822316da20e7df097f3858546082bd.pdf
36. [PDF] Automated identification of honey bee pollen loads for field - HAL https://hal.science/hal-05349368/file/PollenID_NP_July25_v1.0.pdf
37. [PDF] Towards Computer Vision and Deep Learning Facilitated Pollination ... https://openaccess.thecvf.com/content/CVPR2021W/AgriVision/papers/Ratnayake_Towards_Computer_Vision_and_Deep_Learning_Facilitated_Pollination_Monitoring_for_CVPRW_2021_paper.pdf
38. 3594859 time|3570693 year|3516017 publisher - Apache's svn http://svn.apache.org/repos/asf/lucene/dev/tags/realtime_DWPT_final_2011-05-02/solr/src/test-files/Top50KWiki.utf8
39. Precision Monitoring of Honey Bee (Hymenoptera: Apidae) Activity ... https://pmc.ncbi.nlm.nih.gov/articles/PMC9865544/
40. The role of wild bees and cavity‐nesting wasps as ecological ... - PMC https://pmc.ncbi.nlm.nih.gov/articles/PMC11493474/
41. [PDF] natural and anthropic energy flows in agricultural biomass production https://publications.jrc.ec.europa.eu/repository/bitstream/JRC116274/jrc116274_emergy_jrc_report_12_june_2019_pubsy.pdf
42. Land, Volume 13, Issue 9 (September 2024) – 208 articles https://www.mdpi.com/2073-445X/13/9
43. [PDF] Integrated Mariculture A Global Review. FAO Fisheries and ... https://www.fao.org/4/i1092e/i1092e.pdf
44. Attention focusing in a sit-and-wait forager: a spider controls its prey ... https://pmc.ncbi.nlm.nih.gov/articles/PMC2842635/
45. Caught in the web: Spider web architecture affects prey ... - PMC - NIH https://pmc.ncbi.nlm.nih.gov/articles/PMC6053566/

46. Sphecidae - an overview | ScienceDirect Topics https://www.sciencedirect.com/topics/agricultural-and-biological-sciences/sphecidae
47. (PDF) A Textbook Of Ecology - ResearchGate https://www.researchgate.net/publication/360297819_A_Textbook_Of_Ecology
48. Experimental Suppression of Red Imported Fire Ants (Solenopsis ... https://www.mdpi.com/1424-2818/15/3/331
49. Understanding the Complex Impact of Pesticides on Parasitoid ... https://www.researchgate.net/publication/382501665_Harmonizing_Control_Understanding_the_Complex_Impact_of_Pesticides_on_Parasitoid_Wasps_for_Enhanced_Pest_Management
50. (PDF) Parasitoid Wasp Community Dynamics in Vineyards ... https://www.researchgate.net/publication/357779990_Parasitoid_Wasp_Community_Dynamics_in_Vineyards_Following_Insecticide_Application
51. Do natural enemies really make a difference? Field scale impacts of ... https://www.researchgate.net/publication/308695955_Do_natural_enemies_really_make_a_difference_Field_scale_impacts_of_parasitoid_wasps_and_hoverfly_larvae_on_cereal_aphid_populations
52. Using Semifield Studies to Examine the Effects of Pesticides on ... https://www.researchgate.net/publication/258101444_Using_Semifield_Studies_to_Examine_the_Effects_of_Pesticides_on_Mobile_Terrestrial_Invertebrates
53. (PDF) Insect biological control: a global perspective - ResearchGate https://www.researchgate.net/publication/395820776_Insect_biological_control_a_global_perspective
54. Dynamic Economic Thresholds for Insecticide Applications Against ... https://www.researchgate.net/publication/368537632_Dynamic_Economic_Thresholds_for_Insecticide_Applications_Against_Agricultural_Pests_Importance_of_Pest_and_Natural_Enemy_Migration
55. (PDF) Bottom-Up Forces in Agroecosystems and Their Potential ... https://www.researchgate.net/publication/355057142_Bottom-Up_Forces_in_Agroecosystems_and_Their_Potential_Impact_on_Arthropod_Pest_Management
56. [PDF] Rapports et documents - Convention on Biological Diversity https://www.cbd.int/doc/case-studies/inc/cs-inc-report-en.pdf
57. Vespidae), as generalist predators of insect pests - ResearchGate https://www.researchgate.net/publication/233597973_Potential_manageable_exploitation_of_social_wasps_Vespula_spp_Hymenoptera_Vespidae_as_generalist_predators_of_insect_pests

58. Assessment of prey overlap between a native (Polistes humilis) and ... https://www.researchgate.net/publication/8518536_Assessment_of_prey_overlap_between_a_native_Polistes_humilis_and_an_introduced_Vespula_germanica_social_wasp_using_morphology_and_phylogenetic_analyses_of_16S_rDNA
59. Margarodidae - an overview | ScienceDirect Topics https://www.sciencedirect.com/topics/agricultural-and-biological-sciences/margarodidae
60. Beetles on the move: Not‐just‐a‐technical review of beetles' radio ... https://onlinelibrary.wiley.com/doi/10.1111/eea.13260
61. Current Status, Challenges, and Perspectives in the Conservation of ... https://pmc.ncbi.nlm.nih.gov/articles/PMC11766281/
62. Monographs on invasive plants in Europe N° 2: Eichhornia ... https://www.tandfonline.com/doi/full/10.1080/23818107.2017.1381041
63. [PDF] Quaternary Vegetation Dynamics – The African Pollen Database - HAL https://hal.science/hal-03970034v1/file/9781000431148.pdf
64. [PDF] Submitted Abstracts for Botany 2024 - Amazon S3 https://s3.amazonaws.com/xcdshared/botany/Botany%202024/Abstracts_2024.pdf
65. Unusual patterns of hybridization involving two alpine Salvia species https://pmc.ncbi.nlm.nih.gov/articles/PMC9623266/
66. Borror Delong 2005 Study of Insects | PDF | Wasp - Scribd https://www.scribd.com/document/368510278/317014904-Borror-Delong-2005-Study-of-Insects
67. Integrative and Comparative Biology - Oxford Academic https://academic.oup.com/icb/article-pdf/63/Supplement_1/S1/50621279/icad002.pdf
68. Sustainability, Volume 18, Issue 3 (February-1 2026) – 564 articles https://www.mdpi.com/2071-1050/18/3
69. Download book PDF - Springer Link https://link.springer.com/content/pdf/10.1007/978-94-011-0451-7.pdf
70. [PDF] Research & Innovation Projects relevant to Water research https://research-and-innovation.ec.europa.eu/system/files/2022-03/water_research_and_innovation_projects_2014-2020.pdf
71. Buzzing with Intelligence: A Systematic Review of Smart Beehive ... https://pubmed.ncbi.nlm.nih.gov/40942788/
72. Buzzing with Intelligence: A Systematic Review of Smart Beehive ... https://www.mdpi.com/1424-8220/25/17/5359
73. [PDF] Apidae) Activity and Pollen Diversity during Pollination to Evaluate ... https://pdfs.semanticscholar.org/cb5e/05aa292b5f22310143db4bf375a28f56f5bb.pdf

74. Sitemap - Wiley Analytical Science https://analyticalscience.wiley.com/sitemap?sitemapGroup=topic-spectroscopy
75. Identification of potential insect ecological interactions using ... - PMC https://pmc.ncbi.nlm.nih.gov/articles/PMC11841592/
76. Condensed Tannins in White Clover (Trifolium repens) Foliar ... - PMC https://pmc.ncbi.nlm.nih.gov/articles/PMC8774771/
77. [PDF] Kernels of Resistance: Maize, Food Sovereignty, and Collective Power https://escholarship.org/content/qt0561955h/qt0561955h.pdf
78. Contents - IEEE Xplore https://ieeexplore.ieee.org/iel7/7225914/7259602/07261092.pdf
79. SICB 2015 Annual Meeting Abstracts - Oxford Academic https://academic.oup.com/icb/article-pdf/55/suppl_1/e211/5304696/icv012.pdf
80. Ecological impact of invasive alien insects – a world review https://www.researchgate.net/publication/233911953_Ecological_impact_of_invasive_alien_insects_-_a_world_review
81. [PDF] Theodore M. Freeman James M. Tracy Editors A Clinician's Guide https://www.researchgate.net/profile/Matthias_Van_Vaerenbergh/publication/318154802_Hymenoptera_Venoms_Toxicity_Components_Stability_and_Standardization/links/5d88f131458515cbd1b8ac72/Hymenoptera-Venoms-Toxicity-Components-Stability-and-Standardization.pdf
82. [PDF] PROCEEDINGS OF THE 10TH YSF SYMPOSIUM - ResearchGate https://www.researchgate.net/profile/National-Science-And-Technology-Commission-Of-Sri-Lanka-Nastec-2/publication/359451087_YSF_PROCEEDINGS_2022/links/623d445628c9805475936067/YSF-PROCEEDINGS-2022.pdf
83. Glömda Energi Produktions Metoder som är ren och låg Kostnad ... https://www.scribd.com/document/375138895/Glomda-Energi-Produktions-Metoder-som-ar-ren-och-l%C3%A5g-Kostnad-som-har-Potential-att-Varlden-Forandras-Relaterade-Tillampningar-Forgotten-Low-Cost-A
84. Pest categorisation of Nilaparvata lugens - - 2023 - EFSA Journal https://efsa.onlinelibrary.wiley.com/doi/10.2903/j.efsa.2023.7999
85. Pest categorisation of Nilaparvata lugens - EFSA https://efsa.onlinelibrary.wiley.com/doi/pdf/10.2903/j.efsa.2023.7999
86. A Smart Sensor-Based Measurement System for Advanced Bee ... https://pmc.ncbi.nlm.nih.gov/articles/PMC7248914/
87. B+WSN: Smart beehive with preliminary decision tree analysis for ... https://www.researchgate.net/publication/301707648_BWSN_Smart_beehive_with_preliminary_decision_tree_analysis_for_agriculture_and_honey_bee_health_monitoring

88. Using within-day hive weight changes to measure environmental ... https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0197589
89. Validation of a Novel Stereo Vibrometry Technique for Spiderweb ... https://www.mdpi.com/2075-4450/13/4/310
90. Validation of a Novel Stereo Vibrometry Technique for Spiderweb ... https://pubmed.ncbi.nlm.nih.gov/35447752/
91. Recent results on prey detection in a spider orb web - ResearchGate https://www.researchgate.net/publication/390450502_Recent_results_on_prey_detection_in_a_spider_orb_web
92. Prey localization in spider orb webs using modal vibration analysis https://pmc.ncbi.nlm.nih.gov/articles/PMC9646800/
93. [PDF] Development of an energy analysis method encompassing the ... https://theses.hal.science/tel-04077204v1/file/20-0025_Hercher_Pasteur.pdf
94. Design, energy, exergy, economy, and environment (4E) analysis ... https://www.researchgate.net/publication/371831525_Design_energy_exergy_economy_and_environment_4E_analysis_and_multi-objective_optimization_of_a_novel_integrated_energy_system_based_on_solar_and_geothermal_resources
95. Assessing the Physical and Environmental Aspects of Greenhouse ... https://www.mdpi.com/2071-1050/16/3/1273
96. Ecological Engineering - Principles and Practice(1) - Academia.edu https://www.academia.edu/27801212/Ecological_Engineering_Principles_and_Practice_1_
97. Web Tension Measurement - ABB https://www.abb.com/global/en/areas/process-automation/measurement-analytics/force-measurement/web-tension
98. In Situ Calibration of a Load Cell during an Impact Test | Request PDF https://www.researchgate.net/publication/354568618_In_Situ_Calibration_of_a_Load_Cell_during_an_Impact_Test
99. Web Tension Load Cell | PDF - Scribd https://www.scribd.com/document/58082603/Web-Tension-Load-Cell
100. Heterogeneous Effects of Agricultural Technology Adoption on ... https://www.researchgate.net/publication/371138596_Heterogeneous_Effects_of_Agricultural_Technology_Adoption_on_Smallholder_Household_Welfare_in_Ghana
101. Bruce Alan Babcock | IDEAS/RePEc https://ideas.repec.org/f/c/pba202.html
102. Introduction to Animal Neuroethics: What and Why? | Request PDF https://www.researchgate.net/publication/339765142_Introduction_to_Animal_Neuroethics_What_and_Why

103. Artificial Intelligence in Science and Society: The Vision of USERN https://ieeexplore.ieee.org/iel8/6287639/10820123/10839366.pdf
104. Neuroethics - Stanford Encyclopedia of Philosophy https://plato.stanford.edu/entries/neuroethics/
105. Neural bases of freedom and responsibility - Frontiers https://www.frontiersin.org/journals/neural-circuits/articles/10.3389/fncir.2023.1191996/full
106. Big data and the industrialization of neuroscience: A safe roadmap ... https://www.science.org/doi/10.1126/science.aan8866
107. (PDF) How safe are paediatric emergency departments? A national ... https://www.researchgate.net/publication/362122890_How_safe_are_paediatric_emergency_departments_A_national_prospective_cohort_study
108. [PDF] International Mechanical Engineering Forum - ResearchGate https://www.researchgate.net/profile/Gheorghe-Voicu/publication/288493601_Research_on_the_separation_of_oat_seeds_Avena_sativa_in_a_traditional_cereal_harvesting_combine_cleaning_system/links/5681712e08aebccc4e0bdfb0/Research-on-the-separation-of-oat-seeds-Avena-sativa-in-a-traditional-cereal-harvesting-combine-cleaning-system.pdf
109. Air Pollution Research Based on Spider Web and Parallel ... - MDPI https://www.mdpi.com/2075-163X/11/8/812
110. Sensors, Volume 24, Issue 17 (September-1 2024) – 409 articles https://www.mdpi.com/1424-8220/24/17
111. SICB 2015 Annual Meeting Abstracts January 3−7, 2015, West ... https://www.jstor.org/stable/26369944
112. [PDF] Adv. Materials Science 2023 - AWS https://peersalley.s3.amazonaws.com/assets/conference-book/adv-materials-science-2023-151-.pdf
113. Comparison on Compositions of Bio-Oil Derived from Mulberry Bark ... https://www.academia.edu/64433660/Comparison_on_Compositions_of_Bio_Oil_Derived_from_Mulberry_Bark_Hydrothermal_Liquefaction_in_Sub_Critical_Water_and_Ethanol_Water_Co_Solvents
114. Native Polistes wasps (Hymenoptera: Vespidae) hold potential as ... https://pmc.ncbi.nlm.nih.gov/articles/PMC11473041/
115. (PDF) Field preferences of the Social Wasp Vespula germanica ... https://www.researchgate.net/publication/257590535_Field_preferences_of_the_Social_Wasp_Vespula_germanica_Hymenoptera_Vespidae_for_Protein-rich_Baits
116. Analysis of Stomach Contents of Freshwater Catfish, Eutropiichthys ... https://www.academia.edu/48139798/

Analysis_of_Stomach_Contents_of_Freshwater_Catfish_Eutropiichthys_vacha_Hamilton_1822_

117. Hyperspectral LiDAR-Based Plant Spectral Profiles Acquisition - MDPI https://www.mdpi.com/2072-4292/13/13/2521
118. Application of a robust MALDI mass spectrometry approach for bee ... https://pmc.ncbi.nlm.nih.gov/articles/PMC11271380/
119. Integrating LiDAR Sensor Data into Microsimulation Model ... - MDPI https://www.mdpi.com/1424-8220/24/13/4393
120. Pollen genotyping by SABER–MassARRAY reveals that fewer than ... https://pmc.ncbi.nlm.nih.gov/articles/PMC12187403/
121. (PDF) Molecular Surveillance of Honey Bee Hives Using eDNA ... https://www.researchgate.net/publication/397874455_Molecular_Surveillance_of_Honey_Bee_Hives_Using_eDNA_Metabarcoding_During_Pollination_Season
122. Role of plant sensory perception in plant–animal interactions https://academic.oup.com/jxb/article/66/2/425/2893254
123. Insects, Volume 15, Issue 5 (May 2024) – 75 articles - MDPI https://www.mdpi.com/2075-4450/15/5
124. (PDF) Smart beehive monitoring for remote regions - ResearchGate https://www.researchgate.net/publication/365265478_Smart_beehive_monitoring_for_remote_regions
125. [PDF] Design and Implementation of Sustainable Smart Beehive Monitoring https://escholarship.org/content/qt761614r4/qt761614r4_noSplash_9aaa9c4accb07e400da72571663f868a.pdf
126. Internet of Things Smart Beehive Network: Homogeneous Data ... https://www.mdpi.com/2411-5134/10/2/23
127. Smart beehive for agriculture, environmental, and honey bee health ... https://www.researchgate.net/publication/282373167_BWSN_Smart_beehive_for_agriculture_environmental_and_honey_bee_health_monitoring_-_Preliminary_results_and_analysis
128. Creating a biologically more accurate spider robot to study active ... https://www.researchgate.net/publication/400072032_Creating_a_biologically_more_accurate_spider_robot_to_study_active_vibration_sensing
129. [PDF] Vibratory noise in anthropogenic habitats and its effect on prey ... https://escholarship.org/content/qt6131s0rz/qt6131s0rz.pdf
130. Remote monitoring of vibrational information in spider webs - PMC https://pmc.ncbi.nlm.nih.gov/articles/PMC5978847/

131. [PDF] D4.1 Report on non-technological roadblocks for BHNS - European ... https://ec.europa.eu/research/participants/documents/downloadPublic?documentIds=080166e5c0583148&appId=PPGMS
132. researcher perspectives on ethical principles and guidelines for BCI ... https://www.researchgate.net/publication/328722109_Asilomar_survey_researcher_perspectives_on_ethical_principles_and_guidelines_for_BCI_research
133. We Are Electric Sally Adee - Livro Electoma | PDF - Scribd https://www.scribd.com/document/667531072/We-are-electric-Sally-Adee-Livro-Electoma
134. Jeffrey Kastner Nature Whitechapel Documents of Contemporary Art https://www.scribd.com/document/425551206/Jeffrey-Kastner-Nature-Whitechapel-Documents-of-Contemporary-Art
135. SICB 2016 Annual Meeting Abstracts January 3-7, 2016, Portland ... https://www.jstor.org/stable/pdf/26370093.pdf
136. [PDF] Derwent World Patents Index - AMiner https://static.aminer.org/pdf/PDF/000/283/392/analysis_of_vlsi_microconductor_systems_by_bi_level_waveform_relaxation.pdf
137. [PDF] GAS-COOLED REACTORS AND THEIR APPLICATIONS - INIS-IAEA https://inis.iaea.org/records/btejj-fqm32/files/19036714.pdf?download=1
138. Download book PDF - Springer Link https://link.springer.com/content/pdf/10.1007/978-94-017-6406-3.pdf
139. Agriculture, Volume 11, Issue 2 (February 2021) – 103 articles - MDPI https://www.mdpi.com/2077-0472/11/2
140. Bioinspired Photoluminescent “Spider Web” as Ultrafast and ... - PMC https://pmc.ncbi.nlm.nih.gov/articles/PMC11503498/
141. Automated insect detection and biomass monitoring via AI and ... https://pmc.ncbi.nlm.nih.gov/articles/PMC12354830/
142. Evaluation of Deep Learning Models for Insects Detection at the ... https://www.researchgate.net/publication/391579902_Evaluation_of_Deep_Learning_Models_for_Insects_Detection_at_the_Hive_Entrance_for_a_Bee_Behavior_Recognition_System
143. Never lose sight of enemies: giant honeybees perceive ... - Frontiers https://www.frontiersin.org/journals/bee-science/articles/10.3389/frbee.2024.1411720/full
144. IoT and AI Systems for Enhancing Bee Colony Strength in Precision ... https://www.researchgate.net/publication/387297596_IoT_and_AI_Systems_for_Enhancing_Bee_Colony_Strength_in_Precision_Beekeeping_A_Survey_and_Future_Research_Directions

145. [PDF] 4S Sydney 2018 Preliminary Program Abstracts 19 April 2018 1 https://www.researchgate.net/profile/Julien-Merlin/publication/327345261_Invisible_waste_Governing_past_uranium_mines_in_France/links/60ec9529fb568a7098a663af/Invisible-waste-Governing-past-uranium-mines-in-France.pdf
146. Testosterone's absence: Transgender medicine and the 'evidence of ... https://www.academia.edu/37422646/Testosterone_s_absence_Transgender_medicine_and_the_evidence_of_treatment_Paper_presented_at_the_Social_Studies_of_Science_and_Society_conference_4S_Sydney_September_1_2018
147. (PDF) "Mining renewal" in metropolitan France? The controversial ... https://www.academia.edu/37055048/_Mining_renewal_in_metropolitan_France_The_controversial_definition_of_a_responsible_mine_model_4S_Sydney_August_2018_
148. (PDF) Automated monitoring of bee behaviour using connected hives https://www.researchgate.net/publication/337439175_Automated_monitoring_of_bee_behaviour_using_connected_hives_Towards_a_computational_apidology
149. A Review of Five Existing Hornet-Tracking Methods - MDPI https://www.mdpi.com/2075-4450/15/8/601
150. It's Not a Bug, It's a Feature: Functional Materials in Insects - Schroeder https://advanced.onlinelibrary.wiley.com/doi/10.1002/adma.201705322
151. Jürgen Tautz | ScienceDirect https://www.sciencedirect.com/author/7004559400/jurgen-tautz
152. [PDF] abstracts - CABI Digital Library https://www.cabidigitallibrary.org/doi/pdf/10.5555/20053161429
153. Insect Bioacoustics and Biotremology | Springer Nature Link https://link.springer.com/chapter/10.1007/978-3-031-83460-8_2
154. Integrative and Comparative Biology - Oxford Academic https://academic.oup.com/icb/article-pdf/63/Supplement_1/S1/49537916/icad002.pdf
155. (PDF) NEW ZEALAND ECOLOGICAL SOCIETY CONFERENCE ... https://www.academia.edu/81341880/NEW_ZEALAND_ECOLOGICAL_SOCIETY_CONFERENCE_Programme_and_Abstracts_BIODIVERSITY_2010_and_beyond_Organisers_of_Biodiversity_2010_and_beyond_Symposia_and_plenary_presentations
156. [PDF] SICB 2024 - Amazon S3 https://s3.amazonaws.com/xcdshared/sicb/app_content/1526_1230033635.pdf
157. Cognitive primitives of the insect brain - PMC https://pmc.ncbi.nlm.nih.gov/articles/PMC7618527/

158. Immediate early genes in social insects: a tool to identify brain ... https://pmc.ncbi.nlm.nih.gov/articles/PMC6514070/
159. [PDF] An Insect-Inspired Randomly, Weighted Neural Network with ... - arXiv https://arxiv.org/pdf/2109.06663
160. (PDF) Insect-inspired model for active vision A neuromorphic model ... https://www.researchgate.net/publication/389729963_Insect-inspired_model_for_active_vision_A_neuromorphic_model_of_active_vision_shows_how_1_spatiotemporal_encoding_in_lobula_neurons_can_aid_2_pattern_recognition_in_bees
161. Editorial: The Mechanisms of Insect Cognition - PMC - NIH https://pmc.ncbi.nlm.nih.gov/articles/PMC6906160/
162. Insect Bio-inspired Neural Network Provides New Evidence ... - PMC https://pmc.ncbi.nlm.nih.gov/articles/PMC5291356/
163. Brain Modularity in Arthropods: Individual Neurons That Support ... https://pmc.ncbi.nlm.nih.gov/articles/PMC6622864/
164. A neuromorphic model of active vision shows how spatiotemporal ... https://pmc.ncbi.nlm.nih.gov/articles/PMC12212919/
165. Visual circuits in arthropod brains - PMC - PubMed Central https://pmc.ncbi.nlm.nih.gov/articles/PMC7069899/
166. The neuroecology of insect-plant interactions - PMC - NIH https://pmc.ncbi.nlm.nih.gov/articles/PMC7749044/
167. Artificial Life and Evolutionary Computation - Springer Link https://link.springer.com/content/pdf/10.1007/978-3-031-93631-9.pdf
168. Sensors, Volume 22, Issue 17 (September-1 2022) – 401 articles https://www.mdpi.com/1424-8220/22/17
169. https://prod-dcd-datasets-public-files-eu-west-1.s... https://prod-dcd-datasets-public-files-eu-west-1.s3.eu-west-1.amazonaws.com/993c7a56-d39c-40dd-8e0d-107bcd6be9d2
170. Sustainability, Volume 17, Issue 10 (May-2 2025) – 495 articles - MDPI https://www.mdpi.com/2071-1050/17/10
171. Energies, Volume 13, Issue 23 (December-1 2020) – 316 articles https://www.mdpi.com/1996-1073/13/23
172. Energies, Volume 15, Issue 9 (May-1 2022) – 505 articles https://www.mdpi.com/1996-1073/15/9
173. (PDF) Bioactive compounds and antioxidant activity in various parts ... https://www.researchgate.net/publication/382690504_Bioactive_compounds_and_antioxidant_activity_in_various_parts_of_Morus_alba_L_Cv_ichinose_a_comparative_analysis