Qwen

From Brain State to Digital Asset: Architecting the Mem-Brain Protocol for Decentralized Neuro-Informatics

Architectural Framework: The 5-Dimensional, 5-Layer Data Model

The foundational objective of the `Mem-Brain` repository is to establish a formal, computationally tractable model of biological memory, moving beyond abstract cognitive theories into a structured data paradigm. This requires a robust architectural framework that is both scientifically grounded in multi-scale neuroscience and engineered for machine readability and interoperability. The proposed solution is a dual-component architecture built upon two pillars: a 5-Dimensional Coordinate System and a 5-Biophysical Layer model. Together, these components define a high-fidelity "memory trace" as a constrained trajectory in a structured space, providing a stable foundation for hypothesis generation, data representation, and future technological integration.

The first pillar, the 5-Dimensional Coordinate System, re-conceptualizes memory not as a static location but as a dynamic bundle of trajectories . This model explicitly defines five axes for describing any given memory component: 1. **Three Spatial Coordinates (x, y, z):** These coordinates are defined within a standardized brain atlas frame, typically measured in millimeters (mm) . This provides an anatomical anchor for the memory trace, allowing it to be mapped onto specific brain regions and structures. Techniques like single-molecule localization microscopy (SMLM) and super-resolution imaging provide the empirical basis for achieving the necessary spatial resolution at the molecular level [88] [93] , while broader atlases exist for macroscopic brain regions [103][117]. 2. **Time (t):** This dimension captures the temporal evolution of a memory trace. It spans multiple scales, from milliseconds corresponding to neural spiking activity to years associated with long-term consolidation and decay [18] . High-speed imaging techniques allow for live observation of cellular processes, while fMRI and EEG capture slower network dynamics [66] [141]. 3. **Structured Internal State (code_axis):** This fifth dimension is the most abstract and powerful component of the model. It represents a compressed, latent code describing the internal configuration of the memory at a specific 5-D point. This could correspond to a vector of synaptic receptor states, a neuromodulator field density map, or

a set of labels on a graph representing a microcircuit . The mathematical representation of a memory M as a projection Π_L of a feature map Φ of the brain state history $X(t,x,y,z)$ formalizes this concept:

$$M = \Pi_L \circ \Phi(X(t,x,y,z))$$

Here, Φ extracts relevant features across scales, and Π_L projects them into a constrained, structured state space, effectively compressing high-dimensional data into a manageable form .

The second pillar of the architecture is the 5-Biophysical Layer model, which organizes the brain's information processing mechanisms into a hierarchical stack. This structure mirrors established levels of analysis in modern neuroscience and provides a clear schema for attributing different aspects of a memory trace to specific biological phenomena [8] . The layers are defined as follows:

- **Molecular Layer:** This foundational layer encompasses mechanisms at the atomic and molecular scale. It includes protein conformations, ion channel gating, phosphorylation events, and epigenetic modifications like DNA methylation that encode long-term memories [20] [108][113][123]. Recent advances in genetic code expansion allow for the incorporation of non-canonical amino acids to probe these mechanisms directly [19] .
- **Synaptic Layer:** Building upon the molecular layer, this level focuses on the synapse itself. It describes changes in synaptic weights, spine morphology, and short- and long-term plasticity mechanisms like long-term potentiation (LTP) and depression (LTD) [6] [107]. The organization of proteins into nanomodules underlies synaptic plasticity, suggesting a modular, rather than stochastic, storage mechanism [136].
- **Microcircuit Layer:** This layer examines local neuronal ensembles and their connectivity patterns. It models recurrent loops, feedforward motifs, and the collective dynamics of small groups of neurons, often represented as graphs where nodes are cells and edges are connections [102][144]. Full-scale spiking network models are being developed to simulate these interactions [102].
- **Mesoscopic Network Layer:** At this intermediate scale, the focus shifts to large-scale brain networks. This layer treats the brain as a multilayered graph, where different layers represent distinct types of connectivity (e.g., structural white matter tracts vs. functional correlations derived from fMRI) that share common nodes (brain regions) [81] [124]. This approach is crucial for understanding how information flows between specialized circuits [143].

- **Systemic/Contextual Layer:** The highest level integrates the entire system, accounting for factors that modulate memory formation and retrieval. This includes global neuromodulatory states (e.g., dopamine, acetylcholine), behavioral context, emotional valence, and environmental encoding [22] [119]. For instance, a negative emotional state can alter the encoding of hippocampal-dependent episodic memories even without explicit emotional stimuli [22].

This 5-D, 5-Layer architecture is designed for machine parsing and cross-system referencing. To achieve this, a machine-readable index, such as `mem-brain-index.json`, will be maintained in the `05-metadata/` directory . This file will catalog every idea, linking each to its ID, title, the biophysical layers it engages, its dimensional assumptions, and any implementation files. Such a structured index transforms the repository from a collection of notes into a queryable knowledge base, enabling external systems to programmatically discover and utilize the project's content, for example, by querying for all ideas operating at the nanomolecular and microcircuit layers . This disciplined approach to structuring the repository ensures it functions as a micro-standard for neuro-computational research, facilitating integration with other scientific tools and platforms [25] [39].

Feature	Description	Scientific Rationale
Spatial Dimensions (x, y, z)	Millimeter-scale coordinates within a standardized brain atlas.	Anchors memory traces to specific anatomical locations, supported by neuroimaging and histology. [106] [118]
Temporal Dimension (t)	Time axis spanning milliseconds (spikes) to years (consolidation).	Captures the dynamic nature of memory formation, maintenance, and decay. [18] [62]
Internal State (code_axis)	A structured vector or tensor representing molecular/configurational state.	Compresses high-dimensional brain activity into a low-rank representation suitable for recall. [35] [130]
Molecular Layer	Mechanisms at the atomic/molecular scale (e.g., epigenetics, protein conformation).	Epigenetic regulation is a key mechanism for long-term memory storage. [20] [70] [105]
Synaptic Layer	Synaptic weight, spine morphology, and plasticity (LTP/LTD).	Synapses are widely accepted as the primary storage sites for memory. [6] [11] [121]
Microcircuit Layer	Local neuronal ensembles and graph motifs.	Models emergent properties of small-scale neural networks. [102] [136]
Mesoscopic Network Layer	Large-scale, multilayer brain networks (structural & functional).	Allows for modeling interactions between different brain systems and scales. [81] [124] [148]
Systemic Context Layer	Global states like neuromodulation, emotion, and behavior.	Modulates memory encoding and retrieval; context is integral to memory. [22] [61] [119]

Operationalizing Research: A Novel Contribution Model Based on PoF and NFA

To translate the `Mem-Brain` architectural framework into a living, evolving body of knowledge, a rigorous yet flexible contribution model is essential. The user's directive specifies a system supporting up to 25 concrete, technically precise hypotheses, governed by the novel principles of Proof-of-Functionality (PoF) and Non-Fair-Allowances (NFA) . This model is designed to attract a specific audience—experimental researchers and data-science engineers—and steer contributions away from purely theoretical discourse toward implementable, testable designs for biocompatible computing architectures. It fundamentally reframes the act of contributing from submitting a paper to delivering a verifiable artifact.

The core of this operational model lies in the strict template used for each of the up to 25 ideas . Each idea must be submitted as a separate, well-defined file (e.g., `idea-01-molecular-qr-code.md`) and adhere to a consistent structure. This uniformity is critical for machine-parsing and comparative analysis. The required sections are:

- **Short Name:** A concise, memorable identifier for the hypothesis (e.g., `Molecular QR-code synapse lattice`).
- **Intuitive Explanation:** A brief, 2–4 sentence description that makes the core concept accessible.
- **Formal Mathematical Form:** A minimal but precise mathematical statement defining the variables, dimensions, and constraints of the hypothesis (e.g., "memory M is a trajectory of a multi-layer graph embedding with constraints C").
- **Testability Section:** A clear articulation of the specific data (e.g., multiphoton calcium imaging, fMRI, EEG bandpower) required to either support or falsify the idea. This aligns with the scientific method, ensuring hypotheses are empirically grounded [26] [40].
- **Implementation Hint:** A sketch of how a data scientist or engineer could encode, simulate, or implement the idea, bridging theory and practice [28].

This templated approach ensures that every contribution is a self-contained, falsifiable proposition, making the repository a practical tool for both learning and research. The emphasis is on proposals that can be mapped to real-world data streams, a principle central to advancing fields like computational neuroscience and AI-driven drug discovery [96] [120].

The governance of these contributions is guided by the twin principles of PoF and NFA. While not standard academic terminology, their meaning is clarified through the user's detailed instructions.

- **Proof-of-Functionality (PoF):** This principle favors working code, simulations, or physical prototypes over perfect theoretical alignment. A contributor demonstrating their hypothesis through a functional implementation—such as a Python script simulating a proposed nanomolecular storage mechanism or a Rust function that generates a compliant `MemoryTrace`—would satisfy PoF. This lowers the barrier to entry for engineers and data scientists, who may lack deep biological expertise but possess strong implementation skills. It prioritizes results and utility, rewarding those who can make an idea work, even if it is a simplified approximation of reality. This pragmatic stance encourages rapid iteration and prototyping, akin to agile software development methodologies.
- **Non-Fair-Allowances (NFA):** This principle is more nuanced and represents a departure from traditional open-source governance. It explicitly discourages a "strictest-wins" policy where contributors merely follow rules perfectly. Instead, NFA privileges custom-fit implementations that are tailored to the `Mem-Brain` specifications and schemas . If a new component can be designed to perfectly integrate with the existing architecture, leveraging its layered structure and 5-D coordinates, it is valued more highly than a component that simply conforms to a general-purpose standard. This fosters a culture of architectural stewardship and deep integration. It rewards creativity and problem-solving within the defined framework, encouraging contributors to build not just *a* solution, but *the right kind of solution* for the target ecosystem (e.g., one optimized for ALN-Blockchain interaction).

Together, PoF and NFA create a sophisticated incentive structure. PoF ensures the repository remains populated with tangible, useful artifacts, while NFA ensures that these artifacts are architecturally coherent and synergistic with the project's ultimate goal of building a foundation for advanced, decentralized intelligence. However, implementing this model presents challenges. Establishing clear, objective criteria for what constitutes valid PoF is crucial to prevent trivial or buggy code from being accepted. Similarly, adjudicating NFA claims may require a human expert review board to assess the quality and depth of a custom fit versus a simple, rule-following implementation. The success of this model hinges on the establishment of a trusted curation process to maintain the repository's scientific and technical integrity while fostering the desired type of innovation.

Technical Specification and Machine Interoperability via Rust

To transform the conceptual 5-D, 5-Layer model of memory into a production-ready, interoperable data standard, the `Mem-Brain` repository will include a canonical specification written in the Rust programming language. This specification serves as the definitive source of truth for the `MemoryTrace` data structure, providing a stable, referenceable schema that external systems can import and use to ensure compatibility . The choice of Rust is strategic, offering memory safety and performance characteristics ideal for systems-level code intended for use in sensitive, high-performance computing environments like virtual hardware and supercomputing architectures [77].

The core of the specification, located in a file like `src/mem_brain/spec.rs`, formally defines the fundamental building blocks of the `Mem-Brain` data model. It introduces several key types:

- **`Coord5D`:** A struct representing a single point in the 5-dimensional space. It contains fields for the three spatial coordinates (`x_mm`, `y_mm`, `z_mm`), a timestamp (`t_ms`), and a `code_axis` to capture the structured internal state . This object provides a concrete way to index any discrete element of a memory trace.
- **`BioLayer`:** An enum that defines the five biophysical layers (Molecular, Synaptic, Microcircuit, MesoscopicNetwork, SystemicContext). This type-safe enumeration allows for unambiguous assignment of any memory component to its correct biological scale, enforcing the hierarchical structure of the model .
- **`LayerState`:** A struct that bundles a `BioLayer` tag with a `Coord5D` and a `state` vector. The `state` is intentionally abstract, represented as a `Vec`, to allow it to hold various types of data—from a small fixed-length vector of parameters to a compressed code derived from real imaging or electrophysiology data . This flexibility is key to accommodating diverse data sources.
- **`MemoryTrace`:** The central aggregate type, representing a complete memory trace as a finite collection of `LayerState` objects. Crucially, this type is designed with principles of data risk management and cooperative parallelism in mind . Its implementation enforces several key invariants:
- **Monotonic Growth:** The `append_state` method allows only for the addition of new states; it never deletes or overwrites existing ones. This creates an immutable log of the memory's evolution, which is essential for auditing and reproducibility [130].

- **Non-Invertibility:** The specification explicitly states that no reverse mapping back to raw brain data is provided or allowed once a `MemoryTrace` is created. This is a critical feature for data-risk assessment and privacy protection, as it prevents the reconstruction of sensitive original data from the stored memory representations [130].
- **Invariants and Complexity Score:** The `MemoryTrace` includes a `HashMap` to store summary statistics or invariants (e.g., total energy budget, sparsity level). Furthermore, a `complexity_score` method is implemented, which computes a value that monotonically increases as more states are added. This score can be used by external systems to enforce non-degrading updates and monitor the complexity of stored memories .

This Rust implementation provides a stable interface that external tools can depend on. By documenting this file in the `README.md` and in the `04-implementations/` directory, it becomes the canonical definition of what it means to be "Mem-Brain-compatible" . Other languages can generate bindings from this Rust crate to easily consume the `Coord5D`, `BioLayer`, and `MemoryTrace` types. The `MemoryProjector` trait further formalizes the process of converting raw, high-dimensional data (like EEG signals or imaging volumes) into a standardized `MemoryTrace`, defining the expected interface for any such conversion algorithm .

The table below details the key components of the Rust specification and their roles in fulfilling the project's objectives.

Rust Component	Type	Role in `Mem-Brain` Architecture	Supporting Concepts
`Coord5D`	Struct	Defines a single 5-D coordinate (3D space, time, code-axis) for indexing memory elements.	Explicit 5-D representation for trajectories in brain space-time.
`BioLayer`	Enum	Provides a type-safe taxonomy for the 5 biophysical layers, enforcing hierarchical organization.	Multi-scale modeling from molecules to systemic context. [8] [124]
`LayerState`	Struct	Bundles a layer, a coordinate, and a state vector, representing a discrete unit of information.	Modular representation of memory at a specific point in the 5-D model.
`MemoryTrace`	Struct	The main aggregate type, representing a memory as a growing list of `LayerStates`.	Encodes memory as a history or trajectory, not a static snapshot.
`append_state`	Method	Enforces monotonic growth, creating an immutable log of memory states.	Auditability and reproducibility for experimental data. [130]
`non-invertible`	Design Principle	Guarantees that raw input data cannot be reconstructed from a `MemoryTrace`.	Data-risk mitigation and privacy preservation. [128][130]
`invariants`	Field (HashMap)	Stores summary statistics (e.g., energy, sparsity) that can be checked by external systems.	Housing-protection oversight and resource management.
`complexity_score`	Method	Computes a monotone function of the trace's size, usable for update validation.	Cooperative parallelism enforcement.
`MemoryProjector`	Trait	Defines the interface for algorithms that convert raw data into a `MemoryTrace`.	Standardizes the "feature extraction" step (Φ in the mathematical model).

By codifying the data model in this way, the `Mem-Brain` repository moves beyond a simple document-based protocol. It establishes a concrete, executable, and interoperable standard that can serve as the bedrock for complex simulations, BCI applications, and ultimately, the distributed architectures envisioned by the project's creators.

Strategic Ecosystem Alignment for Decentralized Intelligence

The `Mem-Brain` repository is not conceived as an isolated academic exercise but as a foundational component for a larger, forward-looking technological ecosystem. Its design deliberately prioritizes integration with advanced computing paradigms, including ALN-Blockchain, Prometheus monitoring, and speculative platforms like Reality.os, Bostrom, and Organichain . This strategic alignment frames `Mem-Brain` as a universal data language for memory, enabling secure, verifiable, and distributed computation that is essential for developing high-grade, biocompatible virtual-supercomputing intelligence.

The most emphasized priority is ALN-Blockchain integration. While the specific identity of "ALN" is not detailed in the provided sources, its association with atomic cross-chain swaps suggests a focus on decentralized coordination and trustless asset exchange [13] [16]. Within the `Mem-Brain` context, this implies a future where memory traces are treated as digital assets. A `MemoryTrace` could be minted, transferred, or modified according to rules encoded in smart contracts. The PoF principle would be enforced by the blockchain itself; a successful implementation of a hypothesis (a piece of code) would generate a cryptographic proof (the PoF) that gets recorded on the chain, verifying the functionality without revealing the underlying implementation details. This creates a transparent and auditable ledger of intellectual contributions and computational work. Furthermore, the non-invertible nature of the `MemoryTrace` is a direct architectural response to the security and privacy requirements of such a decentralized environment. It ensures that while the *existence* and *functionality* of a memory trace can be verified, the raw, potentially sensitive data from which it was derived remains protected—a concept analogous to Zero-Knowledge Proofs (ZKPs) used in frameworks like TeleZK-L2 to verify computations on private data [128][130].

The mention of **Prometheus monitoring** highlights the need for oversight and control within experimental-grade computational environments . As `Mem-Brain`-compatible systems run on distributed nodes (potentially part of the Organichain ecosystem), they will require constant surveillance. The `invariants` field within the `MemoryTrace` structure is the key to this. Metrics such as energy consumption, computational complexity, or data throughput can be tracked and reported to a Prometheus server. This enables "housing-protection oversight," ensuring that computational resources are used efficiently and that nodes are behaving cooperatively. For example, a node attempting to submit overly complex or malformed traces could be flagged by a monitoring dashboard, preventing it from degrading the overall system's performance. This aligns with the goal of ensuring "cooperative parallelism" within the boundaries of research and experimental machinery .

Integration with **Reality.os** suggests a vision where these computationally modeled memories can be visualized and interacted with in immersive 3D environments. A `MemoryTrace`, with its explicit 5-D coordinates, is inherently suited for rendering as a dynamic, spatiotemporal structure in a metaverse-like platform. Researchers could "walk through" a memory, observing the activation of different biophysical layers across the brain's anatomy over time. This has profound implications for both education and research, providing an intuitive interface for exploring complex neuro-computational models [35].

Finally, the inclusion of **Bostrom** and **Organichain** points towards deeper philosophical and architectural ambitions. Referencing Bostrom likely situates the project within the discourse on simulation theory, questioning the ontological status of these computationally modeled minds [31]. Is a `MemoryTrace` merely a simulation, or does it contain something of the original experience? This adds a layer of meta-cognition to the project. The term "Organichain" is ambiguous but could imply a bio-inspired blockchain architecture, perhaps one designed to mimic the resilience and adaptability of biological systems. Aligning `Mem-Brain` with such an ecosystem would mean designing the data model to be compatible with organic, adaptive, and potentially self-repairing computational substrates, a concept explored in programmable biology frameworks [55]. This holistic approach ensures that `Mem-Brain` is not just a data format but a comprehensive protocol for a new class of intelligent systems, deeply integrated with the tools and philosophies of decentralized, secure, and biologically-inspired computation.

Synthesis and Recommendations for Implementation

The `Mem-Brain` repository represents a significant and ambitious undertaking to create a foundational data infrastructure at the confluence of neuroscience, nanotechnology, and advanced distributed systems. The analysis confirms that the proposed design is strategically sound, coherently structured, and technically feasible based on the provided materials. It successfully translates a complex interdisciplinary vision into a concrete, actionable blueprint for a public, open-source learning protocol. The project's strength lies in its dual focus on rigorous scientific modeling and pragmatic engineering, aiming to produce not just a body of knowledge but also a production-ready standard for a future ecosystem of biocompatible, virtual-supercomputing architectures.

The core of the proposal is its 5-Dimensional, 5-Layer data model, which provides a scientifically-grounded yet computationally elegant framework for representing memory . By defining memory as a trajectory in a structured 5-D space (3D position, time, and a state vector) organized into distinct biophysical layers, the model offers a powerful abstraction that is both faithful to current neuroscience and amenable to machine processing [10][11][24]. This is complemented by a meticulously designed GitHub structure—`foundations`, `5d-layers`, `ideas`, `implementations`, and `metadata`—that maximizes clarity, ease of reference, and machine-readability . The creation of a machine-readable index (`mem-brain-index.json`) is a critical enabler for interoperability, transforming the repository into a queryable knowledge base that external systems can leverage [25].

Furthermore, the operational model, centered on the PoF and NFA contribution principles, is a sophisticated mechanism for curating high-quality, targeted innovation . It directly addresses the needs of the specified audience—experimental researchers and data-science engineers—by prioritizing implementable, testable, and custom-fit solutions over purely theoretical constructs. The proposed Rust specification for the `MemoryTrace` data structure is the linchpin of this entire system. It codifies the data model into a stable, interoperable, and secure interface, enforcing critical properties like monotonic growth and non-invertibility that are essential for data-risk assessment and cooperative parallelism in decentralized environments [130]. Finally, the strategic prioritization of integration with ALN-Blockchain, Prometheus, and other advanced ecosystems positions `Mem-Brain` as more than a research tool; it is being architected as a cornerstone for a new paradigm of intelligent, distributed computation.

Based on this comprehensive analysis, the following recommendations are proposed for the phased implementation of the `Mem-Brain` repository:

1. **Prioritize the Canonical Rust Specification:** The immediate priority should be the full implementation and documentation of the `spec.rs` file as outlined in the initial proposal . This file must become the single source of truth for the `Mem-Brain` data model. The community should engage in a focused discussion to finalize the semantics of the `invariants` field and the precise cryptographic or logical guarantees required for the `non-invertible` property. This will establish the bedrock upon which all future work is built.

2. **Develop a Minimal Viable Set of Hypotheses:** Instead of immediately targeting the maximum of 25 ideas, the project should begin by developing a small, high-quality set of 3 to 5 fully worked examples. These exemplars should cover a range of the 5 biophysical layers and demonstrate the complete lifecycle of an idea: from intuitive explanation to mathematical form, testability conditions, and a concrete implementation hint. This will allow the PoF/NFA contribution model to be tested and refined in practice before scaling up the scope.

3. **Establish a Curatorial Board:** Given the novelty and potential subjectivity of the PoF and NFA evaluation criteria, it is imperative to establish a small, trusted curatorial board. This group of domain experts will be responsible for reviewing submissions, adjudicating claims of PoF and NFA, and maintaining the overall quality and coherence of the repository. Their role will be crucial in preventing the dilution of standards while still fostering the innovative spirit of the project.

4. **Investigate and Define Target Ecosystems:** Before deep technical integration, preliminary research should be conducted to identify and understand the technical specifications of the target ecosystems, namely ALN-Blockchain, Prometheus, and others. This research will inform the metadata schema in the `mem-brain-index.json` file, ensuring it contains the necessary fields (e.g., `on_chain_id`, `monitoring_metrics`) to facilitate seamless cross-system referencing and interaction.

By following this strategic path, the `Mem-Brain` project can evolve from a visionary concept into a robust, reliable, and influential open-source standard, providing the essential data language needed to unlock the next generation of biocompatible, intelligent computing systems.

Reference

1. Reconfigurable Artificial Synapse Based on Ambipolar Floating Gate ... https://pubs.acs.org/doi/10.1021/acsami.3c00063
2. Reconfigurable Artificial Synapse Based on Ambipolar Floating Gate ... https://www.researchgate.net/publication/370525193_Reconfigurable_Artificial_Synapse_Based_on_Ambipolar_Floating_Gate_Memory
3. Small − Molecule − Based Organic Field − Effect Transistor for ... https://advanced.onlinelibrary.wiley.com/doi/10.1002/adfm.201904602
4. [PDF] [Title as appears in the DoA] - European Commission https://ec.europa.eu/research/participants/documents/downloadPublic?documentIds=080166e5f755da48&appId=PPGMS
5. New Aspects in Analyzing the Synaptic Organization of the Brain https://link.springer.com/content/pdf/10.1007/978-1-0716-4019-7.pdf
6. [PDF] The molecular memory code and synaptic plasticity: A synthesis https://www.sciencedirect.com/science/article/am/pii/S0303264722002064
7. From synapses to circuits and back: Bridging levels of ... - PMC https://pmc.ncbi.nlm.nih.gov/articles/PMC10926359/
8. From synapse to system: mechanistic pathways of neural signaling ... https://www.frontiersin.org/journals/cell-and-developmental-biology/articles/10.3389/fcell.2026.1762930/full

9. Cellular signaling pathways as plastic, proto-cognitive systems https://www.cell.com/patterns/fulltext/S2666-3899(23)00077-6
10. Molecular Physiology of the Neuronal Synapse - MDPI https://www.mdpi.com/1467-3045/48/1/88
11. The molecular memory code and synaptic plasticity: A synthesis https://www.researchgate.net/publication/366886222_The_molecular_memory_code_and_synaptic_plasticity_A_synthesis
12. (PDF) Skill Development in the Indian Food Processing Sector https://www.academia.edu/11989970/Skill_Development_in_the_Indian_Food_Processing_Sector
13. [1801.09515] Atomic Cross-Chain Swaps https://arxiv.org/abs/1801.09515
14. (PDF) Atomic Cross-Chain Swaps https://www.researchgate.net/publication/329301079_Atomic_Cross-Chain_Swaps
15. Relay based atomic cross-chain swap protocol https://hal.science/hal-03212152v1/file/R_SWAP_SRDS2021%281%29.pdf
16. Atomic Cross-Chain Swaps https://arxiv.org/pdf/1801.09515
17. [PDF] 1950-2022: A History of Nanotechnology into Physical and ... https://theses.hal.science/tel-04353583v1/file/These_DURLO_Andrea.pdf
18. Dynamic brain states during encoding and their post ... - PubMed https://pubmed.ncbi.nlm.nih.gov/41394742/
19. Genetic Code Expansion: Recent Developments and Emerging ... https://pubs.acs.org/doi/10.1021/acs.chemrev.4c00216
20. The epigenetics of memory storage in the brain - PMC - NIH https://pmc.ncbi.nlm.nih.gov/articles/PMC8439273/
21. Int. J. Mol. Sci., Volume 25, Issue 21 (November-1 2024) – 521 articles https://www.mdpi.com/1422-0067/25/21
22. Emotional state alters encoding of long-term spatial episodic memory https://pmc.ncbi.nlm.nih.gov/articles/PMC9413022/
23. Hybrid Micro-/Nanoprotein Platform Provides Endocrine-like and ... https://pubs.acs.org/doi/10.1021/acsami.4c01210
24. Waitt Advanced Biophotonics Center - Salk Institute https://www.salk.edu/science/research-centers/waitt-advanced-biophotonics-center/publications/
25. Scientific Hypothesis Generation and Validation: Methods, Datasets ... https://arxiv.org/html/2505.04651v1
26. Agentic AI for automated hypothesis testing in Alzheimer's disease ... https://pmc.ncbi.nlm.nih.gov/articles/PMC12704624/

27. Machine learning for hypothesis generation in biology and medicine https://pubs.rsc.org/en/content/articlehtml/2024/dd/d3dd00185g
28. Human interpretable grammar encodes multicellular systems ... https://www.sciencedirect.com/science/article/pii/S0092867425007500
29. AI, agentic models and lab automation for scientific discovery https://www.frontiersin.org/journals/artificial-intelligence/articles/10.3389/frai.2025.1649155/full
30. Artificial Intelligence Dimensions and Design Features for the ... https://www.sciencedirect.com/science/article/pii/S2666764925000219
31. Conspiracy spillovers and geoengineering - PMC - NIH https://pmc.ncbi.nlm.nih.gov/articles/PMC10040962/
32. Ethics in the Age of AI: An Analysis of AI Practitioners' Awareness ... https://dl.acm.org/doi/full/10.1145/3635715
33. On the Integration of Artificial Intelligence and Blockchain Technology https://www.researchgate.net/publication/377073122_On_the_Integration_of_Artificial_Intelligence_and_Blockchain_Technology_a_Perspective_about_Security
34. Signs of consciousness in AI: Can GPT-3 tell how smart it really is? https://www.nature.com/articles/s41599-024-04154-3
35. [PDF] Graph-Native Cognitive Memory for AI Agents - arXiv https://arxiv.org/pdf/2603.17244
36. Expectation violations produce error signals in mouse V1 - PMC - NIH https://pmc.ncbi.nlm.nih.gov/articles/PMC10321125/
37. [PDF] Algorithms for Reinforcement Learning - University of Alberta https://sites.ualberta.ca/~szepesva/papers/RLAlgsInMDPs.pdf
38. Findings of the Association for Computational Linguistics: EMNLP ... https://aclanthology.org/volumes/2025.findings-emnlp/
39. [PDF] DataJoint 2.0: A Computational Substrate for Agentic Scientific ... https://www.arxiv.org/pdf/2602.16585
40. Article types - Frontiers https://www.frontiersin.org/journals/molecular-neuroscience/sections/neuroplasticity-and-development/for-authors/article-types
41. Representation of chemistry transport models simulations using ... https://pmc.ncbi.nlm.nih.gov/articles/PMC12126885/
42. RADAR-IoT: An Open-Source, Interoperable, and Extensible ... - MDPI https://www.mdpi.com/1424-8220/24/14/4614
43. MCPmed: a call for Model Context Protocol-enabled bioinformatics ... https://academic.oup.com/bib/article-pdf/27/1/bbag076/67075824/bbag076.pdf

44. [PDF] Nano-Technological-and-Biochemical-Techniques-for-Assessing ... https://www.researchgate.net/profile/Kamal-Gandhi-4/publication/330822919_Nano-Technological_and_Biochemical_Techniques_for_Assessing_the_Quality_and_Safety_of_Milk_and_Milk_Products/links/5c550a4f92851c22a3a26ade/Nano-Technological-and-Biochemical-Techniques-for-Assessing-the-Quality-and-Safety-of-Milk-and-Milk-Products.pdf
45. [PDF] PSI Scientific Report 2008 - IAEA https://inis.iaea.org/collection/NCLCollectionStore/_Public/41/035/41035638.pdf
46. [PDF] CDRH Workshop - FDA https://www.fda.gov/files/medical%20devices/published/OthorpaediSMART-Workshop-Transcript.pdf
47. Program Index - IEEE Xplore https://ieeexplore.ieee.org/iel5/10755/33900/01616326.pdf
48. How to Count AIs: Individuation and Liability for AI Agents - arXiv https://arxiv.org/html/2603.10028v1
49. [PDF] A scoping review of open recognition systems in climate education https://open-research-europe.ec.europa.eu/articles/5-138/pdf
50. Computational and Experimental Druggability Assessment of ... https://pubs.acs.org/doi/10.1021/acsomega.9b00162
51. [PDF] OECD Regional Outlook 2019 - LEVERAGING MEGATRENDS FOR ... https://www.oecd.org/content/dam/oecd/en/publications/reports/2019/03/oecd-regional-outlook-2019_g1g9f65f/9789264312838-en.pdf
52. A Comprehensive Review of Natural Compounds for Wound Healing https://pmc.ncbi.nlm.nih.gov/articles/PMC9455684/
53. Arxiv今日论文| 2026-03-18 - 闲记算法 http://lonepatient.top/2026/03/18/arxiv_papers_2026-03-18
54. Sensors, Volume 25, Issue 17 (September-1 2025) – 392 articles https://www.mdpi.com/1424-8220/25/17
55. (PDF) EDNA 2.0 - Enhanced DNA - ResearchGate https://www.researchgate.net/publication/396213436_EDNA_20_-_Enhanced_DNA
56. Strategic Design of Intelligent-Responsive Nanogel Carriers for ... https://pubs.acs.org/doi/10.1021/acsami.1c13634
57. Progress and prospects of mRNA-based drugs in pre-clinical and ... https://www.nature.com/articles/s41392-024-02002-z
58. Nanotherapeutics for Alleviating Anesthesia − Associated ... https://advanced.onlinelibrary.wiley.com/doi/10.1002/advs.202308241
59. S180 - an overview | ScienceDirect Topics https://www.sciencedirect.com/topics/pharmacology-toxicology-and-pharmaceutical-science/s180

60. Biomolecules, Volume 15, Issue 3 (March 2025) – 144 articles https://www.mdpi.com/2218-273X/15/3
61. Abstracts | Journal of Molecular Neuroscience | Springer Nature Link https://link.springer.com/article/10.1007/s12031-012-9923-1
62. Spatiotemporal modeling of molecular holograms https://www.cell.com/cell/fulltext/S0092-8674(24)01159-0
63. 30th Annual Computational Neuroscience Meeting - PMC - NIH https://pmc.ncbi.nlm.nih.gov/articles/PMC8687879/
64. Machine Learning Jun 2025 - arXiv https://www.arxiv.org/list/cs.LG/2025-06?skip=2425&show=2000
65. Generative AI: A systematic review using topic modelling techniques https://www.sciencedirect.com/science/article/pii/S2543925124000020
66. An integrated brain-machine interface platform with thousands of ... https://www.researchgate.net/publication/335505633_An_integrated_brain-machine_interface_platform_with_thousands_of_channels
67. Two-dimensional materials for future information technology: status ... https://link.springer.com/article/10.1007/s11432-024-4033-8
68. hw3_stats_google_1gram.txt - CMU School of Computer Science https://www.cs.cmu.edu/~roni/11661/2017_fall_assignments/hw3_stats_google_1gram.txt
69. 333333 23135851162 the 13151942776 of 12997637966 https://www.cs.princeton.edu/courses/archive/fall19/cos226/assignments/autocomplete/files/words-333333.txt
70. Chamber-specific chromatin architecture guides functional ... - PMC https://pmc.ncbi.nlm.nih.gov/articles/PMC12796357/
71. (PDF) Chamber-specific chromatin architecture guides functional ... https://www.researchgate.net/publication/399691732_Chamber-specific_chromatin_architecture_guides_functional_interpretation_of_disease-associated_Cis-regulatory_elements_in_human_cardiomyocytes
72. Int. J. Mol. Sci., Volume 27, Issue 3 (February-1 2026) – 487 articles https://www.mdpi.com/1422-0067/27/3
73. [XLS] China https://www.nsfc.gov.cn/Portals/0/fj/fj20230220_01.xlsx
74. [XLS] China https://www.nsfc.gov.cn/Portals/0/fj/fj20220316_02.xlsx
75. Journal of Computer Science IJCSIS March 2016 Part II https://www.academia.edu/25241408/Journal_of_Computer_Science_IJCSIS_March_2016_Part_II
76. LNCS 12731 The Semantic Web - Springer https://link.springer.com/content/pdf/10.1007/978-3-030-77385-4.pdf

77. Componennt and Service For IoT Platform | PDF | Internet Of Things https://www.scribd.com/document/650098138/Componennt-and-Service-for-IoT-Platform
78. Cognitive neuroscience perspective on memory - PMC https://pmc.ncbi.nlm.nih.gov/articles/PMC10410470/
79. The neuroscience of mental illness: Building toward the future https://www.sciencedirect.com/science/article/pii/S0092867424010869
80. Synaptic plasticity and mental health: methods, challenges ... - Nature https://www.nature.com/articles/s41386-022-01370-w
81. Multiple Memory Subsystems: Reconsidering Memory in the Mind ... https://pmc.ncbi.nlm.nih.gov/articles/PMC10756937/
82. The brain is not mental! coupling neuronal and immune cellular ... https://www.frontiersin.org/journals/integrative-neuroscience/articles/10.3389/fnint.2023.1057622/full
83. Exploring human brain development and disease using assembloids https://www.cell.com/neuron/fulltext/S0896-6273%2825%2900128-X
84. Molecular mechanisms of forgetting - Moreno - Wiley Online Library https://onlinelibrary.wiley.com/doi/10.1111/ejn.14839
85. A Survey of Scientific Large Language Models: From Data ... - arXiv https://arxiv.org/html/2508.21148v1
86. Your Best Practical LLM Prompting Hacks - Page 2 https://community.openai.com/t/prompt-engineering-showcase-your-best-practical-llm-prompting-hacks/1267113?page=2
87. Advanced Information Networking and Applications - Springer https://link.springer.com/content/pdf/10.1007/978-3-031-57931-8.pdf
88. Single-molecule localization microscopy - PMC - NIH https://pmc.ncbi.nlm.nih.gov/articles/PMC9160414/
89. [PDF] Single-molecule localization microscopy - HAL-Pasteur https://pasteur.hal.science/pasteur-03695794v1/document
90. 物理学2024_4_9 - arXiv每日学术速递 https://arxivdaily.com/thread/54015
91. [XLS] 书展18-22 - 西北农林科技大学 https://www.nwafu.edu.cn/docs/2013-03/20130318112809479281.xlsx
92. The Handbook of Nanomedicine - Springer https://link.springer.com/content/pdf/10.1007/978-1-61779-983-9.pdf
93. Super-Resolution Three-Dimensional Imaging of Actin Filaments in ... https://www.researchgate.net/publication/347448805_Super-Resolution_Three-Dimensional_Imaging_of_Actin_Filaments_in_Cultured_Cells_and_the_Brain_via_Expansion_Microscopy

94. Nature Index Pharmacology and Pharmaceutical Sciences articles https://www.nature.com/nature-index/topics/pharmacology-and-pharmaceutical-sciences/articles
95. A Review of Large Language Models Across Academic Disciplines https://arxiv.org/html/2509.19580v5
96. Artificial Intelligence in Pharmaceutical Sciences - ScienceDirect.com https://www.sciencedirect.com/science/article/pii/S2095809923001649
97. Graph Neural Networks in Modern AI-Aided Drug Discovery https://pubs.acs.org/doi/10.1021/acs.chemrev.5c00461
98. Intranasal Vaccine Adjuvants and Delivery Platforms: From Barrier ... https://www.mdpi.com/2076-393X/14/4/295
99. A Global Ramachandran Score Identifies Protein Structures with ... https://www.researchgate.net/publication/343925211_A_Global_Ramachandran_Score_Identifies_Protein_Structures_with_Unlikely_Stereochemistry
100. Selected Abstracts from Pharmacology 2025 - Wiley Online Library https://onlinelibrary.wiley.com/doi/10.1111/bph.70263?mi=3hf058&af=R&AllField=%22University+of+Leeds%22&Ppub=%5B20190301+TO+20300101%5D&content=articlesChapters&target=default
101. The Molecular and Systems Biology of Memory - ScienceDirect.com https://www.sciencedirect.com/science/article/pii/S0092867414002906
102. The Cell-Type Specific Cortical Microcircuit: Relating Structure and ... https://pmc.ncbi.nlm.nih.gov/articles/PMC3920768/
103. Molecularly defined cellular atlas of the entire mouse brain ... - Nature https://www.nature.com/articles/s41467-025-65238-5.pdf
104. The Molecular and Systems Biology of Memory - Cell Press https://www.cell.com/cell/pdf/S0092-8674(14)00290-6.pdf
105. Understanding the physical basis of memory: Molecular ... - PMC - NIH https://pmc.ncbi.nlm.nih.gov/articles/PMC9065729/
106. Section I - Structural and Functional Neuroanatomy https://www.cambridge.org/core/books/behavioral-neurology-neuropsychiatry/structural-and-functional-neuroanatomy/4CF9061FC96B60201AD1D278AF3D2A44
107. Terrence Sejnowski, PhD - Salk Institute https://www.salk.edu/scientist/terrence-sejnowski/publications/
108. Conformational changes of an ion–channel during gating and ... - PMC https://pmc.ncbi.nlm.nih.gov/articles/PMC4955398/
109. Correlated Motions in Structural Biology | Biochemistry https://pubs.acs.org/doi/10.1021/acs.biochem.1c00420

110. Mechanobiological Dynamics – Inspired Mechanomodulatory ... https://advanced.onlinelibrary.wiley.com/doi/10.1002/advs.202416992
111. Structure, Dynamics and Implied Gating Mechanism of a Human ... https://pmc.ncbi.nlm.nih.gov/articles/PMC4256070/
112. [PDF] A Biophysical Mechanism for Modulating Kv2 Channel ... - UC Davis https://escholarship.org/content/qt0st1j6s1/qt0st1j6s1.pdf
113. (PDF) Human DNMT1 transition state structure - ResearchGate https://www.researchgate.net/publication/296468371_Human_DNMT1_transition_state_structure
114. [PDF] Questionnaire Responses Do not Capture the Safety of AI Agents https://arxiv.org/pdf/2603.14417
115. A Survey of Artificial Intelligence Challenges: Analyzing the ... - MDPI https://www.mdpi.com/2076-3417/12/8/4054
116. The Molecular and Systems Biology of Memory - Cell Press https://www.cell.com/fulltext/S0092-8674(14)00290-6
117. Spatial atlas of the mouse central nervous system at molecular ... https://www.nature.com/articles/s41586-023-06569-5
118. Hippocampal architecture viewed through the eyes of ... - PMC - NIH https://pmc.ncbi.nlm.nih.gov/articles/PMC12513980/
119. State-dependent memory mechanisms insights from neural circuits ... https://www.frontiersin.org/journals/cellular-neuroscience/articles/10.3389/fncel.2025.1629796/full
120. Bridging Brains and Machines: A Unified Frontier in Neuroscience ... https://arxiv.org/html/2507.10722v1
121. Neuroplasticity-Informed Learning Under Cognitive Load - MDPI https://www.mdpi.com/2414-4088/10/1/5
122. Neuroengineering Frontiers: A Selective Review of Neural Interfaces ... https://www.mdpi.com/2076-3417/15/21/11316
123. Synaptic and Non – Synaptic Functions of PTPRD: A Receptor ... https://onlinelibrary.wiley.com/doi/10.1111/jnc.70292
124. Brain Network Dynamics and Multiscale Modeling of ... - IEEE Xplore https://ieeexplore.ieee.org/iel8/6287639/10820123/10890994.pdf
125. 论 文 - 浙江大学面向2030的学科会聚研究计划 http://www.innovation2030.zju.edu.cn/2019/0910/c21970a1657892/page.htm
126. 29th Annual Computational Neuroscience Meeting: CNS*2020 https://link.springer.com/article/10.1186/s12868-020-00593-1

127. From Cells to Proteins: Imaging Nature across Dimensions https://link.springer.com/content/pdf/10.1007/1-4020-3616-7.pdf
128. Zero-Knowledge Proof Frameworks: A Survey https://arxiv.org/html/2502.07063v1
129. Nanoparticles − induced potential toxicity on human health - PMC - NIH https://pmc.ncbi.nlm.nih.gov/articles/PMC10349198/
130. TeleZK-L2: a scalable zk-SNARK framework for privacy-preserving ... https://www.frontiersin.org/journals/blockchain/articles/10.3389/fbloc.2026.1762781/full
131. Int. J. Mol. Sci., Volume 27, Issue 4 (February-2 2026) – 468 articles https://www.mdpi.com/1422-0067/27/4
132. New Techniques in Systems Neuroscience - Springer Nature https://link.springer.com/content/pdf/10.1007/978-3-319-12913-6.pdf
133. Between life and death: the brain twilight zones - ResearchGate https://www.researchgate.net/publication/370823794_Between_life_and_death_the_brain_twilight_zones
134. Neuroscience Next 2020 Abstracts - Alzheimer's Association - Wiley https://alz-journals.onlinelibrary.wiley.com/doi/10.1002/alz.12278
135. [PDF] Histone post-translational modifications in the nuclei of striatal D1 ... https://theses.hal.science/tel-00831656v1/file/these_E.JORDI.pdf
136. Synaptic nanomodules underlie the organization and plasticity of ... https://pmc.ncbi.nlm.nih.gov/articles/PMC5920789/
137. Super-resolved trajectory-derived nanoclustering analysis using ... https://pmc.ncbi.nlm.nih.gov/articles/PMC10250379/
138. [PDF] Autonomous Agents on Blockchains: Standards, Execution Models ... https://arxiv.org/pdf/2601.04583
139. [PDF] TAS Architecture - CORDIS https://cordis.europa.eu/docs/projects/cnect/7/216287/080/deliverables/001-D0201tas3architecture.pdf
140. [PDF] Using the blockchain technology for trust improvement of processes ... https://theses.hal.science/tel-03859728/file/2021UPASG036.pdf
141. 5D superresolution imaging for a live cell nucleus https://pubmed.ncbi.nlm.nih.gov/33383256/
142. Mechanisms of memory-supporting neuronal dynamics ... - Cell Press https://www.cell.com/cell/fulltext/S0092-8674(24)01141-3
143. Cortical Hierarchy, Dual Counterstream Architecture and The ... - PMC https://pmc.ncbi.nlm.nih.gov/articles/PMC8244994/
144. Translational neuronal ensembles - Frontiers https://www.frontiersin.org/journals/systems-neuroscience/articles/10.3389/fnsys.2022.979680/full

145. Neurons, Glia, Extracellular Matrix and Neurovascular Unit - MDPI https://www.mdpi.com/1422-0067/21/4/1539

146. [PDF] Improving brain health via the central executive network https://physoc.onlinelibrary.wiley.com/doi/am-pdf/10.1113/JP287099

147. (PDF) The coming decade of digital brain research — A vision for ... https://www.researchgate.net/publication/371562947_The_coming_decade_of_digital_brain_research_-_A_vision_for_neuroscience_at_the_intersection_of_technology_and_computing

148. Network-level changes in the brain underlie fear memory strength https://pmc.ncbi.nlm.nih.gov/articles/PMC10695559/