
Trigonometry

Definitions



$$\tan \theta \equiv \frac{\sin \theta}{\cos \theta}$$

$$\sec \theta \equiv \frac{1}{\cos \theta}$$

$$\csc\theta \equiv \frac{1}{\sin\theta}$$

$$\cot \theta \equiv \frac{1}{\tan \theta} \equiv \frac{\cos \theta}{\sin \theta}$$

<u>Identities</u>

$$\sin^2\theta + \cos^2\theta \equiv 1$$

$$1 + \tan^2 \theta \equiv \sec^2 \theta$$

$$1 + \cot^2 \theta \equiv \csc^2 \theta$$

$$\sin(\alpha + \beta) \equiv \sin \alpha \cos \beta + \cos \alpha \sin \beta$$

$$\sin(\alpha - \beta) \equiv \sin \alpha \cos \beta - \cos \alpha \sin \beta$$

$$\cos(\alpha + \beta) \equiv \cos\alpha\cos\beta - \sin\alpha\sin\beta$$

$$\cos(\alpha - \beta) \equiv \cos\alpha\cos\beta + \sin\alpha\sin\beta$$

$$\tan(\alpha + \beta) \equiv \frac{\tan \alpha + \tan \beta}{1 - \tan \alpha \tan \beta}$$

$$\tan(\alpha - \beta) \equiv \frac{\tan \alpha - \tan \beta}{1 + \tan \alpha \tan \beta}$$

$$\sin 2\theta \equiv 2\sin\theta\cos\theta$$

$$\cos 2\theta \equiv \cos^2 \theta - \sin^2 \theta$$
$$\equiv 2\cos^2 \theta - 1$$
$$\equiv 1 - 2\sin^2 \theta$$

$$\tan 2\theta \equiv \frac{2\tan\theta}{1-\tan^2\theta}$$

<u>Calculus</u>

$$\frac{d}{dx}\sin x = \cos x$$

$$\int \sin x \, dx = -\cos x + C$$

$$\frac{d}{dx}\cos x = -\sin x$$

$$\int \cos x \, dx = \sin x + C$$

$$\int \tan x \, dx = \ln|\sec x| + C$$

$$\int \tan x \, dx = \ln|\tan x + \sec x| + C$$

$$\int \sec x \, dx = \ln|\tan x + \sec x| + C$$

$$\int \csc x \, dx = \ln|\cot x + \csc x| + C$$

$$\int \cot x \, dx = \ln|\sin x| + C$$

$$\int \cot x \, dx = \ln|\sin x| + C$$

$$\int \cot x \, dx = \ln|\sin x| + C$$

$$\int \cot x \, dx = \ln|\sin x| + C$$

$$\int \cot x \, dx = \ln|\sin x| + C$$

$$\int \cot x \, dx = \ln|\sin x| + C$$

$$\int \cot x \, dx = x \arcsin x + \sqrt{1 - x^2} + C$$

$$\int \arctan x \, dx = x \arctan x - \frac{\ln(x^2 + 1)}{2} + C$$

$$\int \arctan x \, dx = x \arctan x - \frac{\ln(x^2 + 1)}{2} + C$$

Graphs

