TF2-05

Neural Networks

Dong Kook Kim

Training epoch/batch

In the neural network terminology:

one **epoch** = one forward pass and one backward pass of all the training examples

batch size = the number of training examples in one forward/backward pass. The higher the batch size, the more memory space you'll need.

number of **iterations** = number of passes, each pass using [batch size] number of examples.

To be clear, one pass = one forward pass + one backward pass (we do not count the forward pass and backward pass as two different passes).

Example: if you have 1000 training examples, and your batch size is 500, then it will take 2 iterations to complete 1 epoch.

Neural Network Training: GD

- Using BackPropagation

Exercise 05-5.


tf2-05-5-xor_nn_2.py


- XOR Problem

Training Accuracy

Decision Boundary








Training and Test datasets



```
x_data = [[1, 2, 1], [1, 3, 2], [1, 3, 4], [1, 5, 5], [1, 7, 5], [1, 2, 5], [1, 6, 6], [1, 7, 7]]
y_data = [[0, 0, 1], [0, 0, 1], [0, 0, 1], [0, 1, 0], [0, 1, 0], [0, 1, 0], [1, 0, 0], [1, 0, 0]]

# Evaluation our model using this test dataset
x_test = [[2, 1, 1], [3, 1, 2], [3, 3, 4]]
y_test = [[0, 0, 1], [0, 0, 1], [0, 0, 1]]
```

Learning Rate is Important



Large learning rate: Overshooting.

Small learning rate: Many iterations until convergence and trapping in local minima.

Exercise 05-4.

tf2-05-4-learning_rate.py

good learning rate


sgd = SGD(Ir=0.01)


big learning rate


sgd = SGD(Ir=1.5)

small learning rate

sgd = SGD(Ir=e-5)








Exercise 05-5.

lab-05-5-linear_regression_without_min_max.py

Non-normalized inputs




https://github.com/hunkim/DeepLearningZeroToAll/blob/master/lab-07-2-linear_regression_without_min_max.py

Normalized inputs (min-max scale)

```
xy = np.array([[828.659973, 833.450012, 908100, 828.349976, 831.659973],
             [823.02002, 828.070007, 1828100, 821.655029, 828.070007],
             [819.929993, 824.400024, 1438100, 818.97998, 824.159973],
             [816, 820.958984, 1008100, 815.48999, 819.23999],
             [819.359985, 823, 1188100, 818.469971, 818.97998],
             [819, 823, 1198100, 816, 820.450012],
             [811.700012, 815.25, 1098100, 809.780029, 813.669983],
             [809.51001, 816.659973, 1398100, 804.539978, 809.559998]])
          0.83755791]
          [ 0.70548491  0.70439552  1.
                                            0.71881782
          [ 0.54412549  0.50274824  0.57608696  0.606468
                                                        0.6606331]
          [ 0.33890353  0.31368023  0.10869565  0.45989134  0.43800918]
                      0.42582389 0.30434783 0.58504805
          ſ 0.51436
                                                        0.426244011
          [ 0.49556179  0.42582389  0.31521739
                                            0.48131134
                                                        0.49276137]
          [0.11436064 0.
                                0.20652174
                                            0.22007776
                                                        0.18597238]
          [ 0.
                      0.07747099 0.5326087
                                                        0.
                                                              11
```


xy = MinMaxScaler(xy)
print(xy)



Exercise 05-6.

lab-05-6-linear_regression_min_max.py

MNIST Dataset




28x28x1 image


Exercise 05-7.

tf2-05-7-mnist_nn.py

Training Accuracy

Test Accuracy






0.9788

Exercise 05-8.


tf2-05-8-mnist_nn_deep.py

Training Accuracy

Test Accuracy



Epochs



0.9762

Exercise 05-9.

tf2-05-9-mnist_nn_dropout.py

Training Accuracy

Test Accuracy

0.9822

