



Holy Angel University
Angeles City



Name: Oliveros, Michael Francis Noel M.


Date: September 20, 2026

Section: CS - 302

Course: Computer Science

Final Project Design System (Revised)

A. The palette, as a ColorScheme



All three pairs verified above WCAG's 4.5:1 minimum for normal text. The primary-button pairing specifically failed at ~3.0:1 with plain white text; onPrimary (#0D1B2A) was introduced as a dedicated token to fix it.

Role	Hex	Used for
primary	#5B7FFF	main buttons, active states

onPrimary	#0D1B2A	text and icons on primary
secondary	#9D7BFF	highlights, secondary actions
surface	#1E2A47	cards, sheets, dialogs
onSurface	#E8EEF5	body text
error	#E5484D	validation, destructive actions

Why a full role table instead of `ColorScheme.fromSeed`?

ReadRoulette's navy-to-purple gradient identity is a deliberate brand choice, not something a single-seed generator reproduces.

Dark mode

The whole identity (gradient, "night-reading" mood) is built for a dark surface; a light variant was never part of the design intent, so no color is hardcoded outside this file, and no `darkTheme` override is needed because there is no light theme to fall back from

B. The type scale, as a `TextTheme`

Your style	Flutter slot	Size	Weight	Used for
Heading	headlineSmall	22sp	Bold	Screen titles, result title
Subheading	titleMedium	16sp	Semi-Bold	Section labels, tab labels
Body	bodyMedium	14sp	Regular	Synopsis, descriptions, chip labels
Caption	labelSmall	12sp	Regular	Chapter count, dates, helper text


Font family

Roboto (Material 3 default) — one family, no google_fonts package needed. Used by name in every widget, e.g. `Text('ReadRoulette', style: Theme.of(context).textTheme.headlineSmall)` — never a literal `TextStyle(fontSize: 22)` inline.

C. Spacing, as Constants



Two list-item cards at the standard 8px gap (sm)



Two sections at the standard 16px gap (md)



Spacing Type	Value
Base unit	8px
Screen edge padding	24px
Gap between list items	8px
Gap between sections	16px

```
class AppSpacing {
```

```

static const double xs = 4;
static const double sm = 8;
static const double md = 16;
static const double lg = 24;
}


```

Used as padding:

`const EdgeInsets.all(AppSpacing.md)` everywhere — never a bare number.

D. Components, as Files

1. GenreChip




Component	File	Constructor parameters	Appears on
GenreChip	lib/widgets/genre_chip.dart	{ required String label, required bool selected, required VoidCallback onTap }	Home/Filter Screen

2. FormatToggle




Component	File	Constructor parameters	Appears on
FormatToggle	lib/widgets/format_toggle.dart	{ required List options, required int selectedIndex, required ValueChanged onChanged }	Home/Filter Screen

3. PrimaryButton




Component	File	Constructor parameters	Appears on
PrimaryButton	lib/widgets/primary_button.dart	{ required String label, VoidCallback? onPressed, bool outlined = false }	Home/Filter/Result Screen

4. ResultCard




Component	File	Constructor parameters	Appears on
ResultCard	lib/widgets/result_card.dart	{ required String coverUrl, required String title, required List genres, required int chapters, required String synopsis }	Result Screen

5. ListItemCard



Component	File	Constructor parameters	Appears on
ListItemCard	lib/widgets/list_item_card.dart	{ required String thumbnailUrl, required String title, required String year, required List genres, required VoidCallback onTap }	Saved & History


6. BottomNavBar



Component	File	Constructor	Appears on
-----------	------	-------------	------------

		parameters	
BottomNavBar	lib/widgets/bottom_nav_bar.dart	{ required int activeIndex, required ValueChanged onTap }	All Screens

7. BackArrowButton



Component	File	Constructor parameters	Appears on
BackArrowButton	lib/widgets/back_arrow_button.dart	{ required VoidCallback onPressed }	Result Screen

E. What changed, and why?

Element	Prelim Said	Now Says	Why It Changed
Palette	5 colors picked by feel; contrast checked with a calculator after the fact	Same 5 roles, now explicit ColorScheme roles (primary / onPrimary / secondary / surface / onSurface), plus an error role I hadn't defined before, and an explicit darkonly decision	Building m4a4's colorForType function showed me a hand-picked accent still needs a deliberate contrast check, not a guess made after the fact. The revision makes that check and the dark-mode decision explicit up front instead of realizing it was needed later.
Type scale	Informal 4-size scale	Same 4 sizes, now mapped	m4a3 taught me that

	(22/16/14/12sp), not mapped to any Flutter API	onto real TextTheme slots (headlineSmall, titleMedium, bodyMedium, labelSmall) and referenced by name	hardcoding TextStyle(fontSize: ...) inline means hunting through every widget to change it later. Naming a slot once avoids that.
Components	7 components listed with a "Contains" description only, no file paths or parameters	Same 7 components, each now with a real file path and named constructor parameters, taking data and callbacks only	m5a5 (HAUDEX) made me actually build reusable widgets that take parameters instead of reading state directly, so I know what a real component's constructor needs to look like now, not just what it contains visually.
Spacing	Kept	Kept — 8/16/24 base scale unchanged	Nothing in m4/m5 gave me a reason to revise this; the 8px system held up across every screen I built without needing an odd in-between value.