



# Institute of Technology of Cambodia Department of Information Communication Engineering

**Subject: Internet Programming Lecturer: HOK TIN** 

TP5

Name: Doeurn Sreynith ID: e20190214

Group: GIC-A

#### Contents

Ex1:	3
Ex1-OUTPUT:	8
Ex2:	9
Ex2-OUTPUT:	11
EX3:	12
Ex3-OUTPUT:	16
EX4:	17
Ex4-OUTPUT:	19
EX5:	
CSS-EX5:	23
EX5-view:	24
Ex5-OUTPUT:	26

#### Ex1:

```
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <title>Ex1</title>
   <link rel="preconnect" href="https://fonts.googleapis.com">
   k rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
        margin: 0;
        padding: 0;
        box-sizing: border-box;
   #Container {
    width: 100%;
        min-height: 100vh;
        background-color: □rgb(196, 255, 204);
        display: flex;
        align-items: center;
    #box {
        width: 80%;
        height: fit-content;
        background-color: #ffffff;
        border: 6px solid □black;
        justify-content: center;
        text-align: center;
        margin: auto;
        display: flex;
        flex-direction: column;
        align-items: center;
    #box sticker {
        margin-top: 50px;
        font-size: 80px;
    #text {
        font-family: 'Shantell Sans', cursive;
        font-size: 20px;
        text-indent: 6px;
        padding: 10px;
        display: flex;
        flex-direction: column;
        gap: 1.5rem;
    #button {
        background-color: ■#3083ff;
        border: none;
```

```
background-color: ■#3083ff;
               border: none;
               border-radius: 4px;
               font-size: 18px;
font-family: 'Shantell Sans', cursive;
              margin: 20px;
              padding: 10px;
color: ■white;
          #option {
              background-color: ■#f4f4f4;
              width: 80%;
              margin-bottom: 30px;
              border-radius: 6px;
          #tag {
              height: 20px;
           #part {
              height: 20px;
          #price {
              height: 20px;
          #link {
              height: 20px;
          #icon1 {
              width: 300px;
              display: flex;
              flex-direction: row;
              align-items: center;
          #icon2 {
              width: 300px;
              display: flex;
               flex-direction: row;
108
              align-items: center;
109
110
111
          #icon3 {
              width: 300px;
              display: flex;
               flex-direction: row;
              align-items: center;
          #icon4 {
              width: 300px;
               display: flex;
```

```
flex-direction: row;
   align-items: center;
#option-header {
   font-family: 'Shantell Sans', cursive;
.lds-ripple {
   display: inline-block;
   position: relative;
   width: 80px;
   height: 80px;
.lds-ripple div {
   border: 4px solid □black;
   opacity: 1;
   border-radius: 50%;
   animation: lds-ripple 1s cubic-bezier(0, 0.2, 0.8, 1) infinite;
.lds-ripple div:nth-child(2) {
   animation-delay: -0.5s;
@keyframes lds-ripple {
   0% {
       top: 36px;
        left: 36px;
       width: 0;
       height: 0;
       opacity: 0;
   4.9% {
       top: 36px;
       left: 36px;
       width: 0;
       height: 0;
       opacity: 0;
   5% {
        top: 36px;
       left: 36px;
       width: 0;
       height: 0;
       opacity: 1;
   100% {
       left: 0px;
       width: 72px;
       height: 72px;
       opacity: 0;
```

```
.activity {
width: 100%;
    justify-content: center;
    align-items: center;
<div id="Container">
   <div id="box">
       <div id="sticker">
        <div id="text">
           <h2>Are you boring?</h2>
        <button id="button" onclick="getMaAnActivity()">Tell me what to do</button>
       <div id="option" hidden>
           </div>
    const loadingTextEle = document.getElementById("loading");
    const optionEle = document.getElementById("option");
    const activityNameEle = document.getElementById("activity-name");
   const activityTypeEle = document.getElementById("activity-type");
        loadingTextEle.hidden = false;
        optionEle.hidden = true;
        fetch("https://www.boredapi.com/api/activity").then(async (res) => {
            let data = await res.json();
            <h3 id="option-header">Learn and play a new card game</h3>
            <div id="text">
               <div id="icon1">
                    <svg id="tag" xmlns="http://www.w3.org/2000/svg" viewBox="0 0 24 24"</pre>
                    fill="currentColor" class="w-6 h-fit">
                       <path fill-rule="evenodd" d="M5.25 2.25a3 3 0 00-3 3v4.318a3 3</pre>
                        0 00.879 2.12119.58 9.581c.92.92 2.39 1.186 3.548.428a18.849 18.849 0
                         005.441-5.44c.758-1.16.492-2.629-.428-3.5481-9.58-9.581a3 3 0 00-2.122-.879H5.25zM6.375
                         7.5a1.125 1.125 0 100-2.25 1.125 1.125 0 000 2.25z" clip-rule="evenodd" />
                    </svg>
                    Type: ${data.type} 
                </div>
               <div id="icon2">
                                                                                                      Ln 206, Col 23 Spaces: 4 U
```

```
Type: ${data.type} 
                       </div>
                       <div id="icon2">
                              case 160n.2 ** c
                                      6.745 0 0112 12a6.745 6.745 0 016.709 7.498.75.75 0 01-.372.568A12.696 12.696 0 0112
                                     21.75c-2.305 0-4.47-.612-6.337-1.684a.75.75 0 01-.372-.568 6.787 6.787 0 011.019-4.38z" clip-rule="evenodd" />
                                     <path d="M5.082 14.254a8.287 8.287 0 00-1.308 5.135 9.687 9.687 0 01-1.764-.441-.115-.04a.563.563</pre>
                                     0 01-.373-.4871-.01-.121a3.75 3.75 0 013.57-4.047zM20.226 19.389a8.287 8.287 0 00-1.308-5.135 3.75
                                     3.75 0 013.57 4.0471-.01.121a.563.563 0 01-.373.4861-.115.04c-.567.2-1.156.349-1.764.441z
                              </svg>
                              Participants: ${data.participants}
                       <div id="icon3">
                              15.662v-2.824c.347.085.664.228.921.421.427.32.579.686.579.991 0 .305-.152.671-.579.991a2.534 2.534 0 01-.921.42z" />
                                     9.75 9.75 9.75 9.75-4.365 9.75-9.75S17.385 2.25 12 2.25zM12.75 6a.75.75
                                     .829.4 1.612 1.113 2.178.502.4 1.102.647 1.719.756v2.978a2.536 2.536 0
                                     01-.921-.4211-.879-.66a.75.75 0 00-.9 1.21.879.66c.533.4 1.169.645 1.821.75V18a.75.75
                                     0 001.5 0v-.81a4.124 4.124 0 001.821-.749c.745-.559 1.179-1.344 1.179-2.191
                                     0 00.933-1.175l-.415-.33a3.836 3.836 0 00-1.719-.755V6z" clip-rule="evenodd" />
                              </svg>
                             Price: ${data.price}
                       <div id="icon4">
                              0 117.424 7.4241-1.757 1.757a.75.75 0 11-1.06-1.0611.757-1.757a3.75 3.75
                                     0 000-5.304zm-7.389 4.267a.75.75 0 011-.353 5.25 5.25 0 011.449 8.45l-4.5 4.5a5.25 5.25
                                    0 11-7.424-7.42411.757-1.757a.75.75 0 111.06 1.06l-1.757 1.757a3.75 3.75 0 105.304 5.304l4.5-4.5a3.75 3.75 0 00-1.035-6.037.75.75 0 01-.354-1z" clip-rule="evenodd" />
                              </svg>
                              link: ${data.link}
                      </div>
               </div>
       optionEle.innerHTML = tmo
       optionEle.hidden = false;
loadingTextEle.hidden = true;
window.addEventListener("load", getMaAnActivity)
```

Ln 268, Col 52 Spaces: 4 UTF-8 CRLF HTML @



## Are you boring?

Tell me what to do

Learn and play a new card game

- Type: diy
- Participants: 1
- Price: 0
- O link:


#### Ex2:

```
♦ Ex2.html > ♦ html > ♦ style > ♦ #box-display
      <!DOCTYPE html>
      <html <pre>lang="en">
      <head>
          <meta charset="UTF-8">
          <meta http-equiv="X-UA-Compatible" content="IE=edge">
          <meta name="viewport" content="width=device-width, initial-scale=1.0">
          <title>Ex2</title>
          <link rel="preconnect" href="https://fonts.googleapis.com">
          <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
      </head>
           *{
              margin: 0;
              padding: 0;
              box-sizing: border-box;
          body{
              max-width: 100%;
              min-height: 100vh;
              display: flex;
              flex-direction: column;
              justify-content: center;
              align-items: c;
          #Container{
              background-color: ☐rgb(189, 148, 228);
              width: 80%;
              border: 4px solid □black;
29
              display: flex;
              justify-content: center;
              text-align: center;
              flex-direction: column;
              align-items: center;
              margin: auto;
          #Sticker{
              font-size: 70px;
          #text{
              display: flex;
          #text1{
              font-family: 'Shantell Sans', cursive;
              font-size: 30px;
          #Gender{
              font-family: 'Shantell Sans', cursive;
              font-size: 30px;
              color: ■#2576f0;
              nodding loft: 1Env.
```

```
padding-left: 15px;
         #Sender{
             display: flex;
             padding: 10px;
             margin: 5px;
         #input{
             padding: 6px;
             border-radius: 4px;
             font-family: 'Times New Roman', Times, serif;
         #button{
             padding: 0 .7rem;
             background-color: ■#3083ff;
             border-radius: 4px;
             border: none;
             margin-left: 10px;
             color: □white;
         #box-display{
             width: 50%;
             height: fit-content;
             background-color: ■#f4f4f4;
             border-radius: 6px;
             margin: 10px;
80
         #name{
             margin: 10px;
             font-size: 20px;
         #gender{
             font-size: 35px;
             font-family: 'Times New Roman', Times, serif;
             color: ■#f06e24;
         #percent{
             font-size: 25px;
             color: ■#72aaff;
             margin: 8px;
     </style>
     <body>
         <div id="Container">
             <div id="Sticker">
                  <u>@</u>
             </div>
             <div id="text">
                 <h3 id="text1"><b>I Know you</b></h3>
                 <h3 id="Gender"><b>Gender</b></h3>
             </div>
             <div id="Sender">
                 <input id="input" type="text" placeholder="Tell me your name">
                 <button id="button" onclick="getMaAnActivity()">Guess/button>
             </div>
             <div id="box-display">
                 <div id="name"><b>Makara</b></div>
                 <div id="gender"><b>Female</b></div>
```

```
<div id="gender"><b>Female</b></div>
            <div id="percent"><b>50%</b></div>
        </div>
    </div>
    <script>
        const input = document.getElementById("input");
        function getMaAnActivity(){
            fetch (`https://api.genderize.io?name=${input.value}`).then(async (res)=>{
                let data = await res.json();
                    <div id="name"><b>${data.name}</b></div>
                    <div id="gender"><b>${data.gender}</b></div>
                    <div id="percent"><b>${data.probability*100}%</b></div>
                document.querySelector("#box-display").innerHTML = tmp;
    </script>
</body>
</html>
```

#### **Ex2-OUTPUT:**



#### EX3:


```
l.html > ੳ html > 쉾 style > ધ #Container
 <!DOCTYPE html>
 <html lang="en">
     <meta charset="UTF-8">
     <meta http-equiv="X-UA-Compatible" content="IE=edge">
     <meta name="viewport" content="width=device-width, initial-scale=1.0">
     <title>Ex3</title>
     <link rel="preconnect" href="https://fonts.googleapis.com">
     <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
 </head>
     *{
         margin: 0;
         padding: 0;
         box-sizing: border-box;
     body{
         max-width: 100%;
         min-height: 100vh;
         display: flex;
         flex-direction: column;
         justify-content: center;
         align-items: c;
     #Container{
         background-color: ■rgb(202, 151, 184);
         width: 80%;
         border: 4px solid □black;
         display: flex;
         justify-content: center;
         text-align: center;
         flex-direction: column;
         align-items: center;
         margin: auto;
     #Sticker{
         font-size: 80px;
         border: 4px;
     #text{
         display: flex;
         font-family: 'Shantell Sans', cursive;
         font-size: 30px;
     #Gender{
         font-family: 'Shantell Sans', cursive;
         font-size: 30px;
```

```
color: ■#2576f0;
             padding-left: 15px;
         #Sender{
             display: flex;
             padding: 10px;
             margin: 5px;
         #input{
             padding: 6px;
             border-radius: 4px;
             font-family: 'Times New Roman', Times, serif;
         #button{
             padding: 0 .7rem;
             background-color: ■#3083ff;
             border-radius: 4px;
             border: none;
             margin-left: 10px;
             color: ☐white;
         #box-display{
             width: 50%;
             height: fit-content;
             border-radius: 6px;
             margin: 10px;
         .nation{
80
             width: 100%;
             display: flex;
             justify-content: space-between;
             padding: .5rem .7rem;
             background-color: ☐#f4f4f4;
             border-radius: .4rem;
         .nation+.nation{
             margin-top: .4rem;
         .name{
             font-size: 17px;
             font-weight: bold;
         .percentag{
             font-size: 17px;
             color: ■#ff5c00;
```

```
.lds-heart {
    display: inline-block;
    position: relative;
   width: 80px;
   height: 80px;
    transform: rotate(45deg);
    transform-origin: 40px 40px;
.lds-heart div {
    left: 32px;
   width: 32px;
   height: 32px;
    background: ■#fff;
    animation: lds-heart 1.2s infinite cubic-bezier(0.215, 0.61, 0.355, 1);
.lds-heart div:after,
.lds-heart div:before {
    content: " ";
    position: absolute;
    display: block;
    width: 32px;
    height: 32px;
   background: #fff;
.lds-heart div:before {
    left: -24px;
   border-radius: 50% 0 0 50%;
.lds-heart div:after {
    top: -24px;
    border-radius: 50% 50% 0 0;
@keyframes lds-heart {
   0% {
        transform: scale(0.95);
    5% {
        transform: scale(1.1);
    39% {
        transform: scale(0.85);
    45% {
        transform: scale(1);
    60% {
        transform: scale(0.95);
    100% {
        transform: scale(0.9);
```

```
transform: scale(0.9);
</style>
      <div id="Container">
            <div id="Sticker">
            </div>
            <div id="text">
                  <h3 id="text1"><b>I Know you</b></h3>
                   <h3 id="Gender"><b>Home</b></h3>
            </div>
             <form id="Sender">
                   <input id="input" type="text" placeholder="Tell me your name">
                   <input type="submit" id="button" onclick="getMaAnActivity()" value="Guess">
            <div id="box-display">
            </div>
      <script>
            const input = document.getElementById("input");
            document.querySelector('#Sender').addEventListener('submit',(e)=>{
                  e.preventDefault()
            function getMaAnActivity(){
                   let tmp=""
                   document.querySelector("#box-display").innerHTML=`<div class="lds-heart"><div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div>
                   fetch (`https://api.nationalize.io?name=${input.value}`).then(async (res)=>{
                         let data = await res.json();
                         data.country.forEach(item => {
                               tmp +=
                               <div class="nation">
                                     <div class="name">${item.country_id}</div>
<div class="percentag">${Number(item.probability*100).toFixed(2)}%</div>
                               </div>
                         document.querySelector("#box-display").innerHTML = tmp;
</body>
```

#### Ex3-OUTPUT:



#### EX4:

```
<!DOCTYPE html>
<html <pre>lang="en">
           <meta charset="UTF-8">
           <meta http-equiv="X-UA-Compatible" content="IE=edge">
           <meta name="viewport" content="width=device-width, initial-scale=1.0">
           <title>Ex4</title>
           \verb|\| href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"| rel="stylesheet" | re
           integrity="sha384-EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC" crossorigin="anonymous">
           <link rel="preconnect" href="https://fonts.googleapis.com">
          k rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
                      margin: 0;
                      padding: 0;
                      box-sizing: border-box;
          body{
                      max-width: 100%;
                      min-height: 100vh;
                      display: flex;
                      flex-direction: column;
                      justify-content: center;
                      align-items: c;
           #Container {
                      background-color: ■rgb(154, 214, 241);
                      width: 100%;
                      height: fit-content;
                      border: 5px solid □black;
                      display: flex;
                      justify-content: center;
                      text-align: center;
                      flex-direction: column;
                      align-items: center;
                      margin: auto;
           img{
                      width: 18%;
                      margin: 20px;
           #University{
                      font-family: 'Julee', cursive;
                      font-size: 27px;
           #menu{
                      width: 50%;
                      border: 1px solid □black;
                                                                                                                                                                                                                                                                                                         Ln 28, Co
```

```
#menu{
        width: 50%;
        border: 1px solid □black;
        border-radius: 4px;
        margin: 10px;
    .form-select{
        font-family: 'Itim', cursive;
        font-family: 'Shantell Sans', cursive;
        font-size: 1.1rem;
        padding: 2px;
    #box-display{
        display: grid;
        grid-template-columns: repeat(3,1fr);
        margin: auto;
        border-radius: 4px;
        font-size: 10px;
        margin: 20px;
        gap: 10px;
        overflow-y: hidden;
        padding: 10px;
    #box-display > * {
        background-color: #f4f4f4;
        border-radius: 4px;
    .name-school{
        font-size: 12px;
        padding: 4px;
</style>
<body>
    <div id="Container">
        <div id="sticker">
            <img src="https://creazilla-store.fra1.digitaloceanspaces.com/emojis/48174,</pre>
        </div>
        <div id="University">
            <h3>Which Univ. do you want to study?</h3>
        </div>
        <div id="menu">
            <select class="form-select" aria-label=" " onchange="getMaAnActivity()">
                <option selected value="cambodia">Cambodia</option>
                <option value="thailand">Thailand</option>
                <option value="usa">USA</option>
                <option value="vietnam">Vietnam
```

```
<option value="laos">laos</option>
                                                                        <option value="japan">Japan</option>
                                                      </select>
                                    </div>
                                    <div id="box-display">⋯
                                    </div>
                  </div>
                  <script>
                                   const input = document.querySelector('.form-select');
                                    function getMaAnActivity(){
                                                      let tmp=""
                                                      document.querySelector("#box-display").innerHTML=`<div class="lds-heart"><div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div>
                                                      fetch \ (`http://universities.hipolabs.com/search?country=\$\{input.value\}`).then(async \ (res)=>\{input.value\}`).then(async \ (res)==\{input.value\}`).then(async \ (res)==\{inpu
                                                                        let data = await res.json();
// console.log(data);
                                                                        data.forEach(item => {
                                                                                         tmp +=
                                                                                          <div id="univ1">
                                                                                                            <h4 class="name-school">${item.name}</h4>
                                                                                                            $\{item.country\} - $\{item.alpha_two_code\}
                                                                                                            <a href="${item.web_pages}" target="_blank">${item.web_pages}</a>
                                                                                          </div>
                                                                        document.querySelector("#box-display").innerHTML = tmp;
                                   getMaAnActivity();
                  </script>
</body>
</html>
```

#### **Fx4-OUTPUT:**



### Which Univ. do you want to study?

Japan

#### Aichi Shukutoku University

Japan - JP

http://www.aasa.ac.jp/

#### Aichi Prefectural University of Fine Arts & Music

Japan - JP

http://www.aichi-fam-u.ac.jp/

#### Aichi Bunkyo University

Japan - JP

http://www.abu.ac.jp/

#### Aichi Gakuin University

Japan - JP

http://www.aichi-gakuin.ac.jp/

#### Aichi University of Education

Japan - JP

http://www.aichi-edu.ac.jp/

#### Aichi Medical University

Japan - JP

http://www.aichi-med-u.ac.jp/

### Science University of Tokyo in Yamaguchi

Japan - JP

http://www.yama.sut.ac.jp/

#### Yokohama National University

Japan - JP

http://www.ynu.ac.jp/

### Tokyo University of Art and Design

Japan - JP

http://www.zokei.ac.jp/

#### Yasuda Women's University

Japan - JP

http://www.yasuda-u.ac.jp/

#### Yokkaichi University

Japan - JP

http://www.yokkaichi-u.ac.jp/

#### Yamanashi Gakuin University

Japan - JP

http://www.ygu.ac.jp/

#### Yokohama City University

Japan - JP

http://www.yokohama-cu.ac.jp/

#### EX5:

```
🜣 Ex5.html > 🔗 html > ੳ body > ੳ script > 🕪 render > 😚 data.forEach() callback
     <!DOCTYPE html>
     <html lang="en">
     <head>
          <meta charset="UTF-8">
          <meta http-equiv="X-UA-Compatible" content="IE=edge">
          <meta name="viewport" content="width=device-width, initial-scale=1.0">
          <title>Ex5</title>
          <link rel="stylesheet" href="./Ex5.css">
     </head>
              .lds-heart {
                  display: inline-block;
                  position: relative;
                  width: 80px;
                  height: 80px;
                  transform: rotate(45deg);
                  transform-origin: 40px 40px;
              .lds-heart div {
                  left: 32px;
                  position: absolute;
                  width: 32px;
                  height: 32px;
background: ■#fff;
                  animation: lds-heart 1.2s infinite cubic-bezier(0.215, 0.61, 0.355, 1);
              .lds-heart div:after,
              .lds-heart div:before {
                  content: " ";
                  position: absolute;
                  display: block;
                  width: 32px;
                  height: 32px;
                  background: ■#fff;
              .lds-heart div:before {
                  left: -24px;
                  border-radius: 50% 0 0 50%;
              .lds-heart div:after {
                  top: -24px;
                  border-radius: 50% 50% 0 0;
              @keyframes lds-heart {
                  0% {
                      transform: scale(0.95);
                  5% {
                      transform: scale(1.1);
                  39% {
                      transform: scale(0.85):
```

```
45% {
                transform: scale(1);
            60% {
                transform: scale(0.95);
            100% {
    </style>
        <div class="container">
            <div class="input">
                <form action="#">
                     <label for="name">Name</label><br>
                     <input type="text"><br>
                     <label for="category">Category</label><br>
                     <input type="text"><br>
                     <label for="price">Price</label><br>
                    <input type="text"><br><irput type="submit" value="Add">
                </form>
            </div>
            <div class="output">
            </div>
        </div>
    </div>
        const url="https://jsonplaceholder.typicode.com/photos";
        const getData=()=>{
            fetch(url).then(res=>res.json()).then(data=>{
                render(data)
        const render=(data)=>{
            let tmp="";
            data.forEach(item=>{
                tmp+=
                <div class="box">
                     <div><img src="${item.thumbnailUrl}" alt="${item.albumId}-${item.title}"></div>
                     <div>
                        ${item.title}
                     </div>
                     <div>
                         <a href="/Ex5_view.html?id=${item.id}">see</a>
                     </div>
                </div>
            document.querySelector(".output").innerHTML=tmp
        window.addEventListener('load',getData())
    </script>
</body>
</html>
```

#### CSS-EX5:

```
🖒 .container .output .bo
         padding: 0;
         margin: 0;
         box-sizing: border-box;
     .container{
         width: 100%;
         height: 100vh;
         display: flex;
     .container .input{
         width: 30%;
         height: 100%;
         background-color: ■rgb(175, 174, 174);
     .container .output{
         width: 70%;
         background-color: _bisque;
         display: grid;
         padding: 1rem .7rem;
         grid-template-columns: repeat(4,1fr);
         gap: 10px;;
         overflow-y: scroll;
     .container .output .box{
28
         width: 100%;
         height: 100%;
         background-color: ■rgb(152, 211, 191);
         display: flex;
         flex-direction: column;
         align-items: center;
         padding: .4rem;
     .container .output .box > div{
         width: 100%;
     .container .output .box > div >img{
         width: 100%;
     .container .output .box div:first-child{
         min-height: 8rem;
         display: flex;
         align-items: center;
         justify-content: center;
```

#### EX5-view:

```
Ex5_view.html > 矽 html > 矽 body > 矽 style > ધ main
   <!DOCTYPE html>
   <html lang="en">
   <head>
       <meta charset="UTF-8">
        <meta http-equiv="X-UA-Compatible" content="IE=edge">
       <meta name="viewport" content="width=device-width, initial-scale=1.0">
        <title>Document</title>
   </head>
   <body>
       <style>
           *{
                margin: 0;
                padding: 0;
                box-sizing: border-box;
            .container{
               margin-bottom: 50vh;
           header{
                background-color: □#474e5d;
                padding: 2rem 0rem;
           header .title,h2,p{
                text-align: center;
                color: □white;
            main .title,h1,p{
                text-align: center;
           main{
                display: flex;
                justify-content: center;
                align-items: center;
                flex-direction: column;
           main img{
               width: 15%;
           header p{
                font-size: 1.3rem;
            @media only screen and (max-width: 1000px) {
                main img{
                    width: 70%;
        </style>
        <div class="container">
        </div>
```

```
<script>
                const queryString = window.location.search;
                 const urlParams = new URLSearchParams(queryString);
const id = urlParams.get('id')
                  const getData=(()=>{
                                       fetch(`https://jsonplaceholder.typicode.com/photos/\$\{id\}`).then(res=>res.json()).then(data=>\{id\}`).then(res=>res.json()).then(data=>\{id\}`).then(res=>res.json()).then(data=>\{id\}`).then(res=>res.json()).then(data=>\{id\}`).then(res=>res.json()).then(data=>\{id\}`).then(res=>res.json()).then(data=>\{id\}`).then(res=>res.json()).then(data=>\{id\}`).then(res=>res.json()).then(data=>\{id\}`).then(res=>res.json()).then(data=>\{id\}`).then(res=>res.json()).then(data=>\{id\}`).then(res=>res.json()).then(data=>\{id\}`).then(res=>res.json()).then(data=>\{id\}`).then(res=>res.json()).then(data=>\{id\}`).then(res=>res.json()).then(data=>\{id\}`).then(res=>res.json()).then(data=>\{id\}`).then(res=>res.json()).then(data=>\{id\}`).then(data=>\{id\}`).then(data=>\{id\}`).then(data=>\{id\}`).then(data=>\{id\}`).then(data=>\{id\}`).then(data=>\{id\}`).then(data=>\{id\}`).then(data=>[id]`).then(data=>[id]`).then(data=>[id]`).then(data=>[id]`).then(data=>[id]`).then(data=>[id]`).then(data=>[id]`).then(data=>[id]`).then(data=>[id]`).then(data=>[id]`).then(data=>[id]`).then(data=>[id]`).then(data=>[id]`).then(data=>[id]`).then(data=>[id]`).then(data=>[id]`).then(data=>[id]`).then(data=>[id]`).then(data=>[id]`).then(data=>[id]`).then(data=>[id]`).then(data=>[id]`).then(data=>[id]`).then(data=>[id]`).then(data=>[id]`).then(data=>[id]`).then(data=>[id]`).then(data=>[id]`).then(data=>[id]`).then(data=>[id]`).then(data=>[id]`).then(data==[id]`).then(data==[id]`).then(data==[id]`).then(data==[id]`).then(data==[id]`).then(data==[id]`).then(data==[id]`).then(data==[id]`).then(data==[id]`).then(data==[id]`).then(data==[id]`).then(data==[id]`).then(data==[id]`).then(data==[id]`).then(data==[id]`).then(data==[id]`).then(data==[id]`).then(data==[id]`).then(data==[id]`).then(data==[id]`).then(data==[id]`).then(data==[id]`).then(data==[id]`).then(data==[id]`).then(data==[id]`).then(data==[id]`).then(data==[id]`).then(data==[id]`).then(data==[id]`).then(data==[id]`).then(data==[id]`).then(data==[id]`).then(data==[id]`).then(data==[id]`).then(data==[id]`).then(data==[id]`).then(data==[i
                                                         document.querySelector('.container').innerHTML=
                                                         <header>
                                                                              <h1 class="title">${data.title}</h1>
                                                                                               <h2>${data.id}</h2>
                                                                                               Resize the browser window to see this page is responsive by the way
                                                                              </header>
                                                                              <main>
                                                                                                h1>{data.id}<h1>
                                                                                                <img src="\{data.thumbnailUrl\}" alt="album-\{data.id\}">
                                                                              </main>
                  </script>
</body>
```

#### **Ex5-OUTPUT:**



### mollitia soluta ut rerum eos aliquam consequatur perspiciatis maiores

Resize the browser window to see this page is responsive by the way

**12** 

150 x 150