


DOS Platform UI System: Dynamic Data Data Flow & Deep Layer Architecture



Powered by DoganConsult / Built on DOS-AI OS

In a governed enterprise environment, navigation is a calculated security output

The Static Past



The Dynamic Present



+



+



+




=




The Shahin-AI governance environment requires that a user's interface physically cannot render items they are not entitled to see, acting as the first physical manifestation of the **DAuth** and **Access** structures.

The Workspace Navigation Adapter coordinates all sources at the moment of load




This entire orchestration happens within milliseconds during the workspace bootstrapping phase.

Extracting the foundational navigation contract from the UI-OS Service



The Access Store checkpoint parallelizes user permission and entitlement loading




Strategic separation of navigation authority across the 6-layer stack

	Authority	Source	Behavior
L1 (Dynamic UI)	Highest (Network-bound)	ui-os-service	Requires strict fallbacks, handles live tenant overrides.
L2-L5 (Concurrent)	Core System	Local/Module/Platform DNA	Highly structured, hardcoded platform defaults, fetched in parallel.
L6 (Survival Fallback)	Failsafe	SurvivalFallbackNavSource	Triggers only if allNull && !this.access.loaded().


The orchestrator merges these items by ID, trusting L1 overrides but always relying on L2-L5 DNA as the platform foundation.

Conflict resolution and disabled state precedence through the Exclusion Funnel




By strictly ordering disabled reasons, the UI provides accurate, governed feedback to the user about exactly why a module is inaccessible.

Compiling the final Effective UI State Blueprint in the Runtime Store




The **UiRuntimeStore** acts as the final publisher, transforming abstract backend and security data into a concrete, reactive configuration object ready for component consumption.

Layer 6 translates the configuration blueprint into reactive DOM rendering



The complete data assembly line: from database row to rendered pixel



The entire architectural journey executes in milliseconds, ensuring that the workspace is both dynamically responsive to the tenant and strictly governed by platform security.

The UI is the physical manifestation of the DOS-AIO governance model

