

Philip Susan  
Sergio Ferreira Rodrigues  
Raphael Duarte Gomes

Issuing Organisation Name : SHeavy

*MySystem (v1.0)*

# Messip User Manual

## - v 1.0.3 -

Based on IEEE Std 1063-2001 [\[1\]](#)

Saturday 15<sup>th</sup> October, 2016 - 14:17

# Contents

<b>1</b>	<b>Product information</b>	<b>5</b>
1.1	Identification	5
1.2	Copyright	5
1.3	Trademark notices	5
1.4	Restrictions	5
1.5	Warranties	5
1.6	Contractual obligations	5
1.7	Disclaimers	6
1.8	Contact	6
1.8.1	Online assistance	6
1.8.2	Telephone assistance	6
<b>2</b>	<b>General Information</b>	<b>7</b>
2.1	Scope	7
2.2	Purpose	7
2.3	Intended audience	7
2.4	mysystemname	7
2.4.1	Actors & Functionalities	8
2.4.2	Operating environment	8
2.5	Document structure	8
<b>3</b>	<b>Usage Guide</b>	<b>9</b>
3.1	Actors common procedures	9
3.1.1	Trigger the alert state	9
3.1.2	Lift the alert state	10
3.2	Medical Department	10
3.2.1	Handling of infected patient	10
3.2.2	MyProcedure2	11
3.3	My-Actor2 procedures	11
3.3.1	MyProcedure1	11
3.3.2	MyProcedure2	11
3.4	My-Actor3 procedures	11
3.4.1	MyProcedure1	11
3.4.2	MyProcedure2	11
<b>4</b>	<b>Software operations</b>	<b>13</b>
4.1	MyOperation	13
4.1.1	MyExample1	13
<b>5</b>	<b>Error messages and problem resolutions</b>	<b>15</b>
5.1	Error message 1	15
5.1.1	Problem identification	15
5.1.2	Probable cause	15
5.1.3	Corrective actions	15
<b>A</b>	<b>Title of the appendix 1</b>	<b>17</b>

CONTENTS	3
A.1 My Section	17
A.1.1 My subSection	17
References	19

# List of Figures

# Chapter 1

## Product information

### 1.1 Identification

SHeavy® is a web based software developed by CrisYs Corp. whose goal is to prevent the spreading of epidemics but also to manage different organizations to handle epidemics in real time.

### 1.2 Copyright

A copyright is an exclusive right granted to an author of a literary, musical, audiovisual or artistic work, giving the author the sole right to reproduce and distribute that work. There are several different types of copyrights which are associated with CrisYs Corp products. These include various copyrights in CrisYs Corp's software source code, executable code, product packaging, hardware and publications.

### 1.3 Trademark notices

Trademarks are the distinctive names, words, logos, designs and symbols used to distinguish our products or company. Some of our recognized trademarks include CrisYs Corp®, SHeavy®. The CrisYs Corp® trademark has been filed in many countries throughout the world and registrations have been issued in CrisYs Corp's name in many countries.

### 1.4 Restrictions

There are no restrictions on copying or distributing the software's associated documentation but the distribution of the software is only allowed over the buyer's network.

### 1.5 Warranties

SHeavy warrants for an entire lifetime following delivery of the Software that the Software will perform substantially in accordance with the user manual. Additionally SHeavy warrants also that our support is available 24h/24h and 7/7 days.

### 1.6 Contractual obligations

Having a function ready system. Maintain the web application deployed for each actor.

## 1.7 Disclaimers

SHeavy only shares instructions from trustful organizations and in no event will SHeavy or its distributors and their dealers be liable to you for any damages and any losts or incidental or consequential damage.

## 1.8 Contact

### *1.8.1 Online assistance*

Visit the CrisYs Corp to get quick answers to your question or refer to our online support at <https://www.crisyscorp.com/support>. You can also get help and advices by contacting us on <https://www.crisyscorp.com/chat> or by [contact@crisyscorp.com](mailto:contact@crisyscorp.com).

### *1.8.2 Telephone assistance*

When you contact our support by telephone make sure that your problem is not already described on <https://www.crisyscorp.com/support>. Otherwise choose one of our callcenters.

CSC 1: 4884224179-85

CSC 2: 4884224179-86

More callcenters are available at <https://www.crisyscorp.com/callcenter>.

## Chapter 2

# General Information

### 2.1 Scope

This section has to provide the scope of the user's manual document. In the following some opening statements to use when providing the information corresponding to this section.

This document provides the basic knowledge to use SHEAVY ...

This document does not explain how it was implemented...

This document is not intended to explain the functionalities behind SHEAVY...

This document may be used with ...

### 2.2 Purpose

In this section you explain the purpose (i.e. aim, objectives) of the user's manual. In the following some examples of opening statements to be used in this section.

The purpose of this document is to show the users how to use SHEAVY and understand its interface...

This document defines clear usages of SHEAVY ...

This document is meant to help the users have their first approach with the system SHEAVY...

### 2.3 Intended audience

Description of the categories of persons targeted by this document together with the description of how they are expected to exploit the content of the document. EXTERIOR: All person which isn't involved with the crisis management will have a simple guideline to access to the newss published in the application. INTERIOR: All person actively helping controlling the crisis will have a overall view of the interface. They will know where to find which information. Our contact list search will be explained to let them find anybody easily, person or institution.

### 2.4 mysystemname

Brief overview of the software application domain and main purpose. Our app is a epidemic crisis management web based project. Data from different sources will be fetched together to centralize all the known statuses and information of the crisis in some simple clicks. Allowing to find someone easily. Realtime view of the ressources locations and distributions.

### ***2.4.1 Actors & Functionalities***

SHeavy has different functionalities for several Actors. Here is an overview.

#### **2.4.1.1 Common Users**

A common user is defined as an end user who uses SHeavy only in order to collect information about the possible epidemic and uses the given information to avoid the infection.

- Common users are the principle target of SHeavy. They are going to use the application in order to reach information about the possible epidemic and follow the instructions given by SHeavy.

#### **2.4.1.2 Coordinators**

The Coordinator is an intermediate between all the Actors and the system. He has several main functions such as to keep the system functional and updated.

- Maintain the system operational: The Coordinator's main task is to keep the system operational.
- If necessary he will perform some improvements and bugs corrections on the system and also keep the system maintained and updated.

### ***2.4.2 Operating environment***

Brief overview of the infrastructure on which the software is deployed and used. Our system is implemented on a securized server from IBM.

## **2.5 Document structure**

Information on how this document is organised and it is expected to be used. Recommendations on which members of the audience should consult which sections of the document, and explanations about the used notation (i.e. description of formats and conventions) must also be provided.



# Chapter 3

## Usage Guide

This section is aimed at describing the general use of the software. Such information is grouped by the different kinds of actors. Such actors are expected to use the software to perform some processes or workflows (called here procedures) using the concerned software (**including installation procedures**).

The description of the processes should be organised to facilitate learning by presenting simpler, more common, or initial processes before more complex, less utilised, or subsequent processes.

Common procedures should be presented once to avoid redundancy when they are used in more complex procedures.

Each process has to be documented using the following use-case textual description template [2] **BUT its content must be as low level as possible with actual values:**

---

**Use Case:** ProcessMissionOne

**Scope:** Crisis Management System (*CMS*)

**Primary Actor:** Coordinator John

**Secondary Actor:** FirstAidWorker Bob,  
ExternalResourceSystem (*ERS*)

**Intention:** The intention of the Coordinator is to process mission with ID equal to 1.

**Level:** Sub-functional level

**Main Success Scenario :**

1. *John* instructs the *CMS* to process a specific mission.
2. *CMS* selects the internal worker *Bob* to execute the mission.
3. *CMS* instructs '*Bob* to behave as *FAW*.
4. *Bob* informs to the *CMS* of his arrival.
5. *Bob* executes the mission.
6. *Bob* informs to the *CMS* the mission outcome.

**Extensions :**

- 2.a None internal worker can execute the mission.
  - 2.a.1 *CMS* requests an external resource to *ERS*.
  - 2.a.2 *ERS* informs *CMS* that the request can be processed.  
Use case continues at step 3.

---

*Remark :* Graphical User Interfaces (GUIs): include GUIs screenshots to show the different stages of the process while its is performed by the actor.

### 3.1 Actors common procedures

Common procedures to several actors are grouped in this section to avoid redundancy.

#### 3.1.1 Trigger the alert state

---

**Use Case:** TriggerAlertState

**Scope:** Crisis Management System (*CMS*)

**Primary Actor:** Medical Department, Military Department, Government

**Secondary Actor:** None

**Intention:** According to the diagnostic or decision of one of the primary actors, an alert will send a notification to SHeavy about a possible epidemic.

**Level:** Subfunctional level

**Main Success Scenario :**

1. Medical Department finds out that an epidemic is possible. They will immediately send a confirmed notification to SHeavy.
  2. Military Department finds out that an epidemic is possible. They will immediately send a confirmed notification to SHeavy.
  3. The Government finds out that an epidemic is possible. They will immediately send a confirmed notification to SHeavy.
- 

### 3.1.2 Lift the alert state

---

**Use Case:** LiftAlertState

**Scope:** Crisis Management System (*CMS*)

**Primary Actor:** Medical Department, Military Department, Government

**Secondary Actor:** None

**Intention:** According to the diagnostic or decision of one of the primary actors, an alert will send a notification to SHeavy about a possible epidemic.

**Level:** Subfunctional level

**Main Success Scenario :**

1. Medical Department notices that the epidemic is over or that the diagnostic was not right. They will immediately send a notification to SHeavy to lift the alert.
  2. Military Department finds out that an epidemic is over or that their information was not right. They will immediately send a notification to SHeavy to lift the alert.
  3. The Government finds out that an epidemic is over or that their information was not right. They will immediately send a notification to SHeavy to lift the alert.
  4. The system will automatically lift the pre-alert if the alert notification was not confirmed. For example due to a misclick or malfunction of the system.
- 

## 3.2 Medical Department

### 3.2.1 Handling of infected patient

---

**Use Case:** HandlingOfInfectedPatient

**Scope:** Crisis Management System (*CMS*)

**Primary Actor:** Medical Department

**Secondary Actor:** None

**Intention:** The Medical Department intends to update the application with the newest data about infected people, no matter what sickness they have. In case of a known epidemic infection, keep an updated record of the growth of the epidemic.

**Level:** Subfunctional level

**Main Success Scenario :**

1. The Medical Department performs a medical check on a patient.
2. The Medical Department sends data about that patient to the application.
3. If the patient shows signs of an infection that is an already known epidemic infection, his data and location will be automatically updated on the data center part dedicated to this matter and also notify on SHeavy.
4. If the patient shows signs of an unknown infection the medical Department will proceed on taking a sample of blood for

further testing.

5. The Medical sends the sample to the nearest laboratory in order to find a cure.

---

### *3.2.2 MyProcedure2*

## **3.3 My-Actor2 procedures**

### *3.3.1 MyProcedure1*

### *3.3.2 MyProcedure2*

## **3.4 My-Actor3 procedures**

### *3.4.1 MyProcedure1*

### *3.4.2 MyProcedure2*



## Chapter 4

# Software operations

Explain each allowed software operations (i.e. an atomic unit of treatment, a service, a functionality) including a brief description of the operation, required parameters, optional parameters, default options, required steps to trigger the operation, assumptions upon request of the operation and expected results of executing such operation. Describe how to recognise that the operation has successfully been executed or abnormally terminated. The template given below (i.e. section 4.1 has to be used).

Group the operations devoted to the needs of specific actors. Common operations to several actors may be grouped and presented once to avoid redundancy.

### 4.1 MyOperation

The system operator creates and adds a new crisis to the system after being informed by a third party (citizen, organization) and selects a crisis handler for the crisis.

**Parameters:** Reporter Personal Information, Crisis Information, Crisis Handler

**Precondition:** The system operator is logged in and has received information from a reporter.

**Post-condition:** A new crisis has been added to the system and the new crisis has been assigned to a crisis handler, the Handler has received an automatic notification from the system.

**Output messages:** The selected Crisis Handler will be notified automatically once the crisis has been created.

**Triggering:**

1. From within the crisis management window fill out the required entries related to the personal information of the reporter such as name and phone number.
2. Fill out the entries related to the crisis type, impacted area, priority, description, GPS coordinates, address and finally choose a Crisis Handler from the combo box.
3. Click on the “Submit” button in and add the entry to the database.

#### 4.1.1 MyExample1

Examples should illustrate the use of **complex operations**.

Each example must show how the actor uses the software operation under description to achieve (at least one of) its expected outcome.

It might be required to include GUI screenshots to illustrate the example.



## Chapter 5

# Error messages and problem resolutions

All known problems in using the software should be listed and explained in details using the structure presented below.

Contact information for reporting any problems (either with the software or this document) should be clearly indicated

### 5.1 Error message 1

#### *5.1.1 Problem identification*

A description explaining the meaning of the faced problem.

#### *5.1.2 Probable cause*

A description explaining the reasons why such a problem has been raised.

#### *5.1.3 Corrective actions*

Describe the required steps the actor should take to recover from such situation.





# Appendix A

## Title of the appendix 1

Here you write the context of the appendix, structuring such content in sections, sub-sections and sub-sub-sections, if needed.

An example of appendix is the flat presentation of all the graphical user interface screens. Each screen can be presented (identification symbol and description) and screens transition graph can be given.

### A.1 My Section

Description of the section.

#### *A.1.1 My subSection*

##### A.1.1.1 My subSubSection



## References

1. IEEE: IEEE Standard for Software User Documentation. IEEE Std 1063-2001 (Dec 2001) 1–24
2. Armour, F., Miller, G.: Advanced Use Case Modeling: Software Systems. Addison-Wesley (2001)