Shopify instance archived by mistake – webhooks & schedulers restored (23.10.2026)

Status 23.10.2026, 17:40: solved. Shopify ↔ Odoo sync running normally again. One minor item (product-delete webhook) handed to Emipro.

Odoo 19 Production (iq-dogsport.odoo.com) · Emipro Shopify connector · instance *IQ Dogsport Shopify* (id 1). Credentials, tokens and customer data are intentionally **not** stored here. The commands below read the token from the database at run time and never print it.

> All times are **German time (CEST)** unless marked UTC. Odoo.sh logs and the database use **UTC** (= CEST − 2 h).

1. Summary

- While preparing staging for the DHL/GLS test, the Shopify instance was **archived by mistake in Production** (15:29:05) and reactivated 16 seconds later.
- Archiving deleted the instance's **webhook records** in Odoo (and 2 of the 6 webhooks in Shopify), deleted the queues and switched off 2 schedulers. Reactivating did **not** restore webhooks or schedulers.
- Effect: from 15:29 to 17:18 **no Shopify orders reached Odoo automatically**; stock and tracking were not sent to Shopify.
- Fix: schedulers re-enabled, webhooks re-created one by one from the instance's Webhooks tab (old Shopify subscriptions removed first where they still existed), missed orders imported manually. Verified end to end.

2. Timeline (23.10.2026)

CEST	UTC	Event
15:29:05	13:29:05	Production instance *IQ Dogsport Shopify* archived by mistake (intended: staging)
15:29:21	13:29:21	Instance reactivated

CEST	UTC	Event
~15:30		Archive attempted in staging → error *"Webhook subscription does not exist"* (staging is a copy of Production and still has the **live store credentials**, so it tried to delete webhooks in the live store). Cancelled.
15:56	13:56	Last webhook deliveries from Shopify arrive — Odoo ignores them (no webhook records)
~16:20		Read-only analysis (logs + database): schedulers 105 and 101 switched off by the archive → re-enabled
16:37 / 16:56		Re-enable via *Settings → Shopify → Webhook* fails: *"Address for this topic has already been taken"*
16:45		Read-only list of Shopify webhook subscriptions: 4 Production webhooks still exist in Shopify, customer webhooks missing
16:47		#IQD-99051 imported manually (Operations → Import Orders) — works
16:50 → 16:57		Stock export queue ESQ005047 created and completed — stock export works again
17:10 / 17:11	15:10 / 15:11	customers/create and customers/update added via *Add a line* (no conflict)
17:18	15:18	Old ORDERS_UPDATED subscription deleted in Shopify, immediately re-created via *Add a line*
17:22		Test: tag `sync-test` on #IQD-99052 in Shopify → queue ODQ015374 created by *Public user* → sales order created automatically ✅
17:26 / 17:27	15:26 / 15:27	products/update and products/create re-created the same way
17:28		*When Product is Deleted* cannot be selected in the form → left for Emipro (old Shopify subscription kept)

3. What archiving / reactivating an instance does (Emipro)

Item	Archive	Reactivate	Today
Webhooks	deleted (Odoo records + tries to delete in Shopify)	**not restored** ("needs to be activated manually")	re-created manually
Schedulers of the instance	deactivated	**not restored**	105 and 101 re-enabled
Queues	deleted	–	missed orders imported manually
Shopify layer products	archived	reactivated	OK
Payment gateways, financial statuses	archived	reactivated	OK (all active at 13:29:21 UTC)

4. Diagnosis

4.1 Schedulers

Logs (last start per Shopify job) + database (current state, who changed it, when). Result:

ID	Scheduler	Interval	Last run (UTC)	Changed (UTC)	Result
105	IQ Dogsport Shopify : Shopify Auto Export Stock	30 min	13:21:11	13:29:05 (archive)	**switched off by archive → re-enabled**
101	IQ Dogsport Shopify : Shopify Auto Update Order Shipping Status	30 min	13:03:48	13:29:05 (archive)	**switched off by archive → re-enabled**
102, 103	Payout report / bank statement	1 day	today	Sept	still on
44–47, 56, 116, 117	Queue processors, images, POS invoice, customer emails	1–15 min	today	older	still on (not instance-bound)
48–59, 96, 97, 110, 112	Generic templates (no "IQ Dogsport Shopify :" prefix)		–	Jan–Sept	**already off before — left off**

4.2 Webhook deliveries (Odoo.sh logs)

Endpoint	Today before 13:29 UTC	After	Last
orders_partially_updated	77	2	13:56 UTC
customer_update	41	0	13:25 UTC
customer_create	7	0	12:52 UTC
product_update	99	1	13:56 UTC
product_create / product_delete	0	0	16.10 / 15.10 (rare)

Order queues created by *Public user* (= webhook) stopped after 14:52 (ODQ015368, #IQD-99050). Only the manual import (#IQD-99051) appeared afterwards.

4.3 Webhook subscriptions in Shopify (before the fix)

Topic	Target	Created	Subscription ID	Meaning
PRODUCTS_CREATE	Production	01.04.2026	2227223724296	still in Shopify, unknown to Odoo
PRODUCTS_UPDATE	Production	01.04.2026	2227223757064	still in Shopify, unknown to Odoo
PRODUCTS_DELETE	Production	01.04.2026	2227223789832	still in Shopify, unknown to Odoo
ORDERS_UPDATED	Production (`…orders_partially_updated`)	01.04.2026	2227223822600	still in Shopify, unknown to Odoo

Topic	Target	Created	Subscription ID	Meaning
PRODUCTS_CREATE/UPDATE/DELETE	old staging `iq-dogsport-staging-27975224`	03.04.2026	2229657993480 / 2229658026248 / 2229658059016	old leftovers, not related — not touched
CUSTOMERS_CREATE, CUSTOMERS_UPDATE	–	–	–	**deleted by the archive**

Root cause: Odoo lost its webhook records, so it ignored what Shopify still sent. Re-enabling failed because Shopify still had subscriptions for the same topic and address ("already been taken"). There never was an `orders/create` webhook — new orders arrive through `orders/updated`.

Setup before the archive (target state): orders/updated, products/create, products/update, products/delete, customers/create, customers/update — nothing else.

5. Fix

5.1 Schedulers

Settings → Technical → Automation → Scheduled Actions → open **"IQ Dogsport Shopify : Shopify Auto Export Stock"** (105) and **"IQ Dogsport Shopify : Shopify Auto Update Order Shipping Status"** (101) → tick *Active* → save. Interval unchanged (30 min). Not the generic ones without prefix (48, 53).

5.2 Webhooks — one at a time

Shopify → Configuration → Instances → IQ Dogsport Shopify → **Webhooks** tab → **Add a line**. Do **not** use the Settings checkboxes (they fail and may create topics that did not exist before).

1. **Customers** (no conflict, nothing to delete): Add a line → *When Customer is Created* → Name `Customer Create` → Save & Close. Same for *When Customer is Updated*.
2. **Orders / products** (old subscription still in Shopify): prepare the line first (action + name, *don't save*) → run the delete command for exactly that one subscription ID → check `"userErrors":[]` → **immediately** Save & Close.

Odoo option	Old Shopify subscription deleted	New subscription
When Order is Created/Updated	2227223822600	2439347110152 (15:18 UTC)
When Product is Updated	2227223757064	2439352877320 (15:26 UTC)
When Product is Created	2227223724296	2439353729288 (15:27 UTC)

3. After each step: run the read-only list command and check that exactly one subscription changed.

When Product is Deleted is not selectable in the form ("No results"). The old subscription 2227223789832 was **not deleted** and is left for Emipro.

5.3 Missed orders

Shopify → Operations → Import Orders (from 23.10.2026 15:00). Orders already in Odoo are skipped. #IQD-99051 imported manually; #IQD-99052 came in through the restored webhook.

6. Verification

Check	Result
Shopify subscriptions	9: 3 old staging + 6 Production (customers ×2, orders/updated, products create/update new; products/delete old)
Odoo Webhooks tab	Customer Create, Customer Update, Order Update, Product Update, Product Create — all Active
Order webhook	Tag on #IQD-99052 → ODQ015374 by *Public user* → sales order, invoice (paid) and delivery created automatically
Stock export	ESQ005047 Completed (16:57); today 575 lines, 0 draft, 0 failed
Schedulers	Instance shows 4 active: payout report, auto export stock (30 min), auto update order shipping status (30 min), bank statement
Missed orders	#IQD-99049 – 99052 all in Odoo

7. Open items

- Emipro: restore the **product-delete** webhook record (existing Shopify subscription 2227223789832). Low impact: only relevant when a product is *deleted* in Shopify (archive/draft is an update and works). Until then: archive products in Shopify instead of deleting them.
- Emipro: should the 3 old webhooks to `iq-dogsport-staging-27975224` be removed?
- Changes made in Shopify between 15:29 and 17:18 to *existing* orders/products/customers (edits, cancellations, refunds) were not synced. Re-import manually if known.
- Remove tag `sync-test` from #IQD-99052 in Shopify.
- Staging (`iq-dogsport-staging-40297587`) still has the **live store credentials** → switch it to the test store with **Reset Credentials** before any test.

8. Rules for next time

- **Never archive the Shopify instance** — not in Production, not in staging. To point staging at the test store use **Reset Credentials**.
- Before any change, check the browser address bar and the red *"Database neutralized"* banner. No banner = Production.
- A new Odoo.sh staging build is a **copy of Production**, including Shopify credentials. Treat it as live until the credentials are changed.
- Webhook health at a glance: new order queues created by *Public user* = webhooks work. Only manual ones = webhooks broken.
- Investigate with read-only commands first (`default_transaction_read_only=on`), change one thing at a time, verify after each step.

9. All commands used (Odoo.sh → Production → SHELL)

`read-only` commands only read. `CHANGES SHOPIFY` commands change Shopify and were run once per subscription, each immediately followed by *Add a line* in Odoo.

9.1 Last run of each Shopify scheduler (logs) `read-only`

```
zgrep -h "ir_cron: Job '" ~/logs/odoo.log* | grep -i shopify | grep "starting" | grep -o
E "^[0-9-]+ [0-9:]+|Job '[^']+' \([0-9]+\)" | paste - - | awk -F'\t' '{ if ($1 > last
[$2]) last[$2]=$1 } END { for (k in last) print last[k] " UTC   " k }' | sort
```

9.2 Scheduler state in the database `read-only`

```
PGOPTIONS='-c default_transaction_read_only=on' psql -c "SELECT c.id, c.cron_name, c.act
ive, c.interval_number, c.interval_type, c.lastcall AS last_run_utc, c.write_date AS chan
ged_utc, u.login AS changed_by FROM ir_cron c LEFT JOIN res_users u ON u.id = c.write_uid
WHERE c.cron_name ILIKE '%shopify%' ORDER BY c.active, c.write_date DESC;"
```

9.3 Instance active? `read-only`

```
PGOPTIONS='-c default_transaction_read_only=on' psql -c "SELECT id, name, active, write_
date FROM shopify_instance_ept;"
```

9.4 Table names read-only

```
PGOPTIONS='-c default_transaction_read_only=on' psql -c "\dt shopify*webhook*" -c "\dt shopify*gateway*" -c "\dt *workflow*config*"
```

9.5 Sales orders created after 13:00 UTC read-only

```
PGOPTIONS='-c default_transaction_read_only=on' psql -c "SELECT name, client_order_ref, create_date FROM sale_order WHERE create_date > '2026-10-23 13:00' ORDER BY create_date;"
```

9.6 Webhooks, payment gateways, financial statuses — last change read-only

```
PGOPTIONS='-c default_transaction_read_only=on' psql -P pager=off -c "SELECT 'webhook' AS area, t.id, coalesce(to_jsonb(t)->>'webhook_name', to_jsonb(t)->>'webhook_action', to_jsonb(t)->>'name') AS name, coalesce(to_jsonb(t)->>'active', to_jsonb(t)->>'state') AS status, t.write_date FROM shopify_webhook_ept t UNION ALL SELECT 'payment_gateway', t.id, coalesce(to_jsonb(t)->>'name', to_jsonb(t)->>'code'), to_jsonb(t)->>'active', t.write_date FROM shopify_payment_gateway_ept t UNION ALL SELECT 'financial_status', t.id, to_jsonb(t)->>'financial_status', to_jsonb(t)->>'active', t.write_date FROM sale_auto_workflow_configuration_ept t ORDER BY 1, 5 DESC;"
```

9.7 Webhook deliveries per type, before/after the archive (logs) read-only

```
zgrep -h "POST /shopify_odoo_webhook" ~/logs/odoo.log* | grep -oE "^[0-9-]+ [0-9:]{5}|/shopify_odoo_webhook[a-z_]*" | paste - - | awk -F'\t' '{k=$2; if($1>l[k])l[k]=$1; if($1 ~ /^2026-10-23/){ if($1 < "2026-10-23 13:29") b[k]++; else a[k]++ }} END{for(k in l) printf "%-55s last: %s UTC | today before archive: %d | after: %d\n", k, l[k], b[k], a[k]}' | sort
```

9.8 Column holding the access token (names only) read-only

```
PGOPTIONS='-c default_transaction_read_only=on' psql -At -c "SELECT string_agg(k, ', ' ORDER BY k) FROM shopify_instance_ept t, jsonb_object_keys(to_jsonb(t)) k WHERE t.id = 1 AND (k ILIKE '%token%' OR k ILIKE '%password%');"
```

9.9 List webhook subscriptions in Shopify read-only

```
TOKEN=$(PGOPTIONS='-c default_transaction_read_only=on' psql -At -c "SELECT shopify_password FROM shopify_instance_ept WHERE id = 1;") && curl -s -X POST "https://iqdogsport.myshopify.com/admin/api/2026-04/graphql.json" -H "X-Shopify-Access-Token: $TOKEN" -H "Content-Type: application/json" -d '{"query":"{ webhookSubscriptions(first: 100) { edges { node { id topic createdAt endpoint { __typename ... on WebhookHttpEndpoint { callbackUrl } } } } } }"}' | python3 -c "import sys,json; d=json.load(sys.stdin); r=[e['node'] for e in d.get('data',{}).get('webhookSubscriptions',{}).get('edges',[])]; [print(n['topic'],'|',n['endpoint'].get('callbackUrl'),'|',n['createdAt'],'|',n['id']) for n in r]; print(len(r),'webhooks found') if r else print(d)"; unset TOKEN
```

9.10 Delete ONE webhook subscription in Shopify CHANGES SHOPIFY

Used for 2227223822600 (orders/updated), 2227223757064 (products/update), 2227223724296 (products/create). Example:

```
TOKEN=$(PGOPTIONS='-c default_transaction_read_only=on' psql -At -c "SELECT shopify_password FROM shopify_instance_ept WHERE id = 1;") && curl -s -X POST "https://iqdogsport.myshopify.com/admin/api/2026-04/graphql.json" -H "X-Shopify-Access-Token: $TOKEN" -H "Content-Type: application/json" -d '{"query":"mutation { webhookSubscriptionDelete(id: \"gid://shopify/WebhookSubscription/2227223822600\") { deletedWebhookSubscriptionId userErrors { field message } } }"}'; echo; unset TOKEN
```

Expected answer: `"deletedWebhookSubscriptionId":"gid://shopify/WebhookSubscription/…"` and `"userErrors":[]`.

9.11 Run history of scheduler 101 (logs) read-only

```
zgrep -h "Job 'IQ Dogsport Shopify : Shopify Auto Update Order Shipping Status' (101) starting" ~/logs/odoo.log* | cut -c1-19 | sort | tail -10
```

Tip: if a long result opens in a scroll view, press **q** to exit.