

ATIRE



Paved or Rough

Right Tire for
Your Application

www.atire.com

FOR

PAVED

SURFACES



ATIRE

RUNNERSOLID

Our **RunnerSolid** is designed for typical floor conditions in heavy duty warehouses and production applications; either indoor or outdoor.

With this design focus, our solid tire efficiently runs up and down 24/7 with the longest lifetime. Therefore, we call it **ATIRE RunnerSolid**.



**MAXIMUM
LIFETIME**

Wide tread and maximum volume of wear and cut resistant rubber gives you the maximum lifetime.



**24/7
OPERATION**

Constant operation ensured by low heat built-up inner cushion compound.



**CEYLON
RUBBER**

Our tires are manufactured out of Sri Lanka's finest natural rubber.



SMART DETAILS



EXTRA TRACTION

Open and deep tread pattern maximizes traction.

All lines have easy to read tread wear indicators to plan maintenance.



SOFT CUSHION

Higher deflection by soft cushion compound increases footprint and vehicle protection.



ROCKSOLID

Heavy load material handling operations on unpaved surface conditions require maximum traction as much as possible. Therefore, our RockSolid line has a very open and deep tread pattern.

The tread compound offers best cut and chunk resistance. Exclusively angled and designed lugs make our tire best-in-class on rough surfaces. Therefore, we call it **ATIRE RockSolid**.

FOR

ROUGH

SURFACES



MADE IN SRI LANKA

Our refined manufacturing process with the finest of Sri Lankan natural rubber has helped us produce millions of solid industrial tires under strict quality control. We utilize only the best chemicals approved by the European Chemical Directive (REACH).

All tires are designed in compliance with European Tire and Rim Technical Organization (ETRTO) and Tire and Rim Association (TRA) specifications to ensure full load capacity and safety standards. Our company is ISO9001:2015, ISO14001:2015 certified and we strive to be carbon neutral by 2023.

ROCKSOLID




SIZE		RIM WIDTH
15"		
7.00 - 15		5.50/6.00
225/75 - 15	28X9-15, 8.15-15	7.00
250/70 - 15	2.50-15	7.00, 7.50
315/70 - 15	300-15	8.00
355/45 - 15	28X12 1/2 - 15	9.75
8.25 - 15		5.50, 6.50
355/65 - 15		9.75
20"		
10.00 - 20		7.50, 8.00
12.00 - 20		8.00, 8.50, 10.00
465/55 - 20		16.00
24"		
14.00 - 24		10.00

Both lines are available in Standard and Clip rim fitment and Non-Marking.

RUNNERSOLID



SIZE		RIM WIDTH
8"		
4.00 - 8		3.00
125/75 - 8	15 x 4 1/2 - 8	3.00
150/75 - 8	16 x 6 - 8	4.33
180/75 - 8	18 x 7 - 8	4.33
5.00 - 8		3.00
9"		
140/55 - 9	15 x 5 1/2 - 9	4.00
200/75 - 9	21 x 8 - 9	6.00
6.00 - 9		4.00
10"		
200/50 - 10		6.50
6.50 - 10		5.00
225/75 - 10	23 x 9 - 10	6.50
12"		
7.00 - 12		5.00
250/60 - 12	23 x 10 - 12	8.00
250/75 - 12	27 x 10 - 12	8.00
15"		
225/75 - 15	28 x 9 - 15, 8.15 - 15	7.00
250/70 - 15	250 - 15	7.00, 7.50
315/70 - 15	300 - 15	8.00
8.25 - 15		5.50, 6.50
355/50 - 15		9.75
355/45 - 15	28 - 12 1/2 - 15	9.75
355/65 - 15		9.75
20"		
355/50 - 20		10.00



ATIRE

ATIRE helps customers to focus on what really matters by providing a genuine product with customer oriented service and buying experience.

www.atire.com