

Table of Contents

t	t.	
t	t.t	
t	t	4

test-document

t t cu t t t

Heading One

a pa a ap t t t.t u b app p p yu P t t'
Ca a ba typ ap y a u t . b a u b c put
actua t t c t c u c a act c u t u t c .

Code Example

```
function greet(name: string): string {  
  return `Hello, ${name}!`;  
}
```

A Table

a	W
C	W
ab	W

| a b c qu t . t u b t t a t b .
t t t t t

test.ts

typ c pt

```
/**
 * Sample TypeScript file for code renderer testing.
 */

interface Config {
  fontSize: number;
  lineHeight: number;
  fontFamily: string;
}

function createConfig(overrides?: Partial<Config>): Config {
  const defaults: Config = {
    fontSize: 11,
    lineHeight: 1.5,
    fontFamily: "Inter",
  };
  return { ...defaults, ...overrides };
}

export function formatBytes(bytes: number): string {
  if (bytes < 1024) return `${bytes}B`;
  if (bytes < 1024 * 1024) return `${(bytes / 1024).toFixed(1)}KB`;
  return `${(bytes / (1024 * 1024)).toFixed(1)}MB`;
}
```



test-skill

t t t uctu t t

Test Skill

: 1. C at : 6 4 8

I. Philosophy

E yt t u b a u.

II. When to Use

U t t t t uctu .

III. Steps

1.C at tu . u p t . y utput

IV. Reflection Questions

t P p ct u b t att a
ta ata