

Solve the differential equation  $\frac{dy}{dx} = x^3 e^{-y}$  with the initial condition of  $y(0) = \frac{1}{2}$  for  $y$ .

Solve the differential equation  $\frac{dy}{dx} = x^3 e^{-y}$  with the initial condition of  $y(0) = \frac{1}{2}$  for  $y$ .

Note: Two versions will be given to avoid misunderstandings, the text version (black) and the image version (blue). If the two contents conflict, please refer to the image version first.

$$y = \ln\left(\frac{1}{4}x^4 + e^{\frac{1}{2}}\right)$$

☒  $y = \ln\left(\frac{1}{4}x^4 + e^{\frac{1}{2}}\right)$

$$y = \ln\left(\frac{1}{4}x^4 + \frac{1}{2}e\right)$$

☐  $y = \ln\left(\frac{1}{4}x^4 + \frac{1}{2}e\right)$

$$y = \ln\left(3x^2 + e^{\frac{1}{2}}\right)$$

☐  $y = \ln\left(3x^2 + e^{\frac{1}{2}}\right)$

$$y = \ln\left(x^3 + \frac{1}{2}e\right)$$

☐  $y = \ln\left(x^3 + \frac{1}{2}e\right)$

A sinusoidal function has an amplitude of  $2\sqrt{2}$ , a frequency of 3 and phase of  $\frac{2\pi}{5}$ . State a sinusoidal form of the function.

A sinusoidal function has an amplitude of  $2\sqrt{2}$ , a frequency of 3 and phase of  $\frac{2\pi}{5}$ . State a sinusoidal form of the function.

Note: Two versions will be given to avoid misunderstandings, the text version (black) and the image version (blue). If the two contents conflict, please refer to the image version first.

$$2\sqrt{2}\sin(6\pi t + \frac{2\pi}{5})$$

☒  $2\sqrt{2}\sin(6\pi t + \frac{2\pi}{5})$

$$2\sqrt{2}\sin(\frac{2\pi}{3}t + \frac{2\pi}{5})$$

☐  $2\sqrt{2}\sin(\frac{2\pi}{3}t + \frac{2\pi}{5})$

$$8\sin(6\pi t + \frac{2\pi}{5})$$

☐  $8\sin(6\pi t + \frac{2\pi}{5})$

$$8\sin(\frac{2\pi}{3}t + \frac{2\pi}{5})$$

☐  $8\sin(\frac{2\pi}{3}t + \frac{2\pi}{5})$

Evaluate  $\int \cos^3 x dx$ .

Evaluate  $\int \cos^3 x dx$

Note: Two versions will be given to avoid misunderstandings, the text version (black) and the image version (blue). If the two contents conflict, please refer to the image version first.

☐  $\frac{\cos^3 x}{3} + C$

☐  $\frac{\cos^3 x}{3} + C$

☐  $\sin x \frac{\cos^3 x}{3} + C$

☐  $\sin x \cdot \frac{\cos^3 x}{3} + C$

☐  $-\sin x \frac{\cos^3 x}{3} + C$

☐  $-\sin x \cdot \frac{\cos^3 x}{3} + C$

☐  $\sin x - \frac{\sin^3 x}{3} + C$

☒  $\sin x - \frac{\sin^3 x}{3} + C$