Parameter Event Appendices

The Heat to Come
Application 2.5.0 · Model V2-2.3.0
Release dossier · 26 September 2026

Contents

Parameter, interaction and event appendices 2
A. Complete level register 2
B. Concentration rules 5
C. Complete authored pair register 5
D. Complete event records 13
E. Damage adapter 28
Coordination correction and exact rule identity 28

Parameter, interaction and event appendices

The Heat to Come · Application 2.5.0 · Model V2-2.3.0 · G2 dossier 2026-09-26

Audience: facilitators and technical reviewers. Language: English. Intended destination: public technical supplement, separate from the player manual. Editable master: Markdown; delivery copies: DOCX and PDF.

Source keys refer to the private V2 source root: M = `data/model/v2_3_model.json`; E = `data/events/v2_events.json`; T = `data/content/v2_3_en-GB.json`; D = `app/src/domain/engine-v2-3.mjs`. They are source identifiers, not public hyperlinks. Tables below are extracted from the current canonical data, never transcribed from the V1 workbook.

A. Complete level register

L0 rows are included for audit completeness. Values are nominal C/R/S/A, before any scenario or dynamic effect.

ID	Level	C	R	S	A
INF01	0	0	0	0	0
INF01	1	11	5	6	86
INF01	2	23	10	11	90
INF02	0	0	0	0	0
INF02	1	9	6	6	82
INF02	2	20	13	12	78
INF03	0	0	0	0	0
INF03	1	7	7	7	84
INF03	2	15	14	13	88
INF04	0	0	0	0	0
INF04	1	13	6	7	74
INF04	2	29	12	15	76
INF05	0	0	0	0	0
INF05	1	5	5	6	85
INF05	2	10	10	10	47
INF06	0	0	0	0	0
INF06	1	15	1	-2	58
INF06	2	35	4	-5	42
OPS01	0	0	0	0	0
OPS01	1	7	7	6	80
OPS01	2	14	13	11	82
OPS02	0	0	0	0	0
OPS02	1	5	5	5	68
OPS02	2	8	7	8	63
OPS03	0	0	0	0	0
OPS03	1	7	4	5	70

ID	Level	C	R	S	A
OPS03	2	11	6	8	58
OPS04	0	0	0	0	0
OPS04	1	8	5	7	76
OPS04	2	17	11	12	72
OPS05	0	0	0	0	0
OPS05	1	4	5	6	70
OPS05	2	6	7	9	70
OPS06	0	0	0	0	0
OPS06	1	9	6	-2	60
OPS06	2	20	9	-4	45
PRE01	0	0	0	0	0
PRE01	1	5	6	6	86
PRE01	2	9	10	10	84
PRE02	0	0	0	0	0
PRE02	1	7	5	7	80
PRE02	2	12	8	11	82
PRE03	0	0	0	0	0
PRE03	1	5	6	7	84
PRE03	2	10	12	13	83
PRE04	0	0	0	0	0
PRE04	1	7	5	6	72
PRE04	2	13	9	11	66
PRE05	0	0	0	0	0
PRE05	1	5	4	6	76
PRE05	2	11	8	12	70
PRE06	0	0	0	0	0
PRE06	1	6	3	-2	72
PRE06	2	11	5	-5	60
GOV01	0	0	0	0	0
GOV01	1	5	3	6	82
GOV01	2	9	5	11	86
GOV02	0	0	0	0	0
GOV02	1	5	2	6	80
GOV02	2	9	3	11	85
GOV03	0	0	0	0	0
GOV03	1	6	2	5	76
GOV03	2	11	4	8	78

ID	Level	C	R	S	A
GOV04	0	0	0	0	0
GOV04	1	6	2	5	74
GOV04	2	11	4	8	77
GOV05	0	0	0	0	0
GOV05	1	4	4	7	78
GOV05	2	7	7	11	83
GOV06	0	0	0	0	0
GOV06	1	7	1	-2	58
GOV06	2	15	2	-2	38
BEH01	0	0	0	0	0
BEH01	1	3	4	4	86
BEH01	2	5	6	7	84
BEH02	0	0	0	0	0
BEH02	1	5	6	6	82
BEH02	2	10	11	11	76
BEH03	0	0	0	0	0
BEH03	1	3	4	4	85
BEH03	2	5	6	7	80
BEH04	0	0	0	0	0
BEH04	1	4	4	5	76
BEH04	2	8	7	10	74
BEH05	0	0	0	0	0
BEH05	1	5	2	5	80
BEH05	2	11	3	11	86
BEH06	0	0	0	0	0
BEH06	1	3	2	-2	60
BEH06	2	5	3	-2	40
RES01	0	0	0	0	0
RES01	1	5	7	3	58
RES01	2	12	16	4	42
RES02	0	0	0	0	0
RES02	1	4	6	-2	52
RES02	2	10	13	-2	32
RES03	0	0	0	0	0
RES03	1	4	6	4	68
RES03	2	7	10	6	62
RES04	0	0	0	0	0

ID	Level	C	R	S	A
RES04	1	4	5	3	62
RES04	2	8	10	5	52
RES05	0	0	0	0	0
RES05	1	5	6	3	55
RES05	2	10	13	4	40
RES06	0	0	0	0	0
RES06	1	6	8	-2	45
RES06	2	15	18	-2	25

B. Concentration rules

A row triggers when dominant share is strictly greater than the listed threshold AND combined complement share is strictly less than the minimum. Shares use capable active effective-level capital costs. Triggered R/S effects sum; coherence is −12 if any row triggers.

Rule / dominant	Threshold	Complements	Minimum	R	S
INF_CONC / Infrastructure	0.35	Operations+Preparedness+Governance	0.3	-1	-4
OPS_CONC / Operations	0.35	Infrastructure+Preparedness+Governance	0.3	-2	-3
PRE_CONC / Preparedness	0.35	Infrastructure+Operations	0.25	-4	-2
GOV_CONC / Governance	0.35	Infrastructure+Operations+Preparedness	0.3	-4	-1
BEH_CONC / Behavioural	0.35	Infrastructure+Operations+Preparedness	0.3	-4	-3
RES_CONC / Restrictive	0.35	Operations+Preparedness+Governance	0.3	-1	-5

C. Complete authored pair register

Source: M `interactions[]`. R/S are signed pair values before level intensity and positive caps. A missing pair has no authored pair effect. Pair intensity is L1×L2/4 for positive values and at least 0.5 for negative values. Entries with a negative component never provide a coordination spanning-link bonus. The canonical source contains private Italian rationale notes; this public numerical table preserves their coefficients without treating those notes as independent scientific references.

First ID	Second ID	R interaction	S interaction
INF01	INF02	2	0
INF01	INF03	3	2
INF01	INF05	3	2
INF01	OPS02	2	0
INF01	OPS05	2	0
INF01	OPS06	-1	0
INF01	PRE04	2	0

First ID	Second ID	R interaction	S interaction
INF01	GOV01	0	1
INF01	GOV02	0	1
INF01	GOV03	2	2
INF01	GOV04	2	2
INF01	GOV05	0	1
INF01	GOV06	-3	-2
INF01	BEH01	1	0
INF01	RES03	2	0
INF02	INF04	3	2
INF02	INF06	2	2
INF02	OPS01	2	0
INF02	OPS04	2	0
INF02	OPS06	-2	-1
INF02	GOV01	0	1
INF02	GOV02	0	1
INF02	GOV03	2	2
INF02	GOV04	2	2
INF02	GOV05	0	1
INF02	GOV06	-3	-2
INF03	INF05	3	0
INF03	OPS02	2	0
INF03	OPS05	2	0
INF03	OPS06	-1	0
INF03	PRE01	1	0
INF03	PRE02	1	0
INF03	PRE04	3	1
INF03	GOV01	0	1
INF03	GOV02	0	1
INF03	GOV03	2	2
INF03	GOV04	2	2
INF03	GOV05	0	1
INF03	GOV06	-3	-2
INF03	BEH01	1	0
INF03	BEH03	1	0
INF03	RES03	2	0
INF03	RES04	2	0
INF04	INF06	3	2

First ID	Second ID	R interaction	S interaction
INF04	OPS01	2	0
INF04	OPS04	2	0
INF04	OPS06	-2	-1
INF04	GOV01	0	1
INF04	GOV02	0	1
INF04	GOV03	2	2
INF04	GOV04	2	2
INF04	GOV05	0	1
INF04	GOV06	-3	-2
INF05	OPS06	-1	0
INF05	PRE01	1	0
INF05	PRE02	1	0
INF05	PRE04	3	1
INF05	GOV01	0	1
INF05	GOV02	0	1
INF05	GOV03	2	2
INF05	GOV04	2	2
INF05	GOV05	0	1
INF05	GOV06	-3	-2
INF05	BEH01	1	0
INF05	BEH03	2	0
INF05	RES04	2	0
INF06	OPS06	-2	-1
INF06	GOV01	0	1
INF06	GOV02	0	1
INF06	GOV03	2	2
INF06	GOV04	2	2
INF06	GOV05	0	1
INF06	GOV06	-3	-2
OPS01	OPS02	2	0
OPS01	OPS04	3	2
OPS01	OPS05	2	0
OPS01	OPS06	-2	-1
OPS01	PRE01	1	0
OPS01	GOV01	0	2
OPS01	GOV05	0	1
OPS01	GOV06	-2	-2

First ID	Second ID	R interaction	S interaction
OPS01	BEH03	2	0
OPS01	RES01	2	0
OPS01	RES02	-1	-1
OPS01	RES06	-2	-2
OPS02	OPS03	2	2
OPS02	OPS05	3	2
OPS02	OPS06	-2	-1
OPS02	PRE01	1	0
OPS02	GOV01	0	2
OPS02	GOV05	0	3
OPS02	GOV06	-2	-2
OPS02	BEH03	2	0
OPS02	RES01	2	0
OPS02	RES02	-2	-2
OPS02	RES05	2	0
OPS02	RES06	-2	-2
OPS03	OPS05	2	0
OPS03	OPS06	-2	-1
OPS03	GOV06	-2	-2
OPS03	RES01	3	2
OPS03	RES02	3	2
OPS03	RES05	3	2
OPS03	RES06	-1	-2
OPS04	OPS05	2	2
OPS04	OPS06	-2	-1
OPS04	PRE01	2	0
OPS04	PRE04	2	0
OPS04	PRE06	-1	-1
OPS04	GOV01	0	2
OPS04	GOV02	0	3
OPS04	GOV05	0	1
OPS04	GOV06	-2	-2
OPS05	OPS06	-2	-1
OPS05	PRE01	1	0
OPS05	GOV01	0	2
OPS05	GOV05	0	1
OPS05	GOV06	-2	-2

First ID	Second ID	R interaction	S interaction
OPS05	BEH03	2	0
OPS05	RES01	2	0
OPS05	RES02	-1	-1
OPS05	RES05	2	0
OPS05	RES06	-2	-2
OPS06	PRE04	-1	-1
OPS06	GOV01	0	-2
OPS06	GOV02	0	-2
OPS06	GOV03	0	-1
OPS06	GOV04	0	-1
OPS06	GOV05	0	-2
OPS06	BEH02	-1	-1
PRE01	PRE02	2	3
PRE01	PRE03	2	2
PRE01	PRE04	3	3
PRE01	PRE05	0	2
PRE01	PRE06	0	1
PRE01	GOV05	0	2
PRE01	GOV06	0	-2
PRE01	BEH01	3	0
PRE01	BEH03	3	0
PRE01	BEH04	0	1
PRE01	BEH05	0	1
PRE01	BEH06	-1	-1
PRE01	RES01	2	0
PRE01	RES02	2	1
PRE01	RES03	2	0
PRE01	RES04	2	0
PRE01	RES05	2	0
PRE01	RES06	0	-2
PRE02	PRE03	2	3
PRE02	PRE04	2	2
PRE02	PRE05	0	3
PRE02	PRE06	0	1
PRE02	GOV05	0	3
PRE02	GOV06	0	-2
PRE02	BEH04	0	1

First ID	Second ID	R interaction	S interaction
PRE02	BEH05	0	1
PRE02	BEH06	-1	-1
PRE02	RES01	2	0
PRE02	RES02	2	1
PRE02	RES03	2	0
PRE02	RES04	2	0
PRE02	RES05	2	0
PRE02	RES06	0	-2
PRE03	PRE04	2	3
PRE03	PRE05	0	3
PRE03	PRE06	0	1
PRE03	GOV06	0	-2
PRE03	BEH02	3	3
PRE03	BEH03	3	0
PRE03	BEH06	-2	-2
PRE03	RES01	2	0
PRE03	RES02	-2	-2
PRE03	RES05	2	0
PRE04	PRE05	0	2
PRE04	PRE06	-1	-1
PRE04	GOV02	0	2
PRE04	GOV06	0	-2
PRE04	BEH02	3	3
PRE04	BEH04	0	1
PRE04	BEH05	0	1
PRE04	BEH06	-2	-2
PRE04	RES02	-2	-2
PRE04	RES04	3	2
PRE05	PRE06	0	1
PRE05	GOV06	0	-2
PRE05	RES01	1	0
PRE05	RES03	1	0
PRE05	RES05	1	0
PRE06	GOV02	0	-1
PRE06	GOV05	0	-1
PRE06	BEH02	-1	-1
PRE06	BEH05	0	-1

First ID	Second ID	R interaction	S interaction
GOV01	GOV02	0	3
GOV01	GOV03	0	3
GOV01	GOV04	0	2
GOV01	GOV05	0	3
GOV01	GOV06	-2	-3
GOV01	BEH01	0	1
GOV01	BEH04	0	1
GOV01	BEH05	0	1
GOV01	BEH06	0	-1
GOV02	GOV03	0	2
GOV02	GOV04	0	2
GOV02	GOV05	0	3
GOV02	GOV06	-2	-3
GOV02	BEH01	0	1
GOV02	BEH04	0	2
GOV02	BEH05	0	3
GOV02	BEH06	0	-1
GOV03	GOV04	0	3
GOV03	GOV05	0	2
GOV03	GOV06	-3	-3
GOV04	GOV05	0	2
GOV04	GOV06	-3	-3
GOV05	GOV06	-2	-3
GOV05	BEH04	0	1
GOV05	BEH05	0	1
GOV05	BEH06	0	-2
GOV05	RES01	0	2
GOV05	RES02	1	2
GOV05	RES05	0	2
GOV05	RES06	0	-3
GOV06	BEH01	0	-2
GOV06	BEH02	0	-2
GOV06	BEH03	0	-2
GOV06	BEH04	0	-2
GOV06	BEH05	0	-2
GOV06	RES01	0	-2
GOV06	RES03	0	-2

First ID	Second ID	R interaction	S interaction
GOV06	RES04	0	-2
GOV06	RES05	0	-2
BEH01	BEH02	0	2
BEH01	BEH03	2	0
BEH01	BEH04	0	2
BEH01	BEH05	0	2
BEH01	BEH06	-2	-2
BEH01	RES01	2	0
BEH01	RES02	-1	-1
BEH01	RES03	2	0
BEH01	RES04	2	0
BEH01	RES05	2	0
BEH02	BEH03	2	3
BEH02	BEH04	0	2
BEH02	BEH05	0	2
BEH02	BEH06	-3	-3
BEH02	RES01	1	0
BEH02	RES02	-2	-2
BEH02	RES03	1	0
BEH02	RES04	3	2
BEH02	RES05	1	0
BEH03	BEH04	0	2
BEH03	BEH05	0	1
BEH03	BEH06	-2	-2
BEH03	RES01	2	0
BEH03	RES02	-1	-1
BEH03	RES05	2	0
BEH04	BEH05	0	3
BEH04	BEH06	0	-2
BEH05	BEH06	0	-2
BEH06	RES04	-1	-1
RES01	RES02	-1	-1
RES01	RES03	2	0
RES01	RES04	2	0
RES01	RES05	3	2
RES01	RES06	-2	-2
RES02	RES05	-1	-1

First ID	Second ID	R interaction	S interaction
RES03	RES04	3	2
RES03	RES05	2	0
RES03	RES06	-2	-2
RES04	RES05	2	0
RES04	RES06	-2	-2
RES05	RES06	-2	-2

D. Complete event records

All effects use the order risk / resilience / continuity / acceptability / budget. These are raw synthetic effects; protection, mitigation, amplification, choice and clamps produce the actual snapshot. Event schema 2.2.0 identifies the retained event data, not the application version. Intermediate next-turn effects enter the next opening. Final-event next-turn effects are informational outside the scored horizon.

EVT-V2-PC-01 - Early severe heatwave

Scenario PC; intermediate deck; type climate; weight 1; authored duration metadata 2 turns. Immediate: 8 / -3 / -5 / -1 / 0. Next-turn: 2 / -1 / -1 / 0 / 0.

Compatible tags: warning, planning. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction
warning	3	1	2
planning	3	1	3

All these tags missing	Risk increase	Continuity loss
warning, planning	2	1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[0].

EVT-V2-PC-02 - Cooling-system stress

Scenario PC; intermediate deck; type climate; weight 1; authored duration metadata 2 turns. Immediate: 7 / -3 / -7 / -1 / -3. Next-turn: 2 / -1 / -2 / 0 / -1.

Compatible tags: continuity, monitoring. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction
continuity	3	1	2
monitoring	3	1	3

All these tags missing	Risk increase	Continuity loss
continuity, monitoring	2	1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[1].

EVT-V2-PC-03 - Procurement delay

Scenario PC; intermediate deck; type operational; weight 1; authored duration metadata 2 turns. Immediate: 3 / -2 / -5 / -1 / -6. Next-turn: 1 / -1 / -2 / 0 / -2.

Compatible tags: vulnerable-support, awareness. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction
vulnerable-support	3	1	2
awareness	3	1	3

All these tags missing	Risk increase	Continuity loss
vulnerable-support, awareness	2	1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[2].

EVT-V2-PC-04 - Public demand for visible action

Scenario PC; intermediate deck; type operational; weight 1; authored duration metadata 2 turns. Immediate: 2 / -1 / -2 / -5 / 0. Next-turn: 1 / 0 / -1 / -2 / 0.

Compatible tags: cooling, shelter. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction
cooling	3	1	2
shelter	3	1	3

All these tags missing	Risk increase	Continuity loss
cooling, shelter	2	1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[3].

EVT-V2-PC-05 - Resistance to repeated restrictions

Scenario PC; intermediate deck; type social; weight 1; authored duration metadata 2 turns. Immediate: 1 / -1 / -2 / -7 / 0. Next-turn: 0 / 0 / -1 / -3 / 0.

Compatible tags: warning, planning. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction
warning	3	1	2
planning	3	1	3

All these tags missing	Risk increase	Continuity loss
warning, planning	2	1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[4].

EVT-V2-PC-06 - Emergency coordination opportunity

Scenario PC; intermediate deck; type social; weight 1; authored duration metadata 1 turns. Immediate: -2 / 3 / 3 / 2 / -1. Next-turn: -1 / 2 / 1 / 1 / 0.

Compatible tags: continuity, monitoring. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction
planning	1	1	1
monitoring	1	1	1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[5].

EVT-V2-PC-07 - Supplementary adaptation funding

Scenario PC; intermediate deck; type opportunity; weight 1; authored duration metadata 1 turns. Immediate: 0 / 0 / 0 / 0 / 0. Next-turn: 0 / 0 / 0 / 0 / 0.

Compatible tags: vulnerable-support, awareness. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction

Choice ID	Label	Immediate vector	Next-turn vector
EVT-V2-PC-07-A	Match funds for priority works	-2 / 1 / 1 / -1 / 9	-1 / 1 / 1 / -1 / -3
EVT-V2-PC-07-B	Fund delivery capacity	0 / 2 / 0 / 1 / 5	-1 / 3 / 1 / 1 / -1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[6].

EVT-V2-PC-08 - Interdepartmental mobilisation

Scenario PC; intermediate deck; type opportunity; weight 1; authored duration metadata 1 turns. Immediate: 0 / 0 / 0 / 0 / 0. Next-turn: 0 / 0 / 0 / 0 / 0.

Compatible tags: cooling, shelter. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction

Choice ID	Label	Immediate vector	Next-turn vector
EVT-V2-PC-08-A	Create a paid surge roster	-2 / 0 / 4 / -1 / -4	0 / -1 / 2 / 0 / -2
EVT-V2-PC-08-B	Build a shared response protocol	0 / 2 / 1 / 1 / -2	-1 / 3 / 1 / 1 / -2

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[7].

EVT-V2-PC-09 - Compound heat and service-continuity stress

Scenario PC; final deck; type compound; weight 1; authored duration metadata 1 turns. Immediate: 12 / -6 / -9 / -3 / -2. Next-turn: 0 / 0 / 0 / 0 / 0.

Compatible tags: warning, planning. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction
warning	5	1	2
planning	4	1	3

All these tags missing	Risk increase	Continuity loss
warning, planning	2	1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[8].

EVT-V2-PC-10 - Grid-pressure emergency

Scenario PC; final deck; type compound; weight 1; authored duration metadata 1 turns. Immediate: 10 / -5 / -11 / -2 / -5. Next-turn: 0 / 0 / 0 / 0 / 0.

Compatible tags: continuity, monitoring. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction
continuity	5	1	2
monitoring	4	1	3

All these tags missing	Risk increase	Continuity loss
continuity, monitoring	2	1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[9].

EVT-V2-PC-11 - Supply-chain disruption

Scenario PC; final deck; type compound; weight 1; authored duration metadata 1 turns. Immediate: 7 / -4 / -7 / -2 / -8. Next-turn: 0 / 0 / 0 / 0 / 0.

Compatible tags: vulnerable-support, awareness. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction
vulnerable-support	5	1	2
awareness	4	1	3

All these tags missing	Risk increase	Continuity loss
vulnerable-support, awareness	2	1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[10].

EVT-V2-PC-12 - Heat-health escalation

Scenario PC; final deck; type compound; weight 1; authored duration metadata 1 turns. Immediate: 14 / -8 / -6 / -5 / -3. Next-turn: 0 / 0 / 0 / 0 / 0.

Compatible tags: cooling, shelter. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction
cooling	5	1	2
shelter	4	1	3

All these tags missing	Risk increase	Continuity loss
cooling, shelter	2	1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[11].

EVT-V2-FF-01 - Staff absence surge

Scenario FF; intermediate deck; type climate; weight 1; authored duration metadata 2 turns. Immediate: 5 / -3 / -8 / -2 / -2. Next-turn: 2 / -1 / -3 / 0 / -1.

Compatible tags: warning, planning. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction
warning	3	1	2
planning	3	1	3

All these tags missing	Risk increase	Continuity loss
warning, planning	2	1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[12].

EVT-V2-FF-02 - Vulnerable-group health incident

Scenario FF; intermediate deck; type climate; weight 1; authored duration metadata 2 turns. Immediate: 10 / -5 / -6 / -4 / -3. Next-turn: 3 / -2 / -2 / -1 / -1.

Compatible tags: continuity, monitoring. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction
continuity	3	1	2
monitoring	3	1	3

All these tags missing	Risk increase	Continuity loss
continuity, monitoring	2	1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[13].

EVT-V2-FF-03 - Basic service failure

Scenario FF; intermediate deck; type operational; weight 1; authored duration metadata 2 turns. Immediate: 7 / -5 / -9 / -2 / -5. Next-turn: 2 / -2 / -3 / 0 / -2.

Compatible tags: vulnerable-support, awareness. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction
vulnerable-support	3	1	2
awareness	3	1	3

All these tags missing	Risk increase	Continuity loss
vulnerable-support, awareness	2	1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[14].

EVT-V2-FF-04 - Supplier price shock

Scenario FF; intermediate deck; type operational; weight 1; authored duration metadata 2 turns. Immediate: 3 / -2 / -4 / -2 / -9. Next-turn: 1 / -1 / -1 / 0 / -4.

Compatible tags: cooling, shelter. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction
cooling	3	1	2
shelter	3	1	3

All these tags missing	Risk increase	Continuity loss
cooling, shelter	2	1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[15].

EVT-V2-FF-05 - Community mutual-aid

Scenario FF; intermediate deck; type social; weight 1; authored duration metadata 2 turns. Immediate: -2 / 2 / 3 / 3 / 0. Next-turn: -1 / 1 / 1 / 1 / 0.

Compatible tags: warning, planning. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction
warning	3	1	2
planning	3	1	3

All these tags missing	Risk increase	Continuity loss
warning, planning	2	1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[16].

EVT-V2-FF-06 - Health-service partnership

Scenario FF; intermediate deck; type social; weight 1; authored duration metadata 1 turns. Immediate: -2 / 3 / 2 / 2 / -1. Next-turn: -1 / 2 / 1 / 1 / -1.

Compatible tags: continuity, monitoring. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction
planning	1	1	1
monitoring	1	1	1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[17].

EVT-V2-FF-07 - Targeted small grant

Scenario FF; intermediate deck; type opportunity; weight 1; authored duration metadata 1 turns. Immediate: 0 / 0 / 0 / 0 / 0. Next-turn: 0 / 0 / 0 / 0 / 0.

Compatible tags: vulnerable-support, awareness. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction

Choice ID	Label	Immediate vector	Next-turn vector
EVT-V2-FF-07-A	Close an essential-equipment gap	-2 / 1 / 3 / 0 / 5	0 / 1 / 1 / 0 / -2
EVT-V2-FF-07-B	Back community readiness	-1 / 1 / 1 / 2 / 3	-1 / 3 / 1 / 2 / -1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[18].

EVT-V2-FF-08 - Emergency volunteer mobilisation

Scenario FF; intermediate deck; type opportunity; weight 1; authored duration metadata 1 turns. Immediate: 0 / 0 / 0 / 0 / 0. Next-turn: 0 / 0 / 0 / 0 / 0.

Compatible tags: cooling, shelter. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction

Choice ID	Label	Immediate vector	Next-turn vector
EVT-V2-FF-08-A	Deploy a rapid volunteer roster	-1 / 0 / 4 / 1 / -2	0 / -1 / 1 / 0 / -1
EVT-V2-FF-08-B	Train a smaller support network	0 / 2 / 1 / 2 / -3	-1 / 3 / 1 / 1 / -1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[19].

EVT-V2-FF-09 - Severe heatwave under scarcity

Scenario FF; final deck; type compound; weight 1; authored duration metadata 1 turns. Immediate: 14 / -8 / -9 / -3 / -5. Next-turn: 0 / 0 / 0 / 0 / 0.

Compatible tags: warning, planning. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction
warning	5	1	2
planning	4	1	3

All these tags missing	Risk increase	Continuity loss
warning, planning	2	1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[20].

EVT-V2-FF-10 - Equipment outage

Scenario FF; final deck; type compound; weight 1; authored duration metadata 1 turns. Immediate: 8 / -6 / -12 / -2 / -7. Next-turn: 0 / 0 / 0 / 0 / 0.

Compatible tags: continuity, monitoring. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction
continuity	5	1	2
monitoring	4	1	3

All these tags missing	Risk increase	Continuity loss
continuity, monitoring	2	1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[21].

EVT-V2-FF-11 - Water disruption

Scenario FF; final deck; type compound; weight 1; authored duration metadata 1 turns. Immediate: 11 / -5 / -10 / -4 / -6. Next-turn: 0 / 0 / 0 / 0 / 0.

Compatible tags: vulnerable-support, awareness. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction
vulnerable-support	5	1	2
awareness	4	1	3

All these tags missing	Risk increase	Continuity loss
vulnerable-support, awareness	2	1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[22].

EVT-V2-FF-12 - Compound staffing stress

Scenario FF; final deck; type compound; weight 1; authored duration metadata 1 turns. Immediate: 7 / -7 / -13 / -3 / -4. Next-turn: 0 / 0 / 0 / 0 / 0.

Compatible tags: cooling, shelter. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction
cooling	5	1	2
shelter	4	1	3

All these tags missing	Risk increase	Continuity loss
cooling, shelter	2	1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[23].

EVT-V2-CZ-01 - Spending scrutiny

Scenario CZ; intermediate deck; type climate; weight 1; authored duration metadata 2 turns. Immediate: 1 / -1 / -1 / -6 / -2. Next-turn: 0 / 0 / 0 / -2 / 0.

Compatible tags: warning, planning. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction
warning	3	1	2
planning	3	1	3

All these tags missing	Risk increase	Continuity loss
warning, planning	2	1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[24].

EVT-V2-CZ-02 - Resistance to disruption

Scenario CZ; intermediate deck; type climate; weight 1; authored duration metadata 2 turns. Immediate: 2 / -1 / -3 / -7 / 0. Next-turn: 0 / 0 / -1 / -3 / 0.

Compatible tags: continuity, monitoring. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction
continuity	3	1	2
monitoring	3	1	3

All these tags missing	Risk increase	Continuity loss
continuity, monitoring	2	1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[25].

EVT-V2-CZ-03 - Mild season complacency

Scenario CZ; intermediate deck; type operational; weight 1; authored duration metadata 2 turns. Immediate: 3 / -4 / -1 / -1 / 0. Next-turn: 2 / -2 / 0 / 0 / 0.

Compatible tags: vulnerable-support, awareness. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction
vulnerable-support	3	1	2
awareness	3	1	3

All these tags missing	Risk increase	Continuity loss
vulnerable-support, awareness	2	1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[26].

EVT-V2-CZ-04 - Long-range risk forecast

Scenario CZ; intermediate deck; type operational; weight 1; authored duration metadata 2 turns. Immediate: 5 / 1 / -1 / -1 / 0. Next-turn: 2 / 1 / 0 / 0 / 0.

Compatible tags: cooling, shelter. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction
cooling	3	1	2
shelter	3	1	3

All these tags missing	Risk increase	Continuity loss
cooling, shelter	2	1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[27].

EVT-V2-CZ-05 - Favourable procurement window

Scenario CZ; intermediate deck; type social; weight 1; authored duration metadata 2 turns. Immediate: -1 / 2 / 2 / 1 / 5. Next-turn: 0 / 1 / 1 / 0 / 2.

Compatible tags: warning, planning. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction
warning	3	1	2
planning	3	1	3

All these tags missing	Risk increase	Continuity loss
warning, planning	2	1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[28].

EVT-V2-CZ-06 - Monitoring partnership

Scenario CZ; intermediate deck; type social; weight 1; authored duration metadata 1 turns. Immediate: -2 / 4 / 1 / 2 / -2. Next-turn: -1 / 2 / 1 / 1 / -1.

Compatible tags: continuity, monitoring. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction
planning	1	1	1
monitoring	1	1	1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[29].

EVT-V2-CZ-07 - Insurance incentive

Scenario CZ; intermediate deck; type opportunity; weight 1; authored duration metadata 1 turns. Immediate: 0 / 0 / 0 / 0 / 0. Next-turn: 0 / 0 / 0 / 0 / 0.

Compatible tags: vulnerable-support, awareness. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction

Choice ID	Label	Immediate vector	Next-turn vector
EVT-V2-CZ-07-A	Take the premium rebate	0 / 0 / 0 / -1 / 7	0 / 1 / 0 / 0 / -2
EVT-V2-CZ-07-B	Choose resilience-linked cover	-1 / 2 / 1 / 0 / 2	-1 / 2 / 2 / 1 / -1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[30].

EVT-V2-CZ-08 - Reversible pilot window

Scenario CZ; intermediate deck; type opportunity; weight 1; authored duration metadata 1 turns. Immediate: 0 / 0 / 0 / 0 / 0. Next-turn: 0 / 0 / 0 / 0 / 0.

Compatible tags: cooling, shelter. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction

Choice ID	Label	Immediate vector	Next-turn vector
EVT-V2-CZ-08-A	Run a technical pilot	-1 / 1 / -1 / 0 / -5	-2 / 3 / 1 / 0 / -1
EVT-V2-CZ-08-B	Run a co-designed pilot	0 / 1 / 0 / 2 / -3	-1 / 2 / 0 / 2 / -1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[31].

EVT-V2-CZ-09 - Preparedness stress test

Scenario CZ; final deck; type compound; weight 1; authored duration metadata 1 turns. Immediate: 7 / -4 / -5 / -2 / -1. Next-turn: 0 / 0 / 0 / 0 / 0.

Compatible tags: warning, planning. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction
warning	5	1	2
planning	4	1	3

All these tags missing	Risk increase	Continuity loss
warning, planning	2	1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[32].

EVT-V2-CZ-10 - Budget-audit challenge

Scenario CZ; final deck; type compound; weight 1; authored duration metadata 1 turns. Immediate: 2 / -2 / -2 / -8 / -6. Next-turn: 0 / 0 / 0 / 0 / 0.

Compatible tags: continuity, monitoring. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction
continuity	5	1	2
monitoring	4	1	3

All these tags missing	Risk increase	Continuity loss
continuity, monitoring	2	1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[33].

EVT-V2-CZ-11 - Heat anomaly

Scenario CZ; final deck; type compound; weight 1; authored duration metadata 1 turns. Immediate: 9 / -3 / -5 / -2 / -2. Next-turn: 0 / 0 / 0 / 0 / 0.

Compatible tags: vulnerable-support, awareness. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction
vulnerable-support	5	1	2
awareness	4	1	3

All these tags missing	Risk increase	Continuity loss
vulnerable-support, awareness	2	1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[34].

EVT-V2-CZ-12 - Compound confidence shock

Scenario CZ; final deck; type compound; weight 1; authored duration metadata 1 turns. Immediate: 5 / -4 / -4 / -9 / -3. Next-turn: 0 / 0 / 0 / 0 / 0.

Compatible tags: cooling, shelter. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction
cooling	5	1	2
shelter	4	1	3

All these tags missing	Risk increase	Continuity loss
cooling, shelter	2	1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[35].

EVT-V2-SR-01 - Hidden indoor exposure

Scenario SR; intermediate deck; type climate; weight 1; authored duration metadata 2 turns. Immediate: 7 / -4 / -4 / -2 / 0. Next-turn: 3 / -2 / -2 / -1 / 0.

Compatible tags: warning, planning. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction
warning	3	1	2
planning	3	1	3

All these tags missing	Risk increase	Continuity loss
warning, planning	2	1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[36].

EVT-V2-SR-02 - Delayed case detection

Scenario SR; intermediate deck; type climate; weight 1; authored duration metadata 2 turns. Immediate: 6 / -5 / -3 / -2 / -1. Next-turn: 4 / -2 / -1 / -1 / 0.

Compatible tags: continuity, monitoring. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction
continuity	3	1	2
monitoring	3	1	3

All these tags missing	Risk increase	Continuity loss
continuity, monitoring	2	1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[37].

EVT-V2-SR-03 - Weak warning signal

Scenario SR; intermediate deck; type operational; weight 1; authored duration metadata 2 turns. Immediate: 5 / -3 / -5 / -2 / 0. Next-turn: 3 / -2 / -2 / 0 / 0.

Compatible tags: vulnerable-support, awareness. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction
vulnerable-support	3	1	2
awareness	3	1	3

All these tags missing	Risk increase	Continuity loss
vulnerable-support, awareness	2	1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[38].

EVT-V2-SR-04 - Decision-maker complacency

Scenario SR; intermediate deck; type operational; weight 1; authored duration metadata 2 turns. Immediate: 3 / -4 / -2 / -2 / 0. Next-turn: 3 / -2 / -1 / -1 / 0.

Compatible tags: cooling, shelter. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction
cooling	3	1	2
shelter	3	1	3

All these tags missing	Risk increase	Continuity loss
cooling, shelter	2	1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[39].

EVT-V2-SR-05 - Reporting network

Scenario SR; intermediate deck; type social; weight 1; authored duration metadata 2 turns. Immediate: -2 / 3 / 1 / 3 / -1. Next-turn: -1 / 2 / 1 / 1 / 0.

Compatible tags: warning, planning. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction
warning	3	1	2
planning	3	1	3

All these tags missing	Risk increase	Continuity loss
warning, planning	2	1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[40].

EVT-V2-SR-06 - Public-health data partnership

Scenario SR; intermediate deck; type social; weight 1; authored duration metadata 1 turns. Immediate: -3 / 4 / 1 / 2 / -2. Next-turn: -2 / 2 / 1 / 1 / -1.

Compatible tags: continuity, monitoring. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction
planning	1	1	1
monitoring	1	1	1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[41].

EVT-V2-SR-07 - Low-cost monitoring

Scenario SR; intermediate deck; type opportunity; weight 1; authored duration metadata 1 turns. Immediate: 0 / 0 / 0 / 0 / 0. Next-turn: 0 / 0 / 0 / 0 / 0.

Compatible tags: vulnerable-support, awareness. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction

Choice ID	Label	Immediate vector	Next-turn vector
EVT-V2-SR-07-A	Install a calibrated sensor sample	-1 / 1 / 0 / 0 / -3	-2 / 2 / 1 / 0 / -1
EVT-V2-SR-07-B	Open a reporting route	0 / 1 / 0 / 2 / -1	-1 / 2 / 1 / 2 / -1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[42].

EVT-V2-SR-08 - Community awareness trigger

Scenario SR; intermediate deck; type opportunity; weight 1; authored duration metadata 1 turns. Immediate: 0 / 0 / 0 / 0 / 0. Next-turn: 0 / 0 / 0 / 0 / 0.

Compatible tags: cooling, shelter. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction

Choice ID	Label	Immediate vector	Next-turn vector
EVT-V2-SR-08-A	Hold targeted briefings	-1 / 0 / 1 / 2 / -1	-1 / 2 / 1 / 1 / -1
EVT-V2-SR-08-B	Form a peer observation network	0 / 1 / 0 / 3 / -2	-1 / 3 / 1 / 2 / -1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[43].

EVT-V2-SR-09 - Latent-vulnerability stress

Scenario SR; final deck; type compound; weight 1; authored duration metadata 1 turns. Immediate: 10 / -7 / -7 / -3 / -2. Next-turn: 0 / 0 / 0 / 0 / 0.

Compatible tags: warning, planning. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction
warning	5	1	2
planning	4	1	3

All these tags missing	Risk increase	Continuity loss
warning, planning	2	1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[44].

EVT-V2-SR-10 - Sensor failure

Scenario SR; final deck; type compound; weight 1; authored duration metadata 1 turns. Immediate: 7 / -6 / -5 / -2 / -4. Next-turn: 0 / 0 / 0 / 0 / 0.

Compatible tags: continuity, monitoring. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction
continuity	5	1	2
monitoring	4	1	3

All these tags missing	Risk increase	Continuity loss
continuity, monitoring	2	1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[45].

EVT-V2-SR-11 - Late heat alert

Scenario SR; final deck; type compound; weight 1; authored duration metadata 1 turns. Immediate: 12 / -5 / -9 / -4 / -2. Next-turn: 0 / 0 / 0 / 0 / 0.

Compatible tags: vulnerable-support, awareness. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction
vulnerable-support	5	1	2
awareness	4	1	3

All these tags missing	Risk increase	Continuity loss
vulnerable-support, awareness	2	1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[46].

EVT-V2-SR-12 - Compound hidden-risk event

Scenario SR; final deck; type compound; weight 1; authored duration metadata 1 turns. Immediate: 11 / -8 / -8 / -5 / -3. Next-turn: 0 / 0 / 0 / 0 / 0.

Compatible tags: cooling, shelter. Exclusion tags: none.

Mitigation tags (any match)	Risk reduction	Resilience protection	Continuity reduction
cooling	5	1	2
shelter	4	1	3

All these tags missing	Risk increase	Continuity loss
cooling, shelter	2	1

Source/assumption: V2.2 owner-approved event/choice workstream; scenario narrative and synthetic gameplay calibration assumption.. Source key: E events[47].

E. Damage adapter

The runtime adds structural damage metadata to six retained event records. Exactly one eligible capable permanent/persistent item can be selected, ordered by effective level descending, completed-event count descending and stable ID. The repair price is the item's explicit price. Recorded duration does not implement automatic recovery.

Event suffix	Eligible tags	Severity	Duration metadata
PC-02	continuity, monitoring	moderate	2
PC-10	continuity, monitoring	severe	1
FF-03	vulnerable-support, awareness	moderate	2
FF-10	continuity, monitoring	severe	1
FF-11	vulnerable-support, awareness	severe	1
SR-10	continuity, monitoring	severe	1

All event IDs above start with EVT-V2-. Authority: D `DAMAGE_RULES` and `applyDamage`; these values are not copied from an obsolete event workbook.

Coordination correction and exact rule identity

Owner decision DEC-G2-20260926-001 authorises canonical interaction lookup by the sorted intervention IDs. The earlier implementation missed 107 of 272 authored pair keys because their

stored order differed from the lookup order. Both positive connectivity and conflict diagnostics now use all applicable authored records; pair payoff coefficients, model values and event data are unchanged. Multi-operation effectiveness and downstream results can change. This is not a V1 numerical model.

Current rule revision: `engine-v2.3.0-active-score-rebalance-coordination-v2`. Compatibility fingerprint: `rules-v2.3.0-coordination-pair-normalisation-2026-09-26.1`. Application version 2.5.0 and model version V2-2.3.0 alone do not identify these rules. The separate G1 run03 handoff records qualification results and the exact tested files for the corrected implementation. Earlier saves with the old rule fingerprint are rejected. No automatic migration or inherited statistical acceptance is claimed.