exp/clt

Dom Foord

05/07/2021

Overview

The purpose of this data analysis is to investigate the exponential distribution and compare it to the Central Limit Theorem. For this analysis, the lambda will be set to 0.2 for all of the simulations. This investigation will compare the distribution of averages of 40 exponential distributions over 1000 simulations.

Simulations

Set the simulation variables lambda, exponentials, and seed.

```
ECHO=TRUE
set.seed(1337)
lambda = 0.2
exponentials = 40
```

Run Simulations with variables

```
simMeans = NULL
for (i in 1 : 1000) simMeans = c(simMeans, mean(rexp(exponentials, lambda)))
```

Sample Mean versus Theoretical Mean

Sample Mean Calculating the mean from the simulations with give the sample mean.

```
mean(simMeans)
```

[1] 5.055995

Theoretical Mean The theoretical mean of an exponential distribution is lambda^-1.

```
lambda^-1
```

[1] 5

Comparison There is only a slight difference between the simulations sample mean and the exponential distribution theoretical mean.

```
abs(mean(simMeans)-lambda^-1)
```

[1] 0.05599526

Sample Variance versus Theoretical Variance

Sample Variance Calculating the variance from the simulation means with give the sample variance.

```
var(simMeans)
```

```
## [1] 0.6543703
```

Theoretical Variance The theoretical variance of an exponential distribution is (lambda * sqrt(n))^-2.

```
(lambda * sqrt(exponentials))^-2
```

```
## [1] 0.625
```

Comparison There is only a slight difference between the simulations sample variance and the exponential distribution theoretical variance.

```
abs(var(simMeans)-(lambda * sqrt(exponentials))^-2)
```

```
## [1] 0.0293703
```

Distribution

This is a density histogram of the 1000 simulations. There is an overlay with a normal distribution that has a mean of lambda $^-1$ and standard deviation of (lambda * sqrt(n)) $^-1$, the theoretical normal distribution for the simulations.

Warning: Ignoring unknown parameters: arg

Plot of the Simulations

