

Experiment No: 7

## SOURCE CODE:

### input.html

```
<!DOCTYPE html>
<html>
<head>
<meta charset="UTF-8">
<title>Login Page</title>
</head>
<body>
<form method="get" action="HelloServlet">
<pre>
Enter your name: <input type="text" name=t1>
<input type=submit>
<input type=reset>
</pre>
</form>
</body>
</html>
```

### HelloServlet.java

```
import java.io.IOException;
import java.io.PrintWriter;
import javax.servlet.ServletException;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;

/**
 * Servlet implementation class HelloServlet
 */
public class HelloServlet extends HttpServlet {
    private static final long serialVersionUID = 1L;

    /**
     * @see HttpServlet#HttpServlet()
     */
}
```

```

public HelloServlet() {
    super();
    // TODO Auto-generated constructor stub
}


/**
 * @see HttpServlet#doGet(HttpServletRequest request, HttpServletResponse response)
 */
protected void doGet(HttpServletRequest request, HttpServletResponse response) throws
ServletException, IOException {
    // TODO Auto-generated method stub
    PrintWriter pw=response.getWriter();
    String s=request.getParameter("t1");
    pw.println("<h1>Hello,"+s);
    pw.close();
}

/**
 * @see HttpServlet#doPost(HttpServletRequest request, HttpServletResponse response)
 */
protected void doPost(HttpServletRequest request, HttpServletResponse response) throws
ServletException, IOException {
    // TODO Auto-generated method stub
    doGet(request, response);
}

}

```

## Output:




← → ↻ ⓘ localhost:8080/suj/input.html

☰ CC Teaching Plan.d...

---

Enter your name:



← → ↻ ⓘ localhost:8080/suj/HelloServlet?t1=AJP+1A+Students

☰ CC Teaching Plan.d...

---

# Hello,AJP 1A Students