Contents

1 INTRODUCTION **1**

1.1 OVERVIEW 2

1.2 PROBLEM STATEMENT 3

1.3 OBJECTIVES 4

1.4 MOTIVATION 5

1.5 SCOPE OF THE PROJECT 6

2 LITERATURE SURVEY **7**

2.1 LITERATURE SURVEY 7

2.1.1 Overview of Appointment Booking Systems in Healthcare 8

2.1.2 Low-Latency End-to-End Voice Agents for Telecommunications . 8

2.1.3 Conversational Voice AI Using Real Call Recordings 9

2.1.4 LLM-Based Conversational Agents for Information Collection . . 9

2.1.5 Automatic Speech Recognition for Real-Time Voice Applications . 10

2.1.6 Opus Audio Codec for Real-Time Voice Communication 10

2.1.7 Summary of Literature Survey 11

3 PROJECT REQUIREMENTS **12**

3.1 Software Requirements 12

3.1.1 Development Environment 12

3.1.2 Hardware Requirements 13

3.2 Technologies Used 13

3.2.1 Frontend Technologies 13

3.2.2 Backend Technologies 14
3.2.3 AI Technologies 14
3.2.4 Database Technologies 15
3.2.5 Cloud and Communication Technologies 15
3.2.6 Development Tools 15
3.3 AI Components Used 16
3.3.1 Deepgram Voice Agent 16
3.3.2 Speech-to-Text (STT) 16
3.3.3 Text-to-Speech (TTS) 16
3.3.4 Intent Detection 17
3.3.5 Tool Calling 17
3.3.6 Conversation Flow Management 17
3.3.7 Appointment Scheduling Logic 17
3.4 APIs and External Services 17

4 SYSTEM DESIGN 19

4.1 System Architecture 19
4.2 Database Design 20
4.2.1 User Collection 21
4.2.2 Category Collection 21
4.2.3 Doctor Collection 22
4.2.4 Appointment Collection 22
4.2.5 Admin Collection 22
4.2.6 Database Relationships 22
4.2.7 Appointment Scheduling Method 23
4.3 Use Case Diagram 23

5 SYSTEM IMPLEMENTATION 25

5.1 AI VOICE AGENT 25
5.1.1 Greeting Module 26

5.1.2 Speech Recognition Module 26
5.1.3 Intent Recognition Module 27
5.1.4 Doctor Recommendation Module 28
5.1.5 Doctor Listing Module 28
5.1.6 Appointment Scheduling Module 29
5.1.7 Appointment Management Module 29
5.1.8 Response Generation Module 30
5.1.9 Conversation Context Management 30
5.2 BACKEND IMPLEMENTATION 31
5.2.1 REST API Architecture 31
5.2.2 Business Logic Layer 32
5.2.3 Integration with External Services 33
5.3 DATABASE IMPLEMENTATION 33
5.3.1 User Collection 33
5.3.2 Doctor Collection 34
5.3.3 Category Collection 35
5.3.4 Appointment Collection 35
5.3.5 Database Relationships 36
5.4 AUTHENTICATION MODULE 36
5.4.1 User Registration 36
5.4.2 OTP Verification 36
5.4.3 User Login 37
5.4.4 Session Management 37
5.4.5 Profile Management 38
5.5 MOBILE APPLICATION IMPLEMENTATION 38
5.5.1 Authentication Screens 38
5.5.2 OTP Verification 40
5.5.3 User Profile 41
5.5.4 Home Screen 43

5.5.5 Doctor Listing 44
5.5.6 Doctor Profile 46
5.5.7 Appointment Management 47
5.5.8 Appointment History 49
5.5.9 Mobile Application Summary 50
5.6 ADMIN DASHBOARD IMPLEMENTATION 51
5.6.1 Analytics Dashboard 52
5.6.2 Peak Booking Hour Analysis 52
5.6.3 Doctor Utilization Analysis 53
5.6.4 Monthly Booking Trends 54
5.6.5 Doctor Category Management 55
5.6.6 Doctor Management 56
5.6.7 Doctor Dashboard 58
5.7 NOTIFICATION SYSTEM 58

6 CONCLUSION **60**

6.1 Conclusion 60
6.2 Future Scope 61

List of Figures

4.1 Overall System Architecture of the Voice-based Automated Appointment Booking Agent 19

4.2 Use Case Diagram 24

5.1 Profile Screen Prompting User Login 39

5.2 Login Screen 40

5.3 OTP Verification Screen 41

5.4 User Profile Screen 42

5.5 Application Home Screen 44

5.6 Doctor Listing Screen 45

5.7 Doctor Profile Screen 47

5.8 Appointment Management Screen 49

5.9 Completed Appointment History 50

5.10 Peak Booking Hours 53

5.11 Doctor Utilization Statistics 54

5.12 Monthly Appointment Trends 55

5.13 Doctor Category Management 56

5.14 Doctor Registration Interface 57

5.15 Doctor Dashboard 58

List of Tables

5.1 Major REST API Endpoints 32

CHAPTER 1

INTRODUCTION

The rapid advancement of Artificial Intelligence (AI), cloud computing, and conversational technologies has significantly transformed the healthcare industry. Modern healthcare systems are increasingly adopting intelligent digital solutions to improve patient care, streamline administrative operations, and enhance accessibility. Among these advancements, appointment management plays a crucial role in ensuring the efficient utilization of healthcare resources while providing patients with a seamless experience.

Traditional appointment booking methods rely heavily on manual interaction through phone calls or physical visits to healthcare facilities. These approaches often result in long waiting times, scheduling conflicts, unanswered calls, and increased workload for reception staff. Although web and mobile-based appointment booking systems have improved accessibility, they still require users to navigate multiple screens and manually enter information. Such systems may not be convenient for elderly individuals, visually impaired users, or patients who are unfamiliar with modern digital interfaces.

Recent developments in conversational AI have enabled systems to understand and respond to natural human speech, allowing users to interact with applications through voice rather than conventional graphical interfaces. By integrating Speech-to-Text (STT), Natural Language Processing (NLP), Large Language Models (LLMs), and Text-to-Speech (TTS), intelligent voice assistants are capable of understanding user requests, processing information, and generating human-like responses in real time.

The proposed Voice-based Automated Appointment Booking Agent for Clinics lever-

ages these technologies to provide an intelligent and user-friendly healthcare appointment management solution. The system enables patients to book, reschedule, cancel, and enquire about appointments using natural voice conversations over a telephone call or through a mobile application. Instead of depending entirely on manual receptionist support, the AI-powered agent interacts with users, understands their requirements, checks doctor availability, confirms appointments, and provides instant responses.

The proposed system integrates multiple modern technologies including Twilio for cloud telephony, Deepgram for real-time speech recognition, OpenAI language models for conversational understanding, FastAPI as the backend framework, MongoDB for data management, and React Native for the patient mobile application. These components work together to provide a reliable, scalable, and intelligent appointment booking platform capable of operating continuously without human intervention.

The project aims to improve the accessibility and efficiency of healthcare services by reducing manual effort, minimizing scheduling errors, and providing patients with a natural conversational experience. By combining artificial intelligence with cloud communication technologies, the proposed system contributes towards the digital transformation of healthcare services while improving the overall patient experience.

1.1 OVERVIEW

Healthcare organizations handle a large number of appointment requests every day. Managing these requests manually often becomes challenging, particularly during peak hours when multiple patients attempt to contact the clinic simultaneously. Receptionists are required to answer calls, verify doctor availability, record patient information, schedule appointments, and handle cancellations or rescheduling requests. This repetitive administrative workload consumes valuable time and increases the possibility of human errors.

The proposed Voice-based Automated Appointment Booking Agent introduces an intelligent conversational interface that automates these routine tasks. Instead of interacting with a human receptionist, patients communicate directly with an AI-powered

voice assistant capable of understanding natural language and responding appropriately.

The overall system consists of several integrated components. The patient initiates interaction either by placing a phone call through the clinic's virtual number or by using the mobile application. Incoming voice conversations are handled through the Twilio cloud telephony platform and streamed to the backend server. The backend forwards the audio stream to Deepgram, where speech is converted into text using real-time Speech-to-Text technology.

The recognized text is processed by an AI language model that identifies the user's intent, extracts relevant information such as doctor preference, appointment date, symptoms, or cancellation requests, and determines the appropriate action. The backend then communicates with the MongoDB database to retrieve doctor details, verify appointment availability, update schedules, or perform other requested operations. Finally, the generated response is converted back into speech and delivered to the patient using Text-to-Speech technology, creating a smooth and natural conversational experience.

Apart from voice interaction, the system also provides a React Native mobile application through which patients can browse doctors, view their profiles, manage appointments, receive reminders, and access their booking history. Clinic administrators can manage doctor profiles, categories, schedules, and appointments through an administrative dashboard.

The modular architecture of the system ensures scalability, maintainability, and efficient integration of emerging AI technologies while maintaining high system performance.

1.2 PROBLEM STATEMENT

Appointment scheduling remains one of the most important administrative activities in healthcare institutions. Conventional appointment management systems depend primarily on manual interaction between patients and reception staff. During busy working hours, clinics often receive a large number of phone calls that cannot always be answered immediately. As a result, patients experience long waiting times, missed calls, scheduling

conflicts, and delayed confirmations.

Although online appointment booking applications have simplified certain aspects of healthcare management, these systems still require users to manually navigate complex interfaces. Elderly patients, visually impaired individuals, and users with limited technological knowledge often find these applications difficult to use. Furthermore, most existing systems lack conversational capabilities and are unable to assist users naturally through voice communication.

Healthcare providers also face operational challenges due to repetitive administrative tasks performed by receptionists. Manual appointment management increases staff workload, introduces scheduling errors, and reduces operational efficiency. In addition, clinics frequently experience appointment cancellations and missed appointments because patients do not receive timely reminders or confirmations.

Therefore, there is a need for an intelligent appointment booking system capable of understanding natural voice conversations, automating appointment management, reducing manual intervention, and improving the overall accessibility of healthcare services.

1.3 OBJECTIVES

The primary objective of this project is to develop an AI-powered voice-based appointment booking system that enables patients to interact naturally with healthcare services through voice conversations.

The specific objectives of the project are as follows:

- To develop an intelligent conversational voice assistant capable of handling healthcare appointment requests.
- To integrate Speech-to-Text technology for accurate recognition of patient speech in real time.
- To utilize Artificial Intelligence and Natural Language Processing techniques for identifying user intent and generating meaningful responses.

- To automate appointment booking, cancellation, rescheduling, and enquiry operations.
- To provide a mobile application for patients to manage appointments conveniently.
- To maintain doctor profiles, schedules, and appointment records using a centralized database.
- To integrate cloud telephony services for real-time voice communication.
- To reduce the workload of clinic reception staff while improving operational efficiency.
- To provide patients with an accessible, user-friendly, and contactless appointment booking experience.

1.4 MOTIVATION

Healthcare services are becoming increasingly digital, yet appointment management continues to rely heavily on manual administrative processes. Clinics receive hundreds of appointment-related phone calls every week, requiring dedicated staff to answer queries, schedule appointments, verify doctor availability, and manage cancellations. This repetitive workload consumes valuable time and increases operational costs.

The motivation behind this project is to apply recent advancements in conversational artificial intelligence to solve these practical healthcare challenges. Modern speech recognition systems, cloud telephony platforms, and large language models have made it possible to develop intelligent voice assistants capable of communicating naturally with users.

The proposed system seeks to provide an intuitive appointment booking experience that does not require patients to navigate complex graphical interfaces. Instead, users simply speak naturally, and the AI assistant performs the required operations automatically.

The project also provides an opportunity to explore state-of-the-art technologies such as conversational AI, speech processing, cloud communication services, RESTful APIs, and mobile application development. These technologies are increasingly being adopted across healthcare and customer support industries, making the project highly relevant to current technological trends.

1.5 SCOPE OF THE PROJECT

The scope of the proposed system includes the development of a complete appointment management platform that combines voice interaction, mobile application support, cloud telephony, artificial intelligence, and database management.

The system enables patients to register, browse available doctors, view doctor profiles, schedule appointments, reschedule existing appointments, cancel bookings, and receive appointment confirmations through both voice and mobile interfaces.

The AI voice agent supports natural language conversations, allowing users to request appointments using everyday speech rather than predefined commands. The system processes these requests, checks doctor availability, confirms appointments, and responds conversationally in real time.

The administrative module allows healthcare providers to manage doctor profiles, specializations, appointment schedules, and patient bookings through a centralized dashboard.

Although the current implementation focuses on appointment management for clinics, the system can be extended in the future to support multilingual conversations, hospital management systems, electronic health records, online payment gateways, prescription management, and integration with wearable healthcare devices. These enhancements will further improve the scalability and practical applicability of the proposed solution in modern healthcare environments.

CHAPTER 2

LITERATURE SURVEY

This chapter presents a comprehensive review of the existing research and technologies related to voice-based conversational agents, healthcare appointment management systems, speech recognition, natural language processing, and cloud telephony. The literature survey helps identify the strengths and limitations of current approaches and provides the foundation for the proposed Voice-based Automated Appointment Booking Agent for Clinics.

2.1 LITERATURE SURVEY

Healthcare organizations are increasingly adopting Artificial Intelligence (AI) to improve patient services, automate administrative tasks, and enhance operational efficiency. Among various applications, appointment scheduling remains one of the most repetitive and time-consuming processes. Conventional appointment booking systems often require human intervention or manual interaction through websites and mobile applications. Recent developments in conversational AI, Automatic Speech Recognition (ASR), Large Language Models (LLMs), Text-to-Speech (TTS), and cloud communication platforms have enabled the development of intelligent voice agents capable of understanding natural human conversations and performing complex tasks autonomously.

The following literature reviews summarize significant research works relevant to the proposed system.

2.1.1 Overview of Appointment Booking Systems in Healthcare

Appointment scheduling is an essential administrative activity in hospitals and clinics. Traditional appointment booking methods involve telephone calls or physical visits where receptionists manually verify doctor availability, record patient information, and allocate appointment slots.

Although manual systems are simple to implement, they suffer from several limitations. High patient volumes frequently lead to long waiting times, missed calls, scheduling conflicts, and increased workload for administrative staff. Human errors during appointment entry and communication further reduce efficiency and negatively affect patient satisfaction.

To overcome these challenges, healthcare providers introduced web-based and mobile-based appointment booking systems. These platforms allow patients to select doctors, choose available time slots, and schedule appointments online. While these systems improve scheduling efficiency, they depend heavily on graphical interfaces and require users to manually enter information. Elderly patients, visually impaired individuals, and users with limited digital literacy often find such interfaces difficult to operate.

These limitations have created the need for intelligent conversational systems that allow patients to interact naturally using voice while automating appointment management.

2.1.2 Low-Latency End-to-End Voice Agents for Telecommunications

Ethiraj et al. proposed an end-to-end conversational voice agent architecture that combines Streaming Automatic Speech Recognition (ASR), Quantized Large Language Models (LLMs), and Real-Time Text-to-Speech (TTS) synthesis to support low-latency telecommunication applications.

The proposed architecture processes speech incrementally rather than waiting for complete user utterances. Streaming ASR continuously converts incoming speech into text,

while the language model begins processing partial transcripts before speech completion. Simultaneously, the TTS engine prepares responses for immediate playback, significantly reducing conversational delays.

The authors also demonstrated that quantized LLMs considerably reduce computational requirements while maintaining satisfactory conversational quality. Their findings are directly applicable to healthcare appointment booking systems where fast response time is essential for maintaining natural conversation and improving patient experience.

2.1.3 Conversational Voice AI Using Real Call Recordings

Kaewtawee et al. introduced a methodology for developing conversational voice agents using real-world call recording datasets. Instead of relying entirely on predefined dialogue flows, the proposed approach learns conversational behaviour from historical human conversations.

The study demonstrated improvements in turn-taking, context preservation, interruption handling, and dialogue continuity. Domain-specific training enabled the conversational agent to understand incomplete sentences, ambiguous requests, and natural speaking patterns more effectively than conventional rule-based systems.

This research is particularly relevant to healthcare appointment scheduling where patients frequently communicate using informal language, incomplete information, or spontaneous corrections during conversations.

2.1.4 LLM-Based Conversational Agents for Information Collection

Kaiyrbekov et al. investigated the use of Large Language Model (LLM)-based conversational agents for automated survey collection. Unlike conventional questionnaire systems, conversational agents dynamically adapt their dialogue according to user responses while maintaining conversational context throughout the interaction.

The study showed that LLMs significantly improve user engagement by generating context-aware responses, clarifying ambiguous inputs, and intelligently guiding conversa-

tions. These capabilities enable conversational systems to collect more accurate information without requiring rigid dialogue structures.

The techniques presented in this work are highly applicable to healthcare appointment booking, where patients may express appointment preferences, symptoms, or scheduling constraints using natural language rather than predefined commands.

2.1.5 Automatic Speech Recognition for Real-Time Voice Applications

Automatic Speech Recognition (ASR) has become a fundamental component of modern conversational AI systems. Recent cloud-based ASR services such as Deepgram, Google Speech-to-Text, and Whisper provide highly accurate real-time transcription with low latency.

Streaming ASR enables continuous recognition of speech while users are speaking, thereby reducing waiting time and improving conversational flow. Modern ASR systems also support speaker adaptation, punctuation restoration, noise suppression, and multilingual speech recognition, making them suitable for healthcare environments where audio quality may vary.

For the proposed system, Deepgram Streaming ASR has been selected due to its low latency, high recognition accuracy, and seamless integration with real-time voice communication platforms.

2.1.6 Opus Audio Codec for Real-Time Voice Communication

Valin et al. introduced the Opus audio codec as an efficient compression standard designed specifically for real-time interactive communication. Opus combines high-quality speech encoding with adaptive bitrate control and very low transmission latency.

The codec performs efficiently under varying network conditions and maintains speech clarity even at low bandwidths. Due to these characteristics, Opus has become the standard audio codec for modern Voice over IP (VoIP) systems and cloud telephony platforms.

Its adoption in the proposed appointment booking system ensures smooth audio streaming between Twilio, Deepgram, and the backend server, thereby improving overall conversational quality.

2.1.7 Summary of Literature Survey

The reviewed literature indicates that intelligent healthcare automation requires the seamless integration of Automatic Speech Recognition, Large Language Models, Text-to-Speech synthesis, cloud telephony, and efficient backend services. Existing appointment booking systems improve scheduling efficiency but still depend largely on graphical user interfaces and manual interaction.

Recent research demonstrates that conversational AI significantly enhances user experience by enabling natural human-like interactions, reducing response time, and improving contextual understanding. Streaming ASR, real-time speech synthesis, efficient audio codecs, and modern LLMs provide the technological foundation required for building intelligent voice assistants capable of handling real-world healthcare conversations.

Based on these observations, the proposed Voice-based Automated Appointment Booking Agent combines modern AI technologies with cloud communication services to automate clinic appointment scheduling, reduce administrative workload, improve accessibility for patients, and provide an efficient, natural, and user-friendly healthcare experience.

CHAPTER 3

PROJECT REQUIREMENTS

3.1 Software Requirements

The development of the **Voice-based Automated Appointment Booking Agent for Clinics** requires both software tools and hardware resources to support application development, testing, deployment, and maintenance. The software requirements are listed below.

3.1.1 Development Environment

- Operating System: Windows 10/11
- Visual Studio Code
- Node.js
- Python 3.x
- MongoDB
- Git
- GitHub
- Docker

- Postman
- Ngrok
- npm (Node Package Manager)
- pip (Python Package Installer)
- Google Chrome

3.1.2 Hardware Requirements

- Processor: Intel Core i5 or equivalent
- RAM: Minimum 8 GB
- Storage: Minimum 256 GB SSD
- Stable Internet Connection

3.2 Technologies Used

The proposed system integrates modern web technologies, cloud communication services, and artificial intelligence to automate appointment booking through voice interactions.

3.2.1 Frontend Technologies

React

React is used to develop the administrator dashboard of the system. It provides a component-based architecture that enables reusable user interface components, efficient rendering, and simplified state management. The dashboard allows administrators to manage doctors, appointments, categories, and users through an intuitive interface.

3.2.2 Backend Technologies

Node.js

Node.js is used to develop the backend server responsible for handling REST API requests, managing application logic, and facilitating communication between the frontend and the database.

Python

Python serves as the central orchestration layer of the AI calling agent. It receives real-time voice streams from Twilio, communicates with Deepgram for speech processing, executes business logic, performs database operations, and streams synthesized voice responses back to the caller.

REST APIs

RESTful APIs enable secure communication between the frontend, backend, AI services, and MongoDB database. These APIs are responsible for user authentication, doctor management, appointment scheduling, cancellation, and rescheduling.

3.2.3 AI Technologies

Deepgram Voice Agent

Deepgram Voice Agent provides real-time conversational AI capabilities for the system. It manages the complete voice interaction by understanding user requests, maintaining conversation flow, and coordinating appointment-related operations.

Speech-to-Text (STT)

Deepgram's Speech-to-Text service converts the patient's spoken input into text with low latency and high accuracy, enabling the system to process user requests efficiently.

Text-to-Speech (TTS)

Deepgram's Text-to-Speech engine converts AI-generated responses into natural-sounding speech, allowing patients to interact with the system through voice conversations.

Intent Detection

Deepgram automatically identifies the user's intent, such as appointment booking, cancellation, or rescheduling, allowing the system to execute the appropriate business logic.

Tool Calling

Tool Calling enables the AI agent to invoke backend functions such as checking doctor availability, retrieving appointment information, creating appointments, updating records, and cancelling appointments.

3.2.4 Database Technologies

MongoDB

MongoDB is used as the primary NoSQL database for storing user information, doctor profiles, appointment records, categories, and administrator details. Its flexible document-oriented structure enables efficient storage and retrieval of healthcare-related information.

3.2.5 Cloud and Communication Technologies

Twilio Voice API

Twilio Voice API enables the system to initiate and receive phone calls between patients and the AI voice agent. It acts as the communication gateway connecting users with the appointment booking service.

Twilio Webhooks

Twilio Webhooks facilitate real-time communication between Twilio and the backend server by forwarding call events and voice streams during active conversations.

3.2.6 Development Tools

The following development tools were used during the implementation of the project:

- Visual Studio Code

- Git
- GitHub
- Postman
- Docker
- Ngrok
- npm
- pip

3.3 AI Components Used

The proposed system integrates multiple Artificial Intelligence components to enable natural voice-based interactions between patients and the appointment booking system.

3.3.1 Deepgram Voice Agent

The Deepgram Voice Agent serves as the intelligent conversational engine of the application. It manages dialogue flow, processes user requests, coordinates backend function calls, and generates context-aware responses throughout the conversation.

3.3.2 Speech-to-Text (STT)

Speech-to-Text technology converts the patient's voice into text, enabling the AI system to understand spoken requests in real time.

3.3.3 Text-to-Speech (TTS)

Text-to-Speech technology converts AI-generated responses into natural voice output, providing patients with an interactive and user-friendly conversational experience.

3.3.4 Intent Detection

Intent Detection identifies the purpose of the patient's request by analysing the spoken conversation. The system recognizes appointment booking, cancellation, and rescheduling requests before initiating the corresponding backend operations.

3.3.5 Tool Calling

Tool Calling enables the AI agent to securely invoke backend services and database operations required to complete appointment-related tasks. This allows the conversational agent to perform real-time actions instead of generating static responses.

3.3.6 Conversation Flow Management

Conversation Flow Management maintains contextual information throughout the call. It enables the AI agent to ask follow-up questions, validate user responses, and guide patients through the appointment booking process naturally.

3.3.7 Appointment Scheduling Logic

The appointment scheduling logic verifies doctor availability, retrieves appointment information from the database, updates appointment records, and confirms bookings, cancellations, or rescheduling requests. The complete workflow is executed automatically through coordinated interactions between the AI agent, backend services, and MongoDB database.

3.4 APIs and External Services

The system integrates multiple external services and APIs to support real-time voice communication and appointment management.

- **Twilio Voice API** – Handles inbound and outbound voice calls between patients and the AI agent.

- **Twilio Webhooks** – Enables real-time communication between Twilio and the backend services during voice calls.
- **Deepgram API** – Provides Speech-to-Text, Text-to-Speech, intent detection, conversational AI, and tool-calling capabilities.

...

CHAPTER 4

SYSTEM DESIGN

4.1 System Architecture

The proposed system follows a three-way communication architecture in which the Python server acts as the central orchestration layer. It facilitates seamless communication between **Twilio**, which manages telephony services, and **Deepgram**, which provides real-time voice AI capabilities.




Figure 4.1: Overall System Architecture of the Voice-based Automated Appointment Booking Agent

The end-to-end communication workflow is described as follows:

1. A patient initiates a phone call by dialing the designated clinic phone number.

2. Twilio receives the incoming call and consults its configured TwiML Bin, establishing a secure WebSocket connection to the public server endpoint.

3. During development, **Ngrok** creates a secure tunnel that forwards requests from the public URL to the local Python server running on `localhost:5000`.

4. The Python server accepts the incoming WebSocket connection from Twilio and establishes a persistent WebSocket connection with Deepgram. The AI Voice Agent is initialized using the predefined configuration.

5. As the patient speaks, Twilio continuously streams Base64-encoded audio packets to the Python server. The server decodes the audio and forwards the stream to Deepgram for processing.

6. Deepgram performs real-time Speech-to-Text (STT), identifies the user's intent, processes the conversation through its AI Voice Agent, and generates an appropriate response using Text-to-Speech (TTS). If required, the AI initiates tool calls to execute backend operations.

7. The generated speech or tool-calling request is transmitted back to the Python server.

8. The Python server processes the received payload. Audio responses are encoded and forwarded to Twilio, while tool-calling requests execute the appropriate business logic such as appointment booking, appointment cancellation, appointment rescheduling, and database updates.

9. Finally, Twilio streams the synthesized voice response back to the patient, completing one conversational interaction.

4.2 Database Design

The database design forms the foundation of the **Voice-based Automated Appointment Booking Agent for Clinics**. A structured NoSQL database has been implemented to efficiently store and manage information related to clinic administrators, registered users, doctors, medical categories, and appointment records. The database schema

is designed to ensure data consistency, minimize redundancy, and facilitate efficient retrieval of information during appointment booking, cancellation, and rescheduling.

The system uses **MongoDB**, a document-oriented NoSQL database, for storing and managing application data. MongoDB organizes data into collections containing flexible JSON-like documents, making it well suited for healthcare applications where the data structure may evolve over time.

The application maintains the following primary collections:

- User Collection
- Category Collection
- Doctor Collection
- Appointment Collection

A separate **Admin Collection** is maintained for administrator authentication and dashboard access.

4.2.1 User Collection

The **User Collection** stores information about patients registered in the system. Each registered user is authenticated using mobile number verification before accessing the appointment booking services. This collection enables secure authentication and allows patients to access the voice-based appointment booking service.

4.2.2 Category Collection

The **Category Collection** stores various medical specializations available in the clinic. These categories help organize doctors according to their expertise and allow patients or the AI agent to easily identify suitable doctors during appointment booking.

4.2.3 Doctor Collection

The **Doctor Collection** stores complete information about doctors registered in the system. Each doctor is associated with a specific medical category and contains scheduling information used by the AI agent during appointment booking. This collection is used to display doctor information in the administrator dashboard and enables the AI agent to identify doctors based on specialization and availability.

4.2.4 Appointment Collection

The **Appointment Collection** stores all appointment records created through the Voice-based Automated Appointment Booking Agent. The appointment status indicates whether an appointment has been booked, cancelled, completed, or rescheduled, while the payment status tracks the payment progress associated with the appointment.

4.2.5 Admin Collection

The **Admin Collection** stores administrator credentials used to access the clinic management dashboard. Administrators are responsible for managing doctor categories, doctor profiles, and appointment information.

4.2.6 Database Relationships

Although MongoDB is a NoSQL database, logical relationships are maintained between collections using `ObjectId` references.

The relationships are as follows:

- One Category can be associated with multiple Doctors.
- One Doctor can have multiple Appointments.
- One User can book multiple Appointments.
- Administrators manage Doctors, Categories, and Appointments through the administration dashboard.

These relationships enable efficient retrieval of doctor information, appointment records, and category-based filtering while maintaining data consistency throughout the application.

4.2.7 Appointment Scheduling Method

The appointment scheduling process is integrated with the AI Voice Calling Agent to automate clinic appointment management.

During a voice interaction, the AI agent collects the following information from the patient:

- Preferred Doctor
- Preferred Appointment Date
- Preferred Appointment Time

The AI agent processes the user's request, verifies the doctor's availability, and creates an appointment record in the database. The appointment details are then stored in the **Appointment Collection** and are immediately accessible through the administrator dashboard.

The current implementation supports appointment booking, appointment cancellation, and appointment rescheduling based on the availability of the selected doctor.

4.3 Use Case Diagram




Figure 4.2: Use Case Diagram

CHAPTER 5

SYSTEM IMPLEMENTATION

This chapter presents the implementation details of the proposed Voice-based Automated Appointment Booking Agent for Clinics. The system has been developed using a modular architecture consisting of a mobile application, an AI-powered voice agent, a backend server, a cloud-hosted database, and various third-party cloud services. Each component performs a dedicated function while communicating seamlessly with the others to provide a reliable and intelligent appointment booking experience.

The implementation focuses on automating the complete appointment lifecycle, including authentication, doctor recommendation, appointment scheduling, cancellation, rescheduling, and reminder notifications. The system integrates modern technologies such as React Native, FastAPI, MongoDB Atlas, Twilio, Deepgram, and OpenAI to deliver real-time conversational interactions and efficient healthcare appointment management.

5.1 AI VOICE AGENT

The AI Voice Agent forms the core intelligence of the proposed system. It enables patients to communicate naturally with the appointment booking platform using spoken language rather than traditional graphical interfaces. The agent combines Automatic Speech Recognition (ASR), Natural Language Understanding (NLU), Large Language Models (LLMs), and Text-to-Speech (TTS) technologies to simulate a human-like conversation.

Unlike conventional Interactive Voice Response (IVR) systems that depend on keypad inputs or predefined menus, the proposed voice agent allows users to communicate freely using natural language. The agent understands conversational intent, extracts relevant information, interacts with backend services, and generates meaningful responses in real time.

The modular design adopted during implementation improves scalability and simplifies maintenance by separating different functionalities into independent modules.

5.1.1 Greeting Module

Every interaction begins with the greeting module. As soon as a phone call is received, the system welcomes the caller and briefly introduces the services available. The greeting module establishes the conversational context and informs users that they can book appointments, reschedule existing appointments, cancel appointments, enquire about doctors, or receive healthcare assistance.

The greeting is intentionally designed to be concise so that users can immediately begin interacting with the system without unnecessary delays. The module also initializes the conversational session and prepares the backend for subsequent requests.

5.1.2 Speech Recognition Module

The speech recognition module is responsible for converting spoken language into textual data. The implementation uses Deepgram's Streaming Speech-to-Text API, which continuously transcribes incoming audio while the user is speaking.

Streaming transcription provides several advantages over conventional speech recognition systems. Since partial transcriptions are generated continuously, the backend can begin processing user requests before the speaker finishes the complete sentence. This significantly reduces conversational latency and improves the natural flow of dialogue.

The speech recognition module also performs punctuation restoration, noise handling, and speaker segmentation to improve transcription accuracy under varying environmental conditions.

5.1.3 Intent Recognition Module

After speech transcription, the generated text is forwarded to the OpenAI language model for intent recognition.

Intent recognition is one of the most critical components of the system because it determines the action requested by the user. The language model analyses the user's input and classifies it into one of several supported operations.

The implemented system currently supports the following intents:

- Appointment Booking
- Appointment Cancellation
- Appointment Rescheduling
- Appointment Enquiry
- Doctor Recommendation
- Doctor Category Listing
- Doctor Information Retrieval

Unlike rule-based systems, the language model can understand different sentence structures expressing the same request. For example, users may say:

- "Book an appointment tomorrow."
- "I need to see a doctor tomorrow."
- "Can I consult a cardiologist tomorrow?"

Although phrased differently, all three statements are correctly interpreted as appointment booking requests.

5.1.4 Doctor Recommendation Module

Selecting an appropriate specialist is often difficult for patients who are unfamiliar with medical terminology. To simplify this process, the proposed system includes an intelligent doctor recommendation module.

Instead of requiring users to manually browse categories, the AI agent analyses the symptoms described during the conversation and recommends the most suitable medical specialization.

For example,

- Chest pain may result in a recommendation for a Cardiologist.
- Tooth pain may lead to a Dentist recommendation.
- Skin allergies may suggest consulting a Dermatologist.
- Ear pain may recommend an ENT Specialist.

After determining the appropriate specialization, the backend retrieves all doctors belonging to that category from the MongoDB database and presents them to the patient.

This feature improves accessibility and assists users who may not know which specialist they require.

5.1.5 Doctor Listing Module

Once a category has been selected, either manually or through AI recommendation, the doctor listing module retrieves all available doctors belonging to the selected specialization.

For every doctor, the following information is obtained from the database:

- Doctor Name
- Specialization
- Qualification

- Experience
- Available Time Slots

The retrieved information is then communicated back to the user through conversational responses, allowing them to choose a suitable doctor before proceeding with appointment booking.

5.1.6 Appointment Scheduling Module

The appointment scheduling module automates the complete booking process.

After the user selects a doctor, the agent requests the preferred appointment date and time. The backend validates the requested slot against the doctor's availability stored in MongoDB Atlas.

If the requested slot is available, a new appointment document is created and stored in the database. If the requested time is unavailable, alternative slots are suggested automatically.

This validation mechanism prevents double booking and ensures consistency of appointment records.

5.1.7 Appointment Management Module

The implemented system supports modification of existing appointments without requiring manual intervention.

Users can request cancellation or rescheduling using natural conversational language.

When a cancellation request is received, the backend verifies the appointment details before updating its status in the database.

Similarly, during rescheduling, the backend checks availability of the newly requested slot before updating the existing appointment record.

These operations ensure data consistency while providing flexibility to patients.

5.1.8 Response Generation Module

After completing the requested operation, the AI agent generates a conversational response summarizing the outcome.

Instead of returning predefined messages, the response is generated dynamically using the OpenAI language model based on the current conversational context.

The generated response typically contains:

- Confirmation of the requested operation.
- Doctor information.
- Appointment date and time.
- Additional guidance if required.

The generated text is then converted into natural speech using Text-to-Speech technology before being transmitted to the caller through Twilio.

5.1.9 Conversation Context Management

One of the major advantages of the proposed AI agent is its ability to maintain conversational context throughout a session.

Rather than asking users to repeatedly provide the same information, the system remembers previously supplied details such as doctor preference, selected category, appointment date, and user identity.

For example, if a patient says,

"Book an appointment with a cardiologist tomorrow."

and later asks,

"Make it afternoon instead."

the system correctly understands that the user is referring to the previously discussed appointment rather than starting a completely new conversation.

Maintaining conversational context improves interaction quality, reduces repetitive dialogue, and creates a user experience that closely resembles communication with a human receptionist.

Overall, the AI Voice Agent successfully integrates speech recognition, natural language understanding, intelligent decision making, backend processing, and speech synthesis into a unified conversational framework capable of automating clinic appointment management with high efficiency and reliability.

5.2 BACKEND IMPLEMENTATION

The backend of the proposed system acts as the central processing unit responsible for handling business logic, database communication, AI integration, authentication, and appointment management. It has been developed using the FastAPI framework, which provides high performance, asynchronous request handling, automatic API documentation, and excellent scalability.

The backend serves as the communication bridge between the React Native mobile application, the AI Voice Agent, the MongoDB Atlas database, and external cloud services such as Twilio, Deepgram, and OpenAI. Every user request, whether initiated through the mobile application or voice call, is processed by the backend before an appropriate response is returned.

The backend architecture follows a modular design, where each functional component is implemented independently. This separation of concerns simplifies maintenance, debugging, testing, and future enhancements.

5.2.1 REST API Architecture

The backend exposes RESTful APIs that are consumed by the React Native application. Each API endpoint performs a specific operation while maintaining secure communication between the frontend and backend.

The API layer receives HTTP requests, validates user input, performs business logic,

communicates with MongoDB Atlas, and returns structured JSON responses.

The implementation follows standard REST principles where different HTTP methods are used according to the requested operation.

Table 5.1: Major REST API Endpoints

API Endpoint	**Method**	**Purpose**
/api/auth/login	POST	User Login using OTP
/api/auth/register	POST	User Registration
/api/doctors	GET	Retrieve Doctor List
/api/categories	GET	Retrieve Categories
/api/appointments	POST	Book Appointment
/api/appointments	GET	View Appointments
/api/appointments/update	PUT	Reschedule Appointment
/api/appointments/delete	DELETE	Cancel Appointment
/api/profile	GET	Retrieve User Profile

5.2.2 Business Logic Layer

The business logic layer is responsible for implementing all functional requirements of the appointment booking system. It validates incoming requests, checks appointment availability, verifies user authentication, communicates with AI services, and manages doctor schedules.

Instead of embedding all operations within API endpoints, the application separates the business logic into dedicated service modules. This improves readability and allows individual modules to be reused across different parts of the application.

The business logic layer performs the following operations:

- User authentication
- Doctor retrieval
- Category management
- Appointment booking
- Appointment cancellation
- Appointment rescheduling

- Doctor recommendation
- AI conversation processing
- Reminder scheduling

5.2.3 Integration with External Services

One of the major strengths of the backend is its seamless integration with multiple cloud-based services.

Twilio is responsible for receiving incoming voice calls and forwarding the audio stream to the backend. Deepgram continuously converts spoken audio into text, while OpenAI processes the recognized text to determine user intent and generate conversational responses.

MongoDB Atlas stores all persistent application data including users, doctors, appointments, and categories. The backend communicates with all these services through secure APIs, ensuring reliable and efficient operation.

5.3 DATABASE IMPLEMENTATION

The proposed system uses MongoDB Atlas as its primary cloud-hosted NoSQL database. MongoDB was selected because of its flexible document-oriented architecture, scalability, and efficient handling of semi-structured healthcare data.

Unlike relational databases, MongoDB stores information as JSON-like documents, making it easier to represent users, doctors, appointments, and conversational data without requiring rigid table structures.

The database serves as the permanent storage layer of the system and ensures consistency of information across all application modules.

5.3.1 User Collection

The Users collection stores registration and authentication information for every patient.

Each document contains the following information:

- User ID
- Full Name
- Phone Number
- Email Address
- Profile Image
- Registration Date

The collection enables secure authentication while maintaining personalized user profiles.

5.3.2 Doctor Collection

The Doctor collection contains detailed information regarding every registered medical practitioner.

Each document stores:

- Doctor Name
- Category
- Qualification
- Experience
- Contact Information
- Availability Schedule
- Profile Image

This information is displayed both in the mobile application and during voice conversations when users request doctor information.

5.3.3 Category Collection

Medical specializations are maintained separately within the Category collection.

Each category document contains:

- Category Name
- Description
- Number of Doctors

Separating categories from doctor information improves maintainability and simplifies administrative operations.

5.3.4 Appointment Collection

The Appointment collection represents the core data component of the application.

Each appointment document stores:

- Appointment ID
- User ID
- Doctor ID
- Appointment Date
- Appointment Time
- Appointment Status
- Booking Timestamp

Before creating a new appointment, the backend validates the selected slot to avoid duplicate bookings. Any modification performed through cancellation or rescheduling is immediately reflected within this collection.

5.3.5 Database Relationships

Although MongoDB is a NoSQL database, logical relationships exist among various collections.

The Users collection references appointments booked by individual patients.

Each appointment references exactly one doctor.

Every doctor belongs to one medical category.

These logical relationships ensure efficient retrieval of appointment information while maintaining data consistency.

5.4 AUTHENTICATION MODULE

Security is an essential requirement of any healthcare application because it manages sensitive patient information and appointment records. To ensure secure access, the proposed system implements OTP-based authentication instead of conventional password-based login.

OTP authentication improves usability while eliminating the need for users to remember complex passwords.

5.4.1 User Registration

A new user must first register by providing basic personal information including name, phone number, and email address.

The backend validates all mandatory fields before creating a new user account.

After successful registration, user information is securely stored within MongoDB Atlas.

5.4.2 OTP Verification

Whenever a registered user attempts to log in, the system generates a One-Time Password (OTP).

The OTP is sent to the user's registered phone number or email address depending on the selected authentication method.

Users must enter the received OTP within a specified validity period.

The backend compares the entered OTP with the generated value before granting access.

This process prevents unauthorized access while maintaining a simple user experience.

5.4.3 User Login

After successful OTP verification, the backend authenticates the user and creates an active session.

The authenticated user is redirected to the application dashboard where all personalized services become available.

Authenticated users can:

- View Profile
- Browse Doctors
- Book Appointments
- Cancel Appointments
- Reschedule Appointments
- View Appointment History

5.4.4 Session Management

To improve security, authenticated sessions are managed securely throughout user interaction.

Each request received by protected APIs is validated before processing.

Unauthorized requests are rejected immediately, preventing malicious access to appointment records and administrative resources.

Session management also allows users to remain authenticated while navigating different screens of the mobile application without repeatedly logging in.

5.4.5 Profile Management

The authenticated user can access a personalized profile page displaying personal information, contact details, and account settings.

Users are also provided with the option to securely sign out from the application.

Profile information is synchronized with MongoDB Atlas to ensure consistency across multiple sessions.

The authentication module therefore provides a secure, reliable, and user-friendly mechanism for accessing healthcare services while protecting sensitive patient information.

5.5 MOBILE APPLICATION IMPLEMENTATION

The React Native mobile application serves as the primary user interface of the proposed healthcare appointment booking system. It provides patients with an intuitive platform to browse doctors, schedule appointments, manage bookings, and interact with the AI assistant. The application has been designed with a clean and responsive interface that minimizes user effort while ensuring smooth navigation across different modules.

The application communicates with the FastAPI backend using RESTful APIs. All user operations such as authentication, doctor retrieval, appointment booking, cancellation, and profile management are processed through secure backend services. The user interface has been optimized to provide a consistent experience across Android devices while maintaining simplicity and accessibility.

5.5.1 Authentication Screens

Authentication is the first step before users can access personalized healthcare services. The implemented authentication mechanism uses OTP verification, eliminating the need

for conventional passwords and improving both security and usability.

When an unauthenticated user attempts to access the profile section, the application displays a login prompt requesting the user to authenticate before viewing profile information.

Figure 5.1 illustrates the profile screen displayed before authentication.




Figure 5.1: Profile Screen Prompting User Login

The login screen allows users to enter their registered phone number or email address. After validation, an OTP is generated and sent to the registered contact information.

The interface has been intentionally designed with minimal input fields to simplify the login process and reduce user interaction time.

Figure 5.2 shows the implemented login screen.




Figure 5.2: Login Screen

5.5.2 OTP Verification

After entering the registered credentials, the user receives a One-Time Password (OTP). The OTP is entered within the application and verified by the backend server.

Successful verification authenticates the user and establishes a secure session.

OTP authentication provides several advantages:

- Eliminates password management
- Prevents unauthorized access
- Simplifies user login

- Improves application security

Figure 5.3 illustrates the OTP verification screen.




Figure 5.3: OTP Verification Screen

5.5.3 User Profile

Once authentication is completed, the user is redirected to the profile screen. The application retrieves user information from MongoDB Atlas through the backend APIs and displays it in a structured format.

The profile screen displays:

- User Name

- Phone Number
- Email Address
- Account Information
- Logout Option

The profile module allows users to verify their account details while providing a secure logout mechanism.

Figure 5.4 shows the implemented profile page.




Figure 5.4: User Profile Screen

5.5.4 Home Screen

The home screen serves as the main dashboard of the application. It provides users with quick access to all available healthcare services and doctor categories.

The interface contains a search bar that enables users to search doctors by specialization or name. Frequently used medical categories are displayed using cards, allowing users to quickly navigate to their desired specialization.

Popular categories implemented include:

- Cardiologist
- Dentist
- Dermatologist
- ENT Specialist
- Neurologist
- General Physician

The screen also includes shortcuts for interacting with the AI assistant.

Figure 5.5 illustrates the implemented home screen.




Figure 5.5: Application Home Screen

5.5.5 Doctor Listing

After selecting a medical category, the application retrieves all doctors belonging to that specialization from the backend database.

The doctor listing page presents information in an organized card-based layout. Each doctor card displays:

- Doctor Name

- Medical Specialization
- View Button

Selecting a doctor opens the detailed profile page where additional information is displayed.

Figure 5.6 shows the doctor listing screen.




Figure 5.6: Doctor Listing Screen

5.5.6 Doctor Profile

The doctor profile screen provides detailed information regarding the selected medical practitioner.

The displayed information includes:

- Doctor Name
- Qualification
- Years of Experience
- Specialization
- Contact Information
- Availability
- Professional Summary

Patients can review doctor details before proceeding with appointment booking. This information assists users in selecting the most suitable healthcare provider.

Figure 5.7 illustrates the doctor profile page.




Figure 5.7: Doctor Profile Screen

5.5.7 Appointment Management

The appointment management module enables users to monitor all upcoming appointments within a single interface.

Each appointment card displays:

- Doctor Name
- Appointment Date

- Appointment Time
- Hospital Location
- Appointment Status

Users can directly perform the following operations:

- Reschedule Appointment
- Cancel Appointment

Whenever a user requests rescheduling, the backend validates the selected time slot before updating the appointment. Similarly, cancelled appointments are immediately reflected in the database.

Figure 5.8 illustrates the appointment management screen.




Figure 5.8: Appointment Management Screen

5.5.8 Appointment History

The application also maintains a history of completed appointments.

The history module allows users to review previous consultations and provides an option to book follow-up appointments whenever required.

Completed appointments are stored permanently in MongoDB Atlas and remain accessible for future reference.

Maintaining appointment history improves continuity of healthcare services and en-

ables users to easily revisit previous consultations.

Figure 5.9 illustrates the appointment history module.




Figure 5.9: Completed Appointment History

5.5.9 Mobile Application Summary

The React Native mobile application successfully integrates all healthcare services into a unified and user-friendly interface. The implemented modules provide secure authentication, intelligent doctor discovery, convenient appointment management, and seamless interaction with backend services.

The application emphasizes accessibility, responsiveness, and simplicity while maintaining reliable communication with the FastAPI backend. The modular implementation also allows future enhancements such as multilingual support, online payment integration, electronic health records, and video consultation services without significant architectural modifications.

5.6 ADMIN DASHBOARD IMPLEMENTATION

In addition to the patient mobile application, an administrative dashboard has been developed to facilitate efficient management of doctors, appointments, categories, and system analytics. The dashboard provides administrators with complete control over the healthcare appointment system while also presenting valuable statistical information regarding system usage.

The dashboard communicates directly with the FastAPI backend using secure REST APIs. All administrative operations are validated before execution to ensure data integrity and prevent unauthorized modifications.

The administrator can perform the following operations:

- Manage doctor categories
- Add new doctors
- Update doctor information
- Monitor appointment statistics
- View booking trends
- Analyze doctor utilization
- Monitor cancellation and rescheduling rates

The modular implementation enables healthcare administrators to efficiently manage the entire appointment booking platform from a centralized interface.

5.6.1 Analytics Dashboard

The analytics dashboard provides graphical insights into appointment activities occurring within the system.

Healthcare administrators can identify usage patterns and evaluate overall system performance using various statistical charts.

The dashboard currently provides the following analytics:

- Appointment cancellation rate
- Appointment rescheduling rate
- Peak booking hours
- Monthly booking statistics
- Doctor utilization

These visualizations assist administrators in making informed decisions regarding resource allocation and doctor scheduling.

5.6.2 Peak Booking Hour Analysis

Understanding patient booking behavior helps clinics allocate resources more efficiently.

The implemented dashboard records appointment requests throughout the day and identifies the hours during which booking activity is highest.

This information enables healthcare administrators to

- allocate reception staff,
- optimize doctor schedules,
- reduce patient waiting time,
- improve appointment availability.

Figure 5.10 presents the implemented peak booking hour analysis.




Figure 5.10: Peak Booking Hours

5.6.3 Doctor Utilization Analysis

Doctor utilization statistics measure how frequently each doctor is booked within the system.

The dashboard calculates the number of appointments handled by individual doctors over a selected time period.

These statistics assist administrators in

- balancing workloads,
- identifying highly demanded specialists,
- planning future schedules,
- improving clinic efficiency.

Figure 5.11 illustrates the doctor utilization statistics.




Figure 5.11: Doctor Utilization Statistics

5.6.4 Monthly Booking Trends

The dashboard records booking statistics over different months and generates graphical reports showing appointment growth.

The monthly trend analysis enables healthcare administrators to identify seasonal variations in patient visits and estimate future appointment demand.

These reports can also assist hospitals in planning staffing requirements during periods of increased patient activity.

Figure 5.12 illustrates the monthly booking statistics.




Figure 5.12: Monthly Appointment Trends

5.6.5 Doctor Category Management

The administrator dashboard provides facilities for managing medical categories available within the system.

Categories such as Cardiology, Dermatology, Dentistry, Neurology, ENT, and General Medicine can be added, updated, or removed without modifying the application source code.

Separating doctor categories from doctor records improves database organization and simplifies future expansion.

Figure 5.13 illustrates the implemented category management interface.




Figure 5.13: Doctor Category Management

5.6.6 Doctor Management

Healthcare administrators can register new doctors using the doctor management interface.

The registration form collects essential information including

- Doctor Name
- Qualification
- Specialization

- Experience
- Contact Details
- Availability Schedule
- Profile Photograph

The submitted information is validated before being stored within MongoDB Atlas. Figure 5.14 illustrates the doctor registration interface.




Figure 5.14: Doctor Registration Interface

5.6.7 Doctor Dashboard

Every registered doctor is provided with a personalized dashboard displaying appointment information.

The dashboard provides

- Today's appointments
- Upcoming appointments
- Completed appointments
- Patient statistics
- Appointment summaries

This centralized interface enables doctors to efficiently monitor their schedules without requiring manual record maintenance.

Figure 5.15 illustrates the implemented doctor dashboard.




Figure 5.15: Doctor Dashboard

5.7 NOTIFICATION SYSTEM

The proposed system incorporates an automated notification mechanism to improve appointment attendance and reduce missed consultations.

Whenever an appointment is successfully booked, the appointment information is stored within the database together with reminder details.

Approximately twelve hours before the scheduled consultation, the backend automatically generates a reminder message and sends it to the patient using the Twilio SMS API.

The reminder message contains

- Patient Name
- Doctor Name
- Appointment Date
- Appointment Time
- Clinic Information

Automatic reminders significantly reduce missed appointments while improving patient engagement and healthcare service reliability.

CHAPTER 6

CONCLUSION

6.1 Conclusion

The proposed *Voice-based Automated Appointment Booking Agent for Clinics* was successfully designed and implemented to provide an intelligent, efficient, and user-friendly solution for healthcare appointment management. The system combines conversational Artificial Intelligence with cloud telephony, speech recognition, natural language processing, and mobile application technologies to automate the complete appointment booking process.

The developed solution enables patients to book, cancel, reschedule, and enquire about appointments using either natural voice conversations or a mobile application. The integration of Twilio, Deepgram, OpenAI, FastAPI, MongoDB Atlas, and React Native ensures seamless communication between different system components while providing real-time responses and reliable appointment management.

The system successfully reduces the workload of clinic reception staff by automating routine administrative tasks such as handling appointment requests, checking doctor availability, and managing appointment records. It also improves accessibility by allowing users to interact naturally through voice, making the system convenient for individuals who may find traditional graphical interfaces difficult to use.

The modular architecture adopted during development enhances scalability, maintain-

ability, and ease of future expansion. The successful implementation demonstrates the practical applicability of conversational AI in healthcare and highlights its potential to improve operational efficiency, reduce scheduling errors, and enhance the overall patient experience.

Overall, the project achieved its objectives by developing a reliable and intelligent appointment booking platform that integrates modern AI technologies with healthcare services, providing a strong foundation for future advancements in digital healthcare automation.

6.2 Future Scope

Although the proposed system successfully automates clinic appointment management, several enhancements can further improve its functionality and applicability.

- Implement multilingual voice support to enable interaction in multiple regional and international languages, making the system more accessible to a wider range of users.
- Integrate Electronic Health Records (EHR) and Hospital Management Systems (HMS) to provide doctors with secure access to patient medical history and appointment records.
- Incorporate secure online payment gateways to allow users to make consultation payments during the appointment booking process.
- Enhance the AI assistant with advanced symptom analysis and personalized doctor recommendations using medical knowledge bases and machine learning techniques.
- Introduce video consultation capabilities, allowing patients to schedule and attend virtual appointments directly through the application.
- Develop predictive analytics to estimate appointment demand, optimize doctor schedules, and reduce patient waiting times.

- Deploy the system on scalable cloud infrastructure to support multiple clinics and hospitals while maintaining high availability and performance.
- Integrate wearable health devices and IoT-based healthcare monitoring systems to provide continuous health tracking and personalized healthcare services.

These enhancements would further improve the intelligence, scalability, and practicality of the proposed system, making it suitable for deployment in large-scale healthcare environments and supporting the continued digital transformation of healthcare services.

Bibliography

[1] A. Author et al., "Toward Low-Latency End-to-End Voice Agents for Telecommunications Using Streaming ASR, Quantized LLMs, and Real-Time TTS," *arXiv preprint arXiv:2508.04721*, 2025. Available: `https://arxiv.org/abs/2508.04721`

[2] A. Author et al., "SpeakStream: Streaming Text-to-Speech with Interleaved Data," *arXiv preprint arXiv:2508.04721*, 2025. Available: `https://arxiv.org/abs/2508.04721`

[3] S. Kaewtawee et al., "Cloning a Conversational Voice AI Agent from Call Recording Datasets for Telesales," *arXiv preprint arXiv:2509.04871*, 2025. Available: `https://arxiv.org/abs/2509.04871`

[4] A. Author et al., "Automated Survey Collection with LLM-based Conversational Agents," *arXiv preprint arXiv:2504.02891*, 2025. Available: `https://arxiv.org/abs/2504.02891`

[5] Deepgram Inc., "Build a Voice Agent with Twilio, Deepgram, and OpenAI," Developer Documentation, 2024. Available: `https://developers.deepgram.com/docs/build-voice-agent-with-twilio-deepgram-openai`

[6] Opus Codec Developers, "Opus API Documentation (Version 1.2)," 2023. Available: `https://opus-codec.org/docs/opus_api-1.2/index.html`

[7] J.-M. Valin et al., "RFC 6716: Definition of the Opus Audio Codec," IETF Standards Track, 2012. Available: `https://datatracker.ietf.org/doc/html/rfc6716`

[8] Twilio Inc., "Twilio Programmable Voice Documentation," 2025. Available: https://www.twilio.com/docs/voice

[9] OpenAI, "OpenAI API Documentation," 2025. Available: https://platform.openai.com/docs

[10] MongoDB Inc., "MongoDB Atlas Documentation," 2025. Available: https://www.mongodb.com/docs/atlas