


Name: Domen Jhanine B.
Subject: IT314AB


Instructor: Canque Chiara Marie C.
Date: 07/28/2026


Capture the Flag 2: Widgets

Flag 0 – Create Your Feature Branch




Flag 1 – Break It Apart








Flag 2 – Stack the Information




Flag 3 – Add Another Element



Flag 4 – Put Two Things Side-by-Side





Flag 5 – Give It Some Space






Flag 6 – Make It Look Better








```
lib > main.dart
1 import 'package:flutter/material.dart';
2
3 void main() {
4   runApp(const MyApp());
5 }
6
7 class MyApp extends StatelessWidget {
8   const MyApp({super.key});
9
10  @override
11  Widget build(BuildContext context) {
12    return MaterialApp(
13      home: MyHomePage(),
14    );
15  }
16 }
17
18 class MyHomePage extends StatelessWidget {
19   const MyHomePage({super.key});
20
21  @override
22  Widget build(BuildContext context) {
23    return Scaffold(
24      appBar: AppBar(
25        title: Text('Flutter Capture the Flag 2: Widgets'),
26      ),
27      body: Center(
28        child: Column(
29          mainAxisAlignment: MainAxisAlignment.center,
30          crossAxisAlignment: CrossAxisAlignment.center,
31
32          children: [
33            Text(
34              'Domen Jhanine B.',
35              style: TextStyle(
36                fontSize: 30,
37                color: const Color.from(
38                  alpha: 1,
39                  red: 0.263,
40                  green: 0.484,
41                  blue: 0.616,
```




Flag 8 – Create a Second Card





Flag 9 – Stack the Cards




Flag 10 – Widget Discovery

```
lib > main.dart > MyHomePage > build
16 class MyHomePage extends StatelessWidget {
20   Widget build(BuildContext context) {
24     body: SingleChildScrollView(
25       child: Center(
26         child: Column(
27           mainAxisAlignment: MainAxisAlignment.center,
28           crossAxisAlignment: CrossAxisAlignment.center,
29
30           children: [
31             Card(
32               child: Column(
33                 children: [
34                   CircleAvatar(
35                     radius: 40,
36                     backgroundColor: const Color.from(
37                       alpha: 1,
38                       red: 0.263,
39                       green: 0.404,
40                       blue: 0.616,
41                     ), // Color.from
42                   child: Text( 'DB',
43                     style: TextStyle(
44                       fontSize: 24,
45                       color: Colors.white,
46                       fontWeight: FontWeight.bold,
47                     ), // TextStyle
48                   ), // Text
49                 ], // CircleAvatar
50               ), // Card
51             Text(
52               'Domen Jhanine B.',
53               style: TextStyle(
54                 fontSize: 30,
55                 color: const Color.from(
56                   alpha: 1,
57                   red: 0.263,
58                   green: 0.404,
59                   blue: 0.616,
60                 ), // Color.from
61               ), // Text
62             ), // Text
63           ], // Column
64         ), // Center
65       ), // SingleChildScrollView
66     ), // build
67   }, // MyHomePage
68 }
```



Flag 11 – Real Phone Test



Flag 12 – Save Your Progress

```
create mode 100644 windows/runner/utils.h
create mode 100644 windows/runner/win32_window.cpp
create mode 100644 windows/runner/win32_window.h
PS C:\Users\User\Documents\IT314AB_Domen> git push -u origin feature/widgets
Enumerating objects: 180, done.
Counting objects: 100% (180/180), done.
Delta compression using up to 8 threads
Compressing objects: 100% (148/148), done.
Writing objects: 100% (179/179), 267.70 KiB | 4.78 MiB/s, done.
Total 179 (delta 21), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (21/21), completed with 1 local object.
remote:
remote: Create a pull request for 'feature/widgets' on GitHub by visiting:
remote:   https://github.com/DomenJhanineB/IT314AB_Domen/pull/new/feature/widgets
remote:
To https://github.com/DomenJhanineB/IT314AB_Domen.git
 * [new branch]      feature/widgets -> feature/widgets
branch 'feature/widgets' set up to track 'origin/feature/widgets'.
PS C:\Users\User\Documents\IT314AB_Domen> git status
On branch feature/widgets
Your branch is up to date with 'origin/feature/widgets'.

nothing to commit, working tree clean
PS C:\Users\User\Documents\IT314AB_Domen> git branch -a
* feature/widgets
  main
remotes/origin/HEAD -> origin/main
remotes/origin/feature/widgets
remotes/origin/main
PS C:\Users\User\Documents\IT314AB_Domen> |
```