








Curves



Miscellaneous



Butt:




Round:



Square:



Miter:





















Round:



Bevel:



Simple alignment

Left Top:	 (0 degrees)	 (0 degrees)
Left Bottom:	 (0 degrees)	 (45 degrees)
Left Middle:	 (0 degrees)	 (90 degrees)
Right Top:	 (0 degrees)	 (135 degrees)
Right Bottom:	 (0 degrees)	 (180 degrees)
Right Middle:	 (0 degrees)	 (225 degrees)
Center Top:	 (0 degrees)	 (270 degrees)
Center Bottom:	 (0 degrees)	 (315 degrees)
Center Middle:	 (0 degrees)	 (360 degrees)

NOTE: showText(...) methods return the actual bounding box of the text shown.
NOTE: The rotation parameter can be freely defined as a floating point value.

[illegible]

Block line alignment

[illegible]

Block line space

Demonstrating how to set the block line space. Line space can be expressed either as an absolute value (in user-space units) or as a relative one (floating-point ratio); in the latter case the base value is represented by the current font's line height (so that, for example, 2 means "a line space that's twice as the line height").

0:

Demonstrating how to set the block line space. Line space can be expressed either as an absolute value (in user-space units) or as a relative one (floating-point ratio); in the latter case the base value is represented by the current font's line height (so that, for example, 2 means "a line space that's twice as the line height").

0,5:

Demonstrating how to set the block line space. Line space can be expressed either as an absolute value (in user-space units) or as a relative one (floating-point ratio); in the latter case the base value is represented by the current font's line height (so that, for example, 2 means "a line space that's twice as the line height").

1:

Demonstrating how to set the block line space. Line space can be expressed either as an absolute value (in user-space units) or as a relative one (floating-point ratio); in the latter case the base value is represented by the current font's line height (so that, for example, 2 means "a line space that's twice as the line height").

1,5:

Demonstrating how to set the block line space. Line space can be expressed either as an absolute value (in user-space units) or as a relative one (floating-point ratio); in the latter case the base value is represented by the current font's line height (so that, for example, 2 means "a line space that's twice as the line height").

2:

Unspaced block

[illegible][illegible]